Polychlorinated Biphenyls (PCBs) Remedial Action Report

SDE Project 080-0093 RNV/E Orville H. Platt High School 220 Coe Avenue, Meriden, CT

Meriden Public Schools

Meriden, Connecticut

May 29, 2014



Fuss & O'Neill EnviroScience, LLC 146 Hartford Road Manchester, CT 06040



May 29, 2014

Ms. Katherine Woodward, PE
PCB Coordinator
U.S. Environmental Protection Agency
5 Post Office Square, Suite 100
Mail Code: OSRR07-2
Boston, MA 02109-3912

RE: Polychlorinated Biphenyls (PCBs) Remedial Action Report

Orville H. Platt High School

SDE Project No.: 080-0093 RNV/E 220 Coe Avenue, Meriden, CT

Fuss & O'Neill EnviroScience Project No. 20111127.A3E

Dear Ms. Woodward:

Enclosed please find the remedial action report for the polychlorinated biphenyls (PCBs) remediation project completed at Orville H. Platt High School, in Meriden, Connecticut. This report summarizes the PCB abatement performed during Phase I renovation and relates to the removal of PCB-containing caulking compounds associated with windows along the Chorus/Band Room area (>50PPM), back side at pool area associated with overhead doors (asbestos containing material and PCBs< 50 PPM), and waterproofing mastic outside of the Chorus/Band Room area (< 50 PPM) to satisfy EPA requirements.

If you have any questions regarding the enclosed report, please do not hesitate to contact us at (860) 646-2469. Thank you for this opportunity to have served your environmental needs.

Sincerely,

146 Hartford Road Manchester, CT 06040 1 860.646,2469

†860.646.2469 Carlos Texidor 800.286.2469 Project Manager †860.533.5143

www.fando.com

CT/kr

Connecticut

Massachusetts

cc:

Mr. Paul A. Lisi, AIA, Antinozzi Associates

Rhode Island South Carolina

Enclosure



Table of Contents

Polychlorinated Biphenyls Remedial Action Report Orville H. Platt High School

1	Intro	oduction	1
	1.1	Remedial Action Project Limits	1
	1.2	Remedial Action Project Objectives	1
	1.3	Remedial Action Approach	2
	1.4	Regulatory Framework	2
		1.4.1 United States Environmental Protection Agency	2
2	Bac	ckground	3
	2.1	Building Description	3
	2.2	Building Material Characterization Activities	3
3	Rem	nediation Activities	3
	3.1	Pre-Remediation Activities	3
		3.1.1 Approval and Approval Conditions	4
	3.2	Remediation Activities	5
		3.2.1 PCB-Containing Product Removal	5
		3.2.2 Adjacent Building Material Removal	5
	3.3	Post-Remediation Verification Sampling	6
		3.3.1 Bulk Verification Sampling	
Tab	loc		
1		Verification Sample Results	6
Ann	endices	e E	nd of Report
A		Implementing On-Site Cleanup and Disposal Plan (Notification)	nd of Keport
В		fication Approval Letter	
C		roval Conditions	
C	1)	Town Notification Acceptance Letter	
	2)	Laboratory Notification Acceptance Letter	
	3)	Contractor Acceptance Letter	
	4)	Contractor Work Plan	
D	/	ytical Reports: Bulk Verification Sampling Results & Locations	
E		orm Hazardous Waste Manifest	
F		ediation Contractor's Paperwork	
G		& O'Neill EnviroScience's Paperwork	
G	russ c	& O Neill Enviroscience's Paperwork	



1 Introduction

Fuss & O'Neill EnviroScience, LLC (EnviroScience) was retained to provide construction administration services for the Town of Meriden related to the remediation of polychlorinated biphenyls (PCBs) at Orville H. Platt High School, 220 Coe Avenue, Meriden, Connecticut.

This report has been prepared in accordance with the United States Environmental Protection Agency (EPA) approved Self Implementing On-Site Clean-up and Disposal Plan (SIP) and with the requirements of Condition 19 of the approval granted by the EPA for cleanup of PCB-containing and PCB-contaminated materials pursuant to Title 40 of the Federal Regulations (CFR) 761.61 (a) and 761.79 (h), dated May 18, 2013. This report presents data supporting the attainment of the remedial objectives pertaining to the PCB-containing and PCB-contaminated materials for the project.

This remediation project involved the removal of PCB-containing window caulk associated with phase-I renovation project (Chorus/Band Room area PCB's >50PPM), PCB- containing caulking compound associated with overhead doors (ACM& PCB's <50PPM) in back side at pool area, and waterproofing mastic outside of the Chorus/Band Room area (PCB's <50PPM), to satisfy EPA requirements.

The SIP, also referred to as the Notification, was prepared by Fuss & O'Neill EnviroScience. A copy of Notification is provided in *Appendix* A. The General Contractor was O&G of Torrington, Connecticut. The PCB Remediation Contractor was Yankee Environmental Services of Billerica, Massachusetts.

1.1 Remedial Action Project Limits

The overall remedial objective was to address PCB-containing window caulk associated with phase-I renovation project (Chorus/Band Room area PCB's >50PPM), PCB- containing caulking compound associated with overhead doors (ACM& PCB's <50PPM) in back side at pool area, and waterproofing mastic outside of the Chorus/Band Room area (PCB's <50PPM).

1.2 Remedial Action Project Objectives

The objective of the project was to remove PCB- containing materials with equal to or greater than 50 parts per million (ppm) as PCB Bulk Product Waste. Steel structural components to remain such as steel lintels were to be cleaned to meet required visual standards and wipe sampling criteria for high occupancy use. Materials containing PCBs equal to or greater than (≥) 50 ppm include exterior window caulking (1956 section), and the metal surfaces were to be cleaned of PCB caulking and remain include structural steel lintels.

The overall project objective is to remove PCB materials to facilitate demolition in selected sections of the school in accordance with the proposed renovation/selective demolition plans as a high occupancy use upon completing the PCB SIP work.

In accordance with State of Connecticut statutes we understand that caulking or other building materials containing PCBs < 50 ppm but equal to or greater than 1 ppm PCB are regulated and require



remediation. We also understand that substrate testing is required under 40 CFR § 761.3 to meet the definition of an excluded PCB product and samples were collected to confirm excluded PCB products.

1.3 Remedial Action Approach

The remedial action approach consisted of the removal and off-site disposal of the exterior window, overhead door component associated with caulking compounds, and waterproofing mastic/ as PCB Bulk Product Waste.

1.4 Regulatory Framework

The completed remediation activity was proposed as a voluntary action to address the presence of PCB-containing caulking compounds associated with select with selected areas associated with phase-I renovation project.

1.4.1 United States Environmental Protection Agency

The EPA was the lead agency contact for the review of information regarding the investigation and remediation of PCBs at the Site. Of interest to the EPA was that the remediation was conducted in a manner consistent with the Toxic Substances Control Act (TSCA) and more specifically, the provisions of 40 CFR 761 – Polychlorinated Biphenyls Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions. Pertinent documents issued by the EPA are provided below along with key contacts associated with each.

PCB Cleanup and Disposal Approval pursuant to 40 CFR 761.61 (a) and 761.79 (h) was provided on May 18, 2013 in response to the SIP originally submitted on October 2, 2012 and revised on March 14, 2013.

- A copy of the PCB Cleanup and Disposal Approval is provided in Appendix B.
- The key contact for the above was:

Ms. Kimberly Tisa

PCB Coordinator

U.S. Environmental Protection Agency

Region 1

5 Post Office Square, Suite 100

Mail Code: OSRR07-2

Boston, MA 02109-3912

Telephone (617) 918-1527

Facsimile (617) 918-0527

EPA guidelines were used for the investigation and remediation of PCBs from the Site.



2 Background

This section provides a description of the Site and includes information on the Building Material Characterization Activities at the Site.

2.1 Building Description

The Orville H. Platt High School was constructed in 1956 and was completed in 1958; with an addition being completed in 1968. The majority of the school building is a two-story structure and there is limited basement space for utilities. The windows associated with the 1956 section of the building include 435 windows.

The building consists of approximately 234,523 square feet of classrooms, cafeteria, multi-purpose room, an interior in-ground pool, and technology learning centers. The exterior of the building is concrete block and brick while interior walls are constructed of concrete block, wall board and brick. Window systems are composed of metal. Figures HM-01 and HM-02 show the areas of the existing school.

The Orville H. Platt High School had the original roof(s) 1956 section, and 1968 section replaced in 1999. All caulks associated with roofs are considered Excluded PCB Products since the roof was replaced in 1999 and the use of PCBs in building materials was banned in 1979.

2.2 Building Material Characterization Activities

Source material sampling conducted on January 6, and January 23, 2013. Additional sampling was performed on March 7 and April 6, 2012 due to elevated reporting limit concentrations.

Additional information regarding caulking and adjacent surface characterization sampling can be found in the Self Implementing On-site Clean-up and Disposal Plan attached as *Appendix* A.

3 Remediation Activities

This section contains a description of the remediation activities completed at the Site including: (1) Preremediation Activities, (2) Remediation Activities, and (3) Post Remediation Verification Sampling.

3.1 Pre-Remediation Activities

The PCB remediation contractor, Yankee Environmental Services, built containments around exterior windows at the Chorus/Band Room (PCB's >50PPM) and at the exterior backside by the pool area (overhead openings which contained ACM &PCB's <50PP) to remove PCB containing caulk and PCB contaminated frames/metal components. All non-porous steel lintels were removed and disposed as PCB's contaminated waste. For the material that contain <50PPM, in selected area outside of the Chorus/Band Room (waterproofing mastic), the contactor installed polyethylene sheeting on the floor,



at base of the foundation, extended approximately 15 to 20 feet out to prevent the potential for cross-contamination during the PCB remediation. A three-stage remote worker decontamination unit was constructed net to the work area.

3.1.1 Approval and Approval Conditions

Prior to initiation of the remediation activities at the Site, it was necessary to obtain the approval of the regulatory agency maintaining jurisdiction over the work and as well as meet certain approval conditions. The agency maintaining jurisdiction over the work was the EPA.

3.1.1.1 United States Environmental Protection Agency

The EPA required the submission of a SIP to review for consistency with the provisions of 40 CFR 761.61 – Polychlorinated Biphenyls Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions. The SIP was initially prepared and submitted to the EPA on October 2, 2012 and revised on March 14, 2013. The notification included a presentation of the Site characterization data, statement of the remedial action objectives, a description of the Site preparations and controls, a description of the Site remedial action procedures, and a description of the Site verification plan for remedial action procedures.

Per Condition 9 of the PCB Cleanup and Disposal Approval, the Town of Meriden was required to provide written notification of its acceptance of the conditions of the approval to the EPA. A copy of the acceptance was submitted to the EPA as required and is provided in Appendix C, Item 1.

Per Condition 10a of the PCB Cleanup and Disposal Approval, the Remediation Contractor was required to provide written notification of its understanding and acceptance of the Notification, and that the Remediation Contractor agreed to abide by the conditions of the approval. A copy of the acceptance was submitted to the EPA as required is provided in Appendix C, Item 3.

Per Condition 10b of the PCB Cleanup and Disposal Approval, the Analytical Laboratory was required to provide written notification of its understanding and acceptance of the extraction and analytical methods and quality assurance requirements specified in the Notification and conditions of the approval. A copy of the laboratory's acceptance was submitted to the EPA as required and is provided in Appendix C, Item 2

Per Condition 10c of the PCB Cleanup and Disposal Approval, the Remediation Contractor was required to submit a work plan detailing the procedures that will be employed for removal of PCB-containing and PCB-contaminated waste and for containment and air monitoring during removal activities. Additionally, this work plan was to include information on waste storage, handling, and disposal for each waste stream type and for equipment decontamination. A copy of the work plan was submitted to the EPA as required and is provided in Appendix C, Item 4.



3.2 Remediation Activities

The remediation activities associated with this project are presented in two categories: (1) PCB Bulk Product Waste and (2) PCB Remediation Waste.

3.2.1 PCB-Containing Product Removal

PCB bulk product waste including PCB caulking compound and PCB remediation waste associated with caulking compounds were handled and removed from specified locations for proper disposal. Materials were removed in a manner that did not break down the materials into fine dust or powder to the extent feasible. Both mechanical equipment and hand tools were used to remove materials from adjacent substrates. The mechanical removal tools were fitted with HEPA dust collection systems. Dry or brittle caulking compound and associated dust and/or debris were removed utilizing HEPA vacuums. Materials removed were placed in lined containers marked according to 40 CFR 761.40 formatted according to 40 CFR 761.45. The materials were stored for disposal in accordance with 40 CFR 761.65.

The sequence of removal followed general requirements:

- PCB caulking associated with the window frames was removed and properly containerized for disposal as PCB bulk product waste (≥ 50 ppm PCBs).
- Surfaces from which PCB caulking had been removed were cleaned with a solvent-based cleaner and wire brush to remove visible caulking.
- All materials were properly containerized for disposal as PCB Bulk Product waste (<50 ppm PCBs) not excluded PCB Products. Upon completion all surfaces were then HEPA vacuumed.

The Uniform Hazardous Waste Manifest is provided in Appendix E.

3.2.2 Adjacent Building Material Removal

Building materials adjacent to PCB-containing caulk were removed in a manner that minimized the breakdown of the materials into fine dust. Equipment used included hand tools and reciprocating hammers.

The reciprocating tools were fitted with HEPA dust collection systems. Dust and/or debris were removed utilizing HEPA vacuums. Materials removed were placed in lined containers marked according to 40 CFR 761.40 with markings formatted according to 40 CFR 761.45. The materials were stored for disposal in accordance with 40 CFR 761.65. Post-remediation verification sampling was conducted in accordance with the approach from Sub-part O for porous materials. The Uniform Hazardous Waste Manifest is provided in *Appendix E*.



3.3 Post-Remediation Verification Sampling

3.3.1 Bulk Verification Sampling

Verification sampling of porous masonry components at windows by in the Chorus/Band Room area were performed in accordance with 40 CFR 761.61 Sub-part O. Samples were collected approximately every 10 feet linear along the masonry bricks. Results were compared to the high occupancy standard for porous surfaces of ≤1 ppm using the extraction method 3540C and analysis method SW846 8082.

The results of the verification sampling are as follows:

Table 1 – Bulk Verification Sample Results

Sample ID	Sample Location	Material Description	Result (mg/kg)
	Room 407 Band Room	and Band Room Storage	
1112UA-01A	Window 1-Right side	Brick	ND < 0.32
1112UA-01B	Window 1-Right side sill	Brick	ND < 0.33
1112UA-01C	Window 1-Sill	Brick	ND < 0.33
1112UA-01D	Window 1-Sill	Brick	ND < 0.32
1112UA-01E	Window 1-Left sill	Brick	ND < 0.33
1112UA-01F	Window 1-Left side	Brick	ND < 0.33
1112UA-02A	Window 1-Right side	Brick	ND < 0.33
1112UA-02B	Window 2-Right side sill	Brick	ND < 0.33
1112UA-02C	Window 2-sill	Brick	ND < 0.33
1112UA-02D	Window 2-sill	Brick	ND < 0.33
1112UA-02E	Window sill	Brick	ND < 0.32
1112UA-02F	Window sill	Brick	ND < 0.33

^{*}All lintels were removed in its entirety. No additional sampling was required.

This report was prepared by Environmental Technician Ulkens Auguste.

Reviewed by:

Carlos Texidor

Project Manager

Robert L. May, Jr.

President



Appendix A

Self-Implementing On-site Clean-up and Disposal Plan for PCB Caulking Removal

Self-Implementing On-Site Cleanup and Disposal Plan for PCB Caulking Removal

Orville H. Platt High School 220 Coe Avenue Meriden, Connecticut SDE Project No-080-0093 RNV/E

Meriden Public Schools

Meriden, Connecticut

October 2, 2012 Revised March 14, 2013



Fuss & O'Neill EnviroScience, LLC 146 Hartford Road Manchester, CT 06040



October 2, 2012 Revised March 14, 2013

Ms. Katherine Woodward, PE PCB Coordinator U.S. Environmental Protection Agency 5 Post Office Square, Suite 100 Mail Code: OSRR07-2 Boston, MA 02109-3912

RE: Self-Implementing On-Site Cleanup and Disposal Plan Orville H. Platt High School, Meriden, Connecticut SDE Project No-080-0093 RNV/E Fuss & O'Neill EnviroScience Project No. 20111127.A1E

Dear Ms. Woodward:

We are submitting this work plan in accordance with the notification requirements for a Self-Implementing On-Site Cleanup and Disposal plan for regulated PCB containing materials at the Orville H. Platt High School in Meriden, CT. The plan has been prepared and submitted in accordance with requirements of 40 CFR Part § 761.61(a)(3).

Thank you for your attention to this matter and if you have any questions with regard to the plan please contact the undersigned, Carlos Texidor, at (860) 646-2469 ext. 5570 or email: ctexidor@fando.com.

Sincerely,

Carlos Texidor Project Manager

CT/kr

cc:

www.fando.com

f 860.533.5143

146 Hartford Road

Manchester, CT

06040 † 860.646.2469 800.286.2469

> CT Department of Environmental Protection Michael Grove, Assistant -Superintendent Meriden Public Schools

Connecticut

Massachusetts

Phode Island



Table of Contents

Self-Implementing On-Site Cleanup and Disposal Plan for PCB Caulking Removal Orville H. Platt High School

1	Intro	oduction	
	1.1	Background	
	1.2	Project Objectives	
	1.3	Plan Organization	
2	Site	Characterization	3
	2.1	Sample Collection and Analysis	3
	2.2	Sample Analysis Results	
		2.2.1 Source Material Sample Analysis Results	8
		2.2.2 Adjacent Porous Materials Sample Analysis Results	14
		2.2.3 Adjacent Non-Porous Materials Sample Analysis R	
		2.2.4 Adjacent Soil Sample Analysis Results	
3	Ren	nediation Plan	17
	3.1	Site Preparation and Controls	
	3.2	Removal Procedures	
		3.2.1 PCB Bulk Product Waste Materials	
		3.2.2 Bulk PCB Remediation Waste - Adjacent Building	
	3.3	Verification Sampling Plan	
		3.3.1 Porous Brick (Verification Sampling)	
4	Sch	edule and Plan Certification	27
Figu	res		Following Page
1-1		Site Location Map	
2-1		Window Elevations Drawing	
3-1		Window Elevations – (Photographs)	
HM-0	1	Existing First Floor Plan	
HM-0	2	Existing Second Floor Plan	
PCB-0	01	PCBs Source Materials Sample Locations	
PCB-0	02	PCBs Soil Sampling Locations	
PCB-(03	PCBs Roof Sampling Locations	
PCB-0	04	PCBs Porous Materials Sample Locations	
Appe	ndices		End of Report
Apper	ndix A	Laboratory Analysis and Chain of Custody - Source Material	s - Bulk
Apper		Laboratory Analysis and Chain of Custody - Adjacent Porou	
Appen		Laboratory Analysis and Chain of Custody - Adjacent Soil Sa	
~ ~	dix D	Technical Specification Section	Time I many one
Appen		Air and Wipe Sampling for Polychlorinated Biphenyls (PCBs)
11		T	7



1 Introduction

This plan has been prepared by Fuss & O'Neill EnviroScience, LLC (EnviroScience) on behalf of Mr. Michael Grove, Assistant Superintendent for the Meriden Public Schools located at 22 Liberty Street, Meriden, Connecticut 06450; Email: Michael.grove@meridenk12.ct.us, Telephone: (203) 630-4174. The plan has been prepared to comply with the U.S. Environmental Protection Agency (USEPA) requirements for notification of a Self-Implementing On-Site Cleanup and Disposal Plan (SIDP) in accordance with 40 CFR Part § 761.61(a)(3). This work will be done in support of the demolition of approximately 80 percent of the school, and new construction. There will also be renovation(s) of the pool, auditorium, and gymnasium.

Exterior window caulking (1956), Interior slate window sill caulking compounds (1968) and shellac/varnish associated with the exercise (small) gym wood floor (1968) have been determined to contain polychlorinated biphenyls (PCBs) above regulated concentrations at the Orville H. Platt High School located at 220 Coe Avenue in Meriden, Connecticut. The building is scheduled to undergo a significant renovation including selective demolition in the 1956, and 1968 Sections and will be completed in the summer of 2016. The window(s) including the window sills (1968) and gym floor locations where regulated PCB materials are present will require removal as part of the renovation and selective demolition of the existing building. A Site Location Map identifying the building is included in Figure 1-1.

1.1 Background

The Orville H. Platt High School was constructed in 1956 and was completed in 1958; with an addition being completed in 1968. The majority of the school building is a two-story structure and there is limited basement space for utilities. The windows associated with the 1956 section of the building include 435 windows.

The building consists of approximately 234,523 square feet of classrooms, cafeteria, multi-purpose room, an interior in-ground pool, and technology learning centers. The exterior of the building is concrete block and brick while interior walls are constructed of concrete block, wall board and brick. Window systems are composed of metal. Figures HM-01 and HM-02 show the areas of the existing school.

The Orville H. Platt High School had the original roof(s) 1956 section, and 1968 section replaced in 1999. All caulks associated with roofs are considered Excluded PCB Products since the roof was replaced in 1999 and the use of PCBs in building materials was banned in 1979.





1.2 Project Objectives

This SIDP is for the removal of polychlorinated biphenyl (PCB) containing materials with equal to or greater than 50 parts per million (ppm) as PCB Bulk Product Waste. Steel structural components to remain such as steel lintels shall be cleaned to meet required visual standards and wipe sampling criteria for high occupancy use. Materials containing PCBs equal to or greater than (≥) 50 ppm include exterior window caulking (1956 section) and shellac/varnish (associated with the exercise (small) gym floor (1968 section), and the Metal surfaces to be cleaned of PCB caulking and remain include structural steel lintels.

The objective of the project is to remove PCB exterior window caulking (1956 section) ,shellac/varnish associated with the exercise gym wood floor (1968 section), and the interior slate window sill caulking compounds, including the slate sills (1968) as PCB Bulk Product Waste containing PCBs \geq 50 ppm. Non-porous surfaces shall be cleaned to standard of \leq 1 µg/100 cm². The overall project objective is to remove PCB materials to facilitate demolition in selected sections of the school in accordance with the proposed renovation/selective demolition plans as a high occupancy use upon completing the PCB SIDP work.

In accordance with State of Connecticut statutes we understand that caulking or other building materials containing PCBs < 50 ppm but equal to or greater than 1 ppm PCB are regulated and require remediation. We also understand that substrate testing is required under 40 CFR § 761.3 to meet the definition of an excluded PCB product and samples were collected to confirm excluded PCB products.

1.3 Plan Organization

This SIDP has been organized into the following sections:



Section 2: Site Characterization

The site characterization section provides a summary of the sampling performed to delineate the nature and extent of PCB as required in accordance with 40 CFR Part § 761.61 (a)(3) (A-C). The section includes the nature of the contamination including kinds of materials; a summary of the procedures used to sample contaminated and adjacent surfaces; and the location and extent of the identified contaminated areas.

Section 3: Remediation Plan

The remediation plan includes a discussion of how the remedial objectives identified in Section 1.2 shall be met and the remediation approach, cleanup levels to be met and the verification sampling approach to be utilized. This section includes diagrams depicting the areas of proposed remediation work and location for post-remediation verification sampling. The remediation plan is submitted in accordance with 40 CFR Part § 761.61 (a)(3)(D).

Section 4: Schedule and Certification

The proposed schedule for implementation and reporting schedule is provided. This section includes the written certification signed by the Owner of the property and other responsible parties responsible for the remediation, cleanup and disposal in accordance with 40 CFR Part § 761.61 (a)(3)(E).

2 Site Characterization

This section provides a summary of the sampling performed to delineate the nature and extent of PCB as required in accordance with 40 CFR Part § 761.61 (a)(3) (A-C). The section includes the nature of the contamination including kinds of materials; a summary of the procedures used to sample contaminated and adjacent surfaces; and the location and extent of the identified contaminated areas.

The following sections describe the selection of sample locations, sample collection methods, and the results of the characterization data. The initial site characterization of source materials such as caulking materials (Phase 1), testing of adjacent surfaces to facilitate development of this SIDP plan (Phase 2), and the development of the SIDP plan was performed by Fuss & O'Neill EnviroScience, LLC (EnviroScience) of Manchester, CT. Figures depicting the locations of all samples collected by EnviroScience are included in Drawings PCB-01, PCB-02, PCB-03, and PCB-04 respectively.

2.1 Sample Collection and Analysis

PHASE 1 - BULK PRODUCT MATERIAL SAMPLING

Testing of bulk product materials was conducted by EnviroScience representatives Eduardo Miguel Marques. Sampling was performed on January 6 and January 23, 2012. Additional sampling was performed on March 7 and April 6, 2012 due to elevated reporting limit concentrations. Source material sampling locations are identified. Please refer to PCB-01.

The following source material samples were collected:



- Skylight glazing compound 2 samples
- Tar associated with rolled sheet roof (1956) 2 samples
- Rolled sheet roof top layer (1956) 1 sample
- Roof Caulk associated with brick/metal flashing (semi-circle, 1956) 1 sample
- Roof Pitch box flashing (1956) 1 sample
- Roof drain flashing (1956) 2 samples
- Top layer roof (1956) 1 sample
- Bottom layer roof (1956) − 1 sample
- Caulk associated with roof vent (1956) 1 sample
- Caulk associated with roof exhaust vent (1956) 1 sample
- Top layer roof (1968) − 1 sample
- Bottom layer roof (1968) 1 sample
- Caulk associated with roof exhaust vent (1968) 1 sample
- Vent roof flashing (1968) 1 sample
- Caulk associated with roof exhaust vent (1968) 2 samples
- Vent roof flashing (1956) 1 sample
- Caulk associated with roof exhaust vent (1956) 1 sample
- Roof-Rolled sheet flashing (1956) 1 sample
- Roof-Rolled sheet flashing (1968) 1 sample
- Roof-Flashing/Tar parapet (1956) 2 samples
- Roof-Flashing/Tar parapet (1968) 1 sample
- Roof parapet caulk (1956) 1 sample
- Roof-Flashing/Tar perimeter (1956) 1 samples
- Roof-Flashing/Tar perimeter (1968) 1 samples
- Exterior window caulk (1956) 1 sample
- Exterior window caulk at sash (1956) 1 sample
- Exterior window glazing compound (1956) 1 sample
- Exterior window caulk (1968) 3 samples
- Exterior window glazing compound (1968) 2 samples
- Exterior door caulk (1968) 3 samples
- Exterior expansion joint caulk (1956/1968) 3 samples
- Exterior door caulk (1956) 3 samples
- Interior slate window sill caulk (1968) 3 samples
- Interior window caulk (1956) 3 sample
- Interior window caulk (1968) 3 sample
- Black sink basin caulk (1956) 3 samples
- Black sink basin caulk (1968) 3 samples
- Blind flashing/Waterproofing (1968) 3 samples
- Blind flashing/Waterproofing (1956) 3 samples
- 1st Floor interior CMU expansion joint caulk (1956/1968) 3 samples
- Wood shellac/varnish floor (gymnasium, 1968) 3 samples
- Mastic associated with cork under wood floor (gymnasium, 1968) 3 samples
- Black tar vapor barrier under cork (gymnasium, 1968) 3 samples
- Wood shellac/varnish floor (gymnasium, 1956) 3 samples
- Vapor barrier wood floor (gymnasium, 1956) 3 samples
- Black tar behind CMU interior expansion joint caulk (1956/1968)



Bulk Sampling

Sampling involved removal of bulk product materials (source materials) such as caulking, roofing, varnishes, mastics and glazing compounds using hand tools to submit for PCB analysis. The tools utilized to collect samples were cleaned using hexane wash procedure between collecting each unique sample. Each sample was placed in containers, labeled, and delivered to the laboratory using chain of custody. Samples were analyzed at Con-Test Analytical Laboratory of East Longmeadow, MA. The analytical method for analysis included extraction method 3540C and analysis method SW846 8082.

The sample numbers, locations, material description, and analysis results are included in Table 2.1 (in Section 2.2.1).

PHASE 2 - ADJACENT SURFACE SAMPLING

On March 7, 2012 and April 6, 2012, Fuss & O'Neill EnviroScience (EnviroScience) representatives Eduardo Miguel Marques and Andrew Jackson performed supplemental testing of adjacent surfaces and soil at Oliver H. Platt High School in Meriden, Connecticut.

Initial testing results of source materials at Oliver H. Platt High School in Meriden, Connecticut determined the following material to contain PCBs at concentrations ≥ 50 PPM:

- Exterior window caulk (1956)
- Shellac associated with gymnasium (small) wood floor (1968)
- Interior window sill caulking (1968)

In addition, PCBs at concentrations > 1 PPM but < 50 PPM were identified in the following materials:

- Exterior window caulk at sash (1956)
- Exterior window glazing compound (1956)
- Exterior door caulk adj. garage (1968)
- Exterior window caulk Cafeteria wing (1968)
- Interior window caulk (1956)
- Interior window caulk (1968)
- Interior slate window sill caulk (1968)
- Black sink basin caulk (1956)
- Black sink basin caulk (1968)
- Blind flashing/Waterproofing (1956)
- Blind flashing/Waterproofing (1968)
- Interior expansion joint compound caulk (1956/1968)
- Mastic associated with cork under exercise gym wood floor (1968)
- Black tar vapor barrier under exercise gym wood/cork floor (1968)
- Black vapor barrier under gymnasium wood floor (1956)
- Caulk associated with exhaust vent (1968)

This supplemental testing was required for the development of this plan for submission to the EPA prior to demolition/renovations.



Sampling was performed when students and faculty were not present. All samples collected were transported to Con-Test Analytical Laboratory of East Longmeadow, MA for analysis. The analytical method for analysis included extraction method 3540C and analysis method SW846 8082.

Twelve (12) adjacent surface samples (exterior brick veneer and interior block) were collected at depths of 0.5 inch and 1 inch into the substrate at locations analyzed to have concentrations of PCBs associated with exterior window caulk, interior window caulk, exterior door caulk, concrete, wood and interior CMU wall expansion joint caulk.

Forty-two (42) soil samples were collected from the exterior perimeter areas of window locations at the 1956 section of the building noted to have PCB concentrations associated with caulking. Soil samples were collected at depths of 0-4 inches and 4-8 inches.

PHASE 3 - "EXCLUDED PCBS PRODUCT"

Sampling was performed on April 6, June 6, 2012, and January 23, 2013. Samples were collected Fuss & O'Neill EnviroScience, LLC Senior Environmental Technician Eduardo Miguel Marques. All samples collected were transmitted to Contest Analytical Laboratory in East Longmeadow, MA. Building caulks and glazing putty were determined to be Excluded PCB Products if the insitu total PCB concentration was <50 mg/kg and if it could be determined that the caulk/glazing/vapor barrier material was original and the total PCB concentration had not been modified by subsequent activities. All of the below mentioned materials were determined to be original to building construction and no evidence that subsequent renovations had modified total PCB concentrations. The analytical method for analysis included extraction method 3540C and analysis method SW846 8082.

- Three (3) bulk sample of the Pool-Ceiling-Precast-T's (joint expansion caulk) (1968)
- Three (3) bulk sample of the Vapor barrier under wood floor (vapor barrier) (1956)

Sampling was performed on April 6, June 6, 2012, and January 23, 2013. Samples were collected Fuss & O'Neill EnviroScience, LLC Senior Environmental Technician Eduardo Miguel Marques. All samples collected were transmitted to Contest Analytical Laboratory in East Longmeadow, MA. Building caulks and glazing putty were determined to be Excluded PCB Products if the insitu total PCB concentration was <50 mg/kg and if it could be determined that the caulk/glazing/material was original and the total PCB concentration had not been modified by subsequent activities. All of the below mentioned materials were determined to be original to building construction and no evidence that subsequent renovations had modified total PCB concentrations. The analytical method for analysis included extraction method 3540C and analysis method SW846 8082. All materials listed below are from sections of the school that will be demolished.

- One (1) bulk sample of the exterior window caulk at sash (1956)
- One (1) bulk sample of the exterior window glazing compound (1956)
- Three (3) bulk sample of the exterior door caulk adj. garage (1968)
- Three (3) bulk sample of the exterior window caulk Cafeteria wing (1968)
- One (1) bulk sample of the interior window caulk (1956)
- Three (3) bulk samples sample of the interior slate window sill caulk (1968)
- Three (3) bulk samples of the Black sink basin caulk (1956)
- Three (3) bulk samples of the Black sink basin caulk (1968)



- Three (3) bulk samples of the Blind flashing/Waterproofing (1956)
- Three (3) bulk sample of the Blind flashing/Waterproofing (1968)
- Three (3) bulk sample of the interior expansion joint compound caulk (1956/1968)
- Three (3) bulk samples of the mastic associated with cork under gymnasium wood floor (1968)
- Three (3) bulk samples of the black tar vapor barrier under gymnasium wood/cork floor (1968)

Bulk Sampling - Porous Surfaces

EnviroScience conducted sampling of masonry in accordance with EPA ""Standard Operating Procedures for Sampling Porous Surfaces for Polychlorinated Biphenyls" dated May 5, 2011. Sampling involved first complete removal of bulk product materials (source materials) at sampling locations using hand tools. The intent was to ensure complete removal of source material prior to sampling adjacent surfaces. Once removal of all visible source material was performed the porous surfaces were cleaned with hexane and rinsed with distilled water. The adjacent porous surfaces tested were exterior brick veneer and interior block. Porous surfaces were sampled using a mechanical hammer drill to obtain samples at depths of 0 to 0.5 inch depth and 0.5 to 1 inch depths where possible based on material matrix. The bulk materials were analyzed for PCB content from each cross section. Tools utilized to collect samples were cleaned using hexane wash series including soapy water, distilled clean water, and hexane between sampling. Each sample was placed in 4 ounce glass jars, labeled and delivered to laboratory using proper chain of custody.

The sample numbers, locations, material description, and analysis results are included in Table 2.2. Refer to PCB-04 for drawing identifying locations of collected samples.

Soil Sampling

Soil samples were collected where window systems were determined to contain PCBs at concentrations \geq 50 PPM (1956 section). Samples were collected at the perimeter of the building three to four feet from building perimeter. Soil samples were collected at depths of 0-4 inches and 4-8 inches. A total of forty-two (42) soil samples were collected of which only twenty-one (21) samples were analyzed (top layer of soil, 0-4 inches) to characterize soil for PCB concentrations. PCBs were not detected at depths of 0-4 inches in soil; therefore, the 4-8 inches of soil samples were not analyzed.

Samples collected at the above specified intervals were collected by trowel or hand auger, and transferred to glass containers, labeled and delivered to laboratory using proper chain of custody. Samples were preserved using ice during transport to laboratory. The tools utilized to collect samples were cleaned using hexane wash procedure between collecting each unique sample.

The sample numbers, locations, material description, and analysis results are included in Table 2.3. Refer to Figure 2-2 for drawings identifying locations of collected samples.

2.2 Sample Analysis Results

The following tables summarize the specific sampling locations of collected samples and results of PCB analysis. The analytical method for analysis included extraction method 3540C (Soxhlet Extraction) and analysis method SW846 8082. The laboratory results and chain of custody are included in Appendices.



2.2.1 Source Material Sample Analysis Results

The analysis results of all collected caulking materials collected are summarized in Table 2.1. Note results in bold contain PCBs at \geq 50 ppm or greater.

Table 2.1 - PCB Bulk Product Sample Analysis Results Summary

Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0123EMM-01P	Exterior windows (1956)	Gray Exterior window caulk	240 (Aroclor 1254) Reporting Limit, 19
0406EMM-07B	1968 - Gymnasium	Wood shellac floor	67 (Aroclor 1254) Reporting Limit, 9.1
0106EMM-01P	Roof (1956)	Skylight glazing compound	None Detected Reporting Limit, 2.0
0307EMM-23	Roof (1956)	Skylight glazing compound Re-test due to elevated reporting limit noted on sample 0106EMM-01P	None Detected Reporting Limit, 0.98
0106EMM-02P	Roof (1956)	Tar associated with rolled sheet roof	None Detected Reporting Limit, 13
0307EMM-25	Roof (1956)	Tar associated with rolled sheet roof Re-test due to elevated reporting limit noted on sample 0106EMM-02P	None Detected Reporting Limit, 0.96
0106EMM-03P	Roof (1956)	Rolled sheet roof (top layer)	None Detected Reporting Limit, 0.45
0106EMM-04P	Roof (semi-circle) (1956)	Caulk associated with brick/metal flashing	None Detected Reporting Limit, 0.99
0106EMM-05P	Roof (1956)	Pitch box flashing	None Detected Reporting Limit, 0.33
0106EMM-06P	Roof (1956)	Roof drain flashing	None Detected Reporting Limit, 1.0
0307EMM-24	Roof (1956)	Roof drain flashing Re-test due to elevated reporting limit noted on sample 0106EMM-06P	None Detected Reporting Limit, 0.97
0106EMM-07P	Roof (1968)	Bottom layer roof	None Detected Reporting Limit, 0.40
0106EMM-08P	Roof (1968)	Top layer roof	None Detected Reporting Limit, 0.50
0106EMM-09P	Roof (1968)	Bottom layer roof	None Detected Reporting Limit, 0.67
0106EMM-10P	Roof (1956)	Top layer roof	None Detected Reporting Limit, 0.50
0106EMM-11P	Roof (1968)	Caulk associated with exhaust vent	1.4 (Aroclor 1254) Reporting Limit, 1.0



Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0106EMM-12P	Roof-parapet (1956)	Caulk associated with vent	None Detected Reporting Limit, 0.97
0106EMM-13P	Roof (1956)	Caulk associated with exhaust vent	None Detected Reporting Limit, 0.99
0106EMM-14P	Roof (1968)	Vent flashing	None Detected Reporting Limit, 1.3
0307EMM-27	Roof (1968)	Caulk associated with exhaust vent Re-test due to elevated reporting limit noted on sample 0106EMM-14P	None Detected Reporting Limit, 0.50
0106EMM-15P	Roof (1956)	Vent flashing	None Detected Reporting Limit, 1.5
0307EMM-26	Roof (1956)	Caulk associated with exhaust vent Re-test due to elevated reporting limit noted on sample 0106EMM-15P	0.61 Aroclor 1248 0.95 Aroclor 1254 Total PCBs, 1.56 Reporting Limit, 0.50
0106EMM-16P	Roof (1956)	Rolled sheet flashing (top layer)	None Detected Reporting Limit, 0.48
0106EMM-17P	Roof (1956)	Rolled sheet flashing (top layer)	None Detected Reporting Limit, 0.50
0106EMM-18P	Roof-parapet (under metal) (1968)	Flashing	None Detected Reporting Limit, 0.71
0106EMM-19P	Roof-parapet (under metal) (1956)	Flashing	None Detected Reporting Limit, 18
0406EMM-13	Roof-parapet (under metal) (1956)	Flashing Re-test due to elevated reporting limit noted on sample 0106EMM-19P	None Detected Reporting Limit, 0.48
0106EMM-20P	Roof-parapet (1956)	Caulk	None Detected Reporting Limit, 0.91
0106EMM-21P	Roof-perimeter (1968)	Flashing	None Detected Reporting Limit, 0.91
0106EMM-22P	Roof-perimeter (1956)	Flashing	None Detected Reporting Limit, 0.25
0123EMM-02P	Exterior windows (1956)	Exterior window caulk at sash	4.2 (Aroclor 1254) Reporting Limit, 0.84
0123EMM-03P	Exterior windows (1956)	Exterior window glazing compound	4.7 (Aroclor 1254) Reporting Limit, 0.87
0123EMM-04P	Exterior windows -rear (1968)	Exterior window caulk	None Detected Reporting Limit, 0.84
0123EMM-05P	Exterior windows - rear (1968)	Exterior window glazing compound	None Detected Reporting Limit, 0.87
0123EMM-06P	Exterior doors (1968)	Exterior door caulk	None Detected Reporting Limit, 0.89



Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0123EMM-07P	Exterior expansion joints (1956/1968)	Exterior expansion joint caulk	None Detected Reporting Limit, 0.99
0123EMM-08P	Exterior doors Adj. garage doors (1968)	Exterior door caulk	1.4 (Aroclor 1254) Reporting Limit, 0.94
0123EMM-09P	Exterior doors (1956)	Exterior door caulk	None Detected Reporting Limit, 0.98
0123EMM-10P	Exterior doors (1956)	Exterior door caulk	None Detected Reporting Limit, 0.97
0123EMM-11P	Exterior windows café wing (1968)	Exterior window caulk	4.2 (Aroclor 1254) Reporting Limit, 0.88
0123EMM-12P	Exterior windows café/wing (1968)	Exterior window glazing compound	None detected Reporting Limit, 0.95
0123EMM-13P	Interior windows (1956)	Interior window caulk	31 (Aroclor 1254) Reporting Limit, 3.9
0123EMM-14P	Interior windows (1968)	Interior window caulk	5.5 Aroclor 1248 3.7 Aroclor 1254 Total PCBs, 9.2 Reporting Limit, 0.98
0123EMM-15P	Interior windows (1968)	Interior slate window sill caulk	5.5 (Aroclor 1254) Reporting Limit, 0.95
0123EMM-16P	Black composite sinks (1956)	Black sink basin caulk	4.1 Aroclor 1248 1.7 Aroclor 1254 Total PCBs, 5.8 Reporting Limit, 0.96
0123EMM-17P	Black composite sinks (1968)	Black sink basin caulk	2.7 Aroclor 1248 2.0 Aroclor 1254 Total PCBs, 4.7 Reporting Limit, 0.93
0123EMM-18P	Exterior behind brick (1968)	Blind flashing/Waterproofing	1.7 (Aroclor 1254) Reporting Limit, 0.17
0123EMM-19P	Exterior behind brick (1956)	Blind flashing/Waterproofing	18 (Aroclor 1254) Reporting Limit, 1.8
0123EMM-20P	Exterior behind brick (1956)	Blind flashing/Waterproofing	None detected Reporting Limit, 0.10



Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0307EMM-22	1956/1968	Interior CMU expansion joint caulk	16 Aroclor 1248 5.7 Aroclor 1254 Total PCBs, 21.7 Reporting Limit, 0.97
0406EMM-07A	1968 - Gymnasium	Wood shellac floor	23 (Aroclor 1254) Reporting Limit, 2.0
0406EMM-07C	1968 - Gymnasium	Wood shellac floor	11 (Aroclor 1254) Reporting Limit, 1.0
0406EMM-08A	1968 - Gymnasium	Mastic associated with cork under wood floor	2.6 Aroclor 1248 3.1 Aroclor 1254 Total PCBs, 5.7 Reporting Limit, 0.45
0406EMM-08B	1968 - Gymnasium	Mastic associated with cork under wood floor	2.3 (Aroclor 1248) 1.6 Aroclor 1254 Total PCBs, 3.9 Reporting Limit, 0.50
0406EMM-08C	1968 - Gymnasium	Mastic associated with cork under wood floor	None detected Reporting Limit, 0.50
0406EMM-09A	1968 – Gymnasium	Black tar vapor barrier under cork gym floor	7.4 (Aroclor 1254) Reporting Limit, 1.9
0406EMM-09B	1968 – Gymnasium	Black tar vapor barrier under cork gym floor	2.3 (Aroclor 1254) Reporting Limit, 0.48
0406EMM-09C	1968 – Gymnasium	Black tar vapor barrier under cork gym floor	2.4 (Aroclor 1254) Reporting Limit, 0.50
0406EMM-10A	1956 - Gymnasium	Wood shellac floor	0.62 (Aroclor 1248) Reporting Limit, 0.43
0406EMM-10B	1956 - Gymnasium	Wood shellac floor	0.36 Aroclor 1248 0.55 Aroclor 1254 Total PCBs, 0.91 Reporting Limit, 0.10



Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0406EMM-10C	1956 – Gymnasium	Wood shellac floor	0.39 Aroclor 1248 0.48 Aroclor 1254 Total PCBs, 0.87 Reporting Limít, 0.095
0406EMM-11A	1956 - Gymnasium	Vapor barrier under wood floor	3.1 Aroclor 1248 - 2.7 Aroclor 1254 Total PCBs, 5.8 Reporting Limit, 0.45
0406EMM-11B	1956 - Gymnasium	Vapor barrier under wood floor	1.5 Aroclor 1248 1.4 Aroclor 1254 Total PCBs, 2.9 Reporting Limit, 0.50
0406EMM-11C	1956 – Gymnasium	Vapor barrier under wood floor	2.3 Aroclor 1248 3.0 Aroclor 1254 Total PCBs, 5.3 Reporting Limit, 0.59
0406EMM-12	1956/1968	Black tar behind interior expansion joint	14 (Aroclor 1248) Reporting Limit, 5.0
0629EMM-11A	Pool-Ceiling (joint expansion caulk)	Precast-T's Ceiling Joint Pool (1968)	2.8 Aroclor 1248 8.0 Aroclor 1254 Total PCBs, 10.8
0629EMM-11B	Pool-Ceiling (joint expansion caulk)	Precast-T's Ceiling Joint Pool (1968)	None detected Reporting Limit, 0.91
0629EMM-11C	Pool-Ceiling (joint expansion caulk)	Precast-T's Ceiling Joint Pool (1968)	None detected Reporting Limit, 1.0
0121EMM-01A	Exterior behind brick (1956)	Blind flashing/Waterproofing	10.0 (Aroclor 1248) Reporting Limit, 3.6
0121EMM-01B	Exterior behind brick (1956)	Blind flashing/Waterproofing	15.0 (Aroclor 1248) Reporting Limit, 3.6
0121EMM-02A	Exterior behind brick (1968)	Blind flashing/Waterproofing	2.7 (Aroclor 1248) Reporting Limit, .073



Sample Number	Sampled Location	Material Description	Result (mg/kg or ppm)
0121EMM-02B	Exterior behind brick (1968)	Blind flashing/Waterproofing	1.7 (Aroclor 1248) Reporting Limit, 0.70
0121EMM-03A	1956/1968	Interior CMU expansion joint caulk	9.6 (Aroclor 1248) Reporting Limit, 0.73
0121EMM-03B	1956/1968	Interior CMU expansion joint caulk	11.0 (Aroclor 1248) Reporting Limit, 0.77
0121EMM-04A	Black composite sinks (1956) Rm 17	Black sink basin caulk	4.9 (Aroclor 1248) Reporting Limit, 0.78
0121EMM-04B	Black composite sinks (1956) Rm 17	Black sink basin caulk	8.7 (Aroclor 1248) Reporting Limit, 0.75
0121EMM-05A	Black composite sinks (1968)	Black sink basin caulk	2.5 (Aroclor 1248) Reporting Limit, 0.72
0121EMM-05B	Black composite sinks (1968)	Black sink basin caulk	3.0 (Aroclor 1248) Reporting Limit, 0.78
0121EMM-06A	Interior windows (1968) Rm 81	Interior slate window sill caulk	2.3 Aroclor 1248 2.7 Aroclor 1254 Total PCBs, 5.0 Reporting Limit, 0.70
0121EMM-06B	Interior windows (1968) Rm 83	Interior slate window sill caulk	87 (Aroclor 1254) Reporting Limit, 8.9
0121EMM-07A	Exterior doors Adj. garage doors (1968)	Exterior door caulk	1.8 (Aroclor 1254) Reporting Limit, 0.77
0121EMM-07B	Exterior doors Adj. garage doors (1968)	Exterior door caulk	2.3 (Aroclor 1254) Reporting Limit, 0.78
0121EMM-08A	Exterior windows café wing (1968)	Exterior window caulk	2.2 (Aroclor 1254) Reporting Limit, 0.73
0121EMM-08B	Exterior windows café wing (1968)	Exterior window caulk	2.9 (Aroclor 1254) Reporting Limit, 0.74

Laboratory analysis results and chain of custody are included in Appendix A for source materials.



2.2.2 Adjacent Porous Materials Sample Analysis Results

The analysis results of source and substrate materials are summarized in Table 2.2. The results from the sampling identify consistent results for PCBs in multiple samples, adjacent substrates do not contain PCBs, and construction history identifies these materials as original prior to 1984 and therefore indicate these materials do meet the definition of an "Excluded PCB Product as defined at 40 CFR Part §761.3. These materials will be handled under the Connecticut Department of Energy and Environmental Protection (CTDEEP) PCB's containing waste.

Table 2.2

Sample Number	Sampled Location	Material Description	Result (mg/kg)	
0406EMM-01A 1956 Wing – exterior Associated with exterior window caulk (270 PPM)		Core sample of brick to a depth of ½ inch	None detected Reporting Limit, 0.091	
0406EMM-01B	1956 Wing – exterior Associated with exterior window caulk (270 PPM)	Core sample of brick to a depth of 1 inch	None detected Reporting Limit, 0.091	
0406EMM-02A	1968 wing – cafeteria – exterior Associated with exterior window caulk (4.2 PPM)	Core sample of brick to a depth of ½ inch	None detected Reporting Limit, 0.095	
0406EMM-02B	1968 wing – cafeteria – exterior Associated with exterior window caulk (4.2 PPM)	Core sample of brick to a depth of 1 inch	None detected Reporting Limit, 0.10	
0406EMM-03A 1968 wing – adjacent garage Associated with exterior door caulk (1.4 PPM)		Core sample of brick None det to a depth of ½ inch Report Limit, 0.		
0406EMM-03B 1968 wing – adjacent garage Associated with exterior door caulk (1.4 PPM)		Core sample of brick to a depth of 1 inch	None detected Reporting Limit, 0.095	
0406EMM-04A	Corridor – expansion joint (Right) Associated with interior expansion joint caulk (21.7 PPM)	Core sample of block (CMU Wall) to a depth of ½ inch	3.7, 0.89 (Aroclor 1248/1254) Reporting Limit, 0.50	
0406EMM-04B Corridor – expansion joint (Right) Associated with interior expansion joint caull (21.7 PPM)		Core sample of block (CMU Wall) to a depth of ½ inch	2.6, 0.70 (Aroclor 1248/1254) Reporting Limit, 0.45	
0406EMM-05A 1968 wing – interior – room 83 Associated with interior window caulk (9.2 PPM)		Core sample of block (CMU Wall) to a depth of ½ inch	0.21, 0.15 (Aroclor 1248/1254) Reporting Limit, 0.095	
0406EMM-05B	1968 wing – interior – room 83 Associated with interior window caulk (9.2 PPM)	Core sample of block(CMU-Wall) to a depth of 1 inch	0.10 (Aroclor 1254) Reporting Limit, 0.095	



Sample Number	Sampled Location	Material Description	Result (mg/kg)
0406EMM-06A	1956 wing – interior – room 63 Associated with interior window caulk (31 PPM)	Core sample of block to a depth of ½ inch	0.67, 0.14 (Aroclor 1248/1254) Reporting Limit, 0.091
0406EMM-06B	1956 wing – interior – room 63 Associated with interior window caulk (31 PPM)	Core sample of block to a depth of 1 inch	None detected Reporting Limit, 0.091
0629EMM-12	Exercise Gym (1968)	Concrete floor to a depth of 1 inch gymnasium (1968)	None detected Reporting Limit, 0.95

Note sampling was limited to maximum depth of 1". Laboratory analysis results and chain of custody are included in *Appendix B* for Adjacent porous material bulk samples.

2.2.3 Adjacent Non-Porous Materials Sample Analysis Results

No samples were collected of non-porous materials such as steel lintels. Steel structural components to remain such as steel lintels shall be cleaned to meet required visual standards and wipe sampling criteria for high occupancy use.

2.2.4 Adjacent Soil Sample Analysis Results

The results indicate that PCBs were not detected in the soil at the perimeter of the building at depths of 0-4.

Table 2.3

Sample Number	Sampled Location	Sample Depth	Result (mg/kg)
0307EMM-01A	Area 1, perimeter	0-4"	None detected Reporting limit, 0.13
0307EMM-01B	Area 1, perimeter	4-8"	Not analyzed
0307EMM-02A	Area 1, perimeter	0-4"	None detected Reporting limit, 0.13
0307EMM-02B	Area 1, perimeter	4-8"	Not analyzed
0307EMM-03A	Area 2, perimeter	0-4"	None detected Reporting limit, 0.13
0307EMM-03B	Area 2, perimeter	4-8"	Not analyzed
0307EMM-04A	Area 2, perimeter	0-4"	None detected Reporting limit, 0.13
0307EMM-04B	Area 2, perimeter	4-8"	Not analyzed
0307EMM-05A	Area 3, perimeter	0-4"	None detected Reporting limit, 0.12
0307EMM-05B	Area 3, perimeter	4-8"	Not analyzed



Sample Number	Sampled Location	Sample Depth	Result (mg/kg)
0307EMM-06A	Area 3, perimeter	0-4"	None detected Reporting limit, 0.13
0307EMM-06B	Area 3, perimeter	4-8"	Not analyzed
0307EMM-07A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.18
0307EMM-07B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-08A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.13
0307EMM-08B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-09A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.13
0307EMM-09B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-10A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.12
0307EMM-10B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-11A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.12
0307EMM-11B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-12A	Area 4, perimeter	0-4"	None detected
			Reporting limit, 0.12
0307EMM-12B	Area 4, perimeter	4-8"	Not analyzed
0307EMM-13A	Area 5, perimeter	0-4"	None detected
			Reporting limit, 0.13
0307EMM-13B	Area 5, perimeter	4-8"	Not analyzed
0307EMM-14A	Area 5, perimeter	0-4"	None detected
			Reporting limit, 0.13
0307EMM-14B	Area 5, perimeter	4-8"	Not analyzed
0307EMM-15A	Area 5, perimeter	0-4"	None detected
			Reporting limit, 0.17
0307EMM-15B	Area 5, perimeter	4-8"	Not analyzed
0307EMM-16A	Area 6, perimeter	0-4"	None detected
			Reporting limit, 0.13
0307EMM-16B	Area 6, perimeter	4-8"	Not analyzed
0307EMM-17A	Area 7, perimeter	0-4"	None detected
			Reporting limit, 0.12
0307EMM-17B	Area 7, perimeter	4-8"	Not analyzed
0307EMM-18A	Area 7, perimeter	0-4"	None detected
		L T	Reporting limit, 0.12
0307EMM-18B	Area 7, perimeter	4-8"	Not analyzed
0307EMM-19A	Area 7, perimeter	0-4"	None detected
			Reporting limit, 0.12
0307EMM-19B	Area 7, perimeter	4-8"	Not analyzed
0307EMM-20A	Area 7, perimeter	0-4"	None detected
0307EMM-20B	Area 7, perimeter	4-8"	Reporting limit, 0.12
0307EMM-20B 0307EMM-21A		0-4"	Not analyzed
	Area 7, perimeter	0-4	None detected
0307EMM-21B	Area 7, perimeter	4-8"	Reporting limit, 0.12 Not analyzed

Laboratory analysis results and chain of custody are included in Appendix C for soil samples.



3 Remediation Plan

The work described in this SIDP shall meet the objectives identified in section 1.2 Project Objectives in accordance with 40 CFR Part §761. The remediation work shall be performed to ensure compliance with EPA Toxic Substance Control Act (TSCA) requirements and protect both public health and the environment. Materials classified as PCB Bulk Product Waste and Bulk PCB Remediation Waste shall be properly disposed in compliance with federal and state regulatory requirements. Refer to HM-05 and HM-06 for locations requiring PCB abatement.

The proposed abatement activities to be performed by the Remediation Contractor shall include the following:

- Site preparation and controls to facilitate remediation of PCBs.
- Health and Safety in accordance with Occupation Safety and Health Administration (OSHA) requirements.
- 3. Recordkeeping and distribution as required in accordance with 40 CFR part § 761.125 (c) (5).

PCB ABATEMENT REQUIRMENTS

PCB Bulk Product Waste Removal

- PCB-01 − Remove existing exterior and interior window caulking (asbestos-containing) at all masonry window openings for disposal as PCB Bulk Product Waste ≥50 ppm.
- PCB-02 Remove existing shellac/varnish from exercise gym and associated PCB-containing mastic and black tar vapor barrier from the gymnasium floor (1968) for disposal as PCB Bulk Product Waste ≥50 ppm.
- PCB-03 Remove existing interior window sill caulking, and slate window sills at all window openings for disposal as PCB Bulk Product Waste ≥50 ppm.

Bulk PCB Remediation Waste Removal

- PCB-04Remove existing interior expansion joint caulking, black tar behind expansion joint, and Concrete Masonry Unit (CMU) 1 Course (16" Inches) of CMU on each side of the expansion joint caulking in two locations of the corridor of the 1956/1968 sections of the building for disposal as PCB Remediation Waste <50 ppm.
- PCB-05 Removal and off-site disposal of non-porous metal window assemblies including glass, PCB containing glazing compounds, transite panels (asbestos-containing), insulation etc. from all locations identified as PCB Remediation Waste ≥50 ppm.
- PCB-06 − Removal and off-site disposal of roof vent caulking from all vent locations identified as PCB Remediation Waste ≥50 ppm.



PCB-07 − Non-porous surfaces (exterior steel beam/lintel, roof vents) shall be cleaned to standard of ≤1 μg/100 cm².

Remediation activities to be performed shall include the following:

- Monitoring remediation activities as Owner's representative shall be performed by Fuss & O'Neill EnviroScience, LLC.
- Collection of verification samples in accordance with Sup-parts P and O in accordance with 40 CRF Part § 761 for PCB.
- Site restoration shall be performed by Owner's general trades' contractor under separate contract following PCB remediation.

Prior to abatement and remediation activities, site preparation and controls shall be established. PCB Bulk Product Waste and Bulk PCB Remediation Waste will be removed and transported off-site for disposal at a permitted hazardous waste landfill which is an EPA, TSCA approved facility for PCB waste ≥50 ppm. Materials containing <50 ppm that have not been classified as material containing ≥50 ppm will be transported to a non-hazardous solid waste disposal facility. PCB Bulk Product Waste shall be removed and properly disposed in accordance with 40 CFR Part § 761.62. Bulk PCB Remediation Waste shall be removed in accordance with Self-Implementing On-Site Cleanup and Disposal requirements in accordance with 40 CFR Part § 761.61.

3.1 Site Preparation and Controls

The work shall be performed in accordance with the attached SIDP technical specification section included in *Appendix D*. Prior to initiating PCB Removal the following site controls will be implemented.

- Remediation Contractor shall prepare a site specific work plan as detailed in specification section attached.
- Remediation Contractor shall prepare a Health & Safety Plan (HASP) developed specific to the site and work activities to be performed. All workers shall follow applicable federal and state regulation with regard to work activities, including but not limited to OSHA regulation including personal protection and respiratory protection requirements.
- Prior to any soil removal work, the boundaries of the excavation area shall be marked, properly secured, and a permit number obtained from "Call Before You Dig" shall be obtained. (if applicable)
- The project site shall be enclosed by a temporary construction fence. During all remediation activities, Remediation Contractor shall maintain control of all entrances and exits to the project site to ensure only authorized personnel enter the work areas and are afforded proper personal protective equipment and as required respiratory protection. All approaches to work areas shall be demarcated with appropriately worded warning signs.
- Work zones shall be established in accordance with technical specification to include abatement zone, decontamination zone and support zone.



- Ground protection to prevent debris from escaping the abatement zone and to protect areas outside of abatement zone from PCB contamination shall be utilized. Protection shall include the use of water impervious membrane covering which shall be secured to the ground surface. Edges shall be raised to prevent water run-off used for dust control during cutting and demolition of structures. The membrane shall be covered with a single layer of 6-mil polyethylene sheeting securely fastened to foundation. Refer to technical specification section for requirements.
- Isolation barriers shall be installed on interior side of window system to isolate these systems to
 the building exterior where work shall be performed. Protection shall include two layers of 6-mil
 polyethylene sheeting securely affixed to the inside finish surfaces of walls to isolate window or
 door systems to the building exterior. Refer to technical specification section for requirements.
- Isolation barriers shall be installed on exterior side of window system to contain these systems
 where work shall be performed to minimize dispersal of dust and debris. Protection shall include
 two layers of 6-mil polyethylene sheeting securely affixed to the exterior side finish surfaces to
 contain window or door systems. To minimize dust and debris contractor shall utilize negative
 pressure containment with use of negative air filtration units with HEPA filtration. Refer to
 technical specification section for requirements.
- All other openings to the building interior such as unit ventilation, ducts, and grilles shall be securely sealed with a single layer of 6-mil polyethylene sheeting from the building exterior. Refer to technical specification section for requirements.
- Ground protection and isolation barriers shall remain in place throughout work to collect dust and debris resulting from PCB Bulk Product Waste removal and Bulk PCB Remediation Waste removal. All debris generated during operations including but not limited to visible caulking, dust and debris shall be HEPA vacuumed continuously throughout the work shift and at the end of a work shift to avoid accumulation. Any tears or rips that occur in protections shall be repaired or removed and replaced with new protections.
- It is anticipated that to facilitate the work movable staging or lifts will be utilized to access window
 systems. Wind screens consisting of 6-mil polyethylene sheeting shall be applied to staging or lift
 to prevent dispersal of dust and debris beyond the abatement zone. Platforms shall also be
 protected as appropriate to facilitate cleaning of dust and debris but not introduce trip or slip
 hazards.
- All equipment utilized to perform cutting, or demolition of adjacent materials shall be equipped with appropriate dust collection systems.
- All surfaces adjacent to materials removed shall be properly decontaminated upon completing the removal of PCB Bulk Product Waste and Bulk PCB Remediation Wastes. The work to cut and remove Bulk PCB Remediation Waste will result in dust on surfaces to remain and this dust may contain PCBs. All visible dust shall be removed using HEPA vacuums and wet cleaning methods with solvent or other acceptable products.



 Appropriate PCB waste containers shall be placed adjacent to abatement zones. Containers shall be lined covered and secured. The PCB waste containers shall be properly marked as described in 40 CFR part § 761.40 and § 761.45.

3.2 Removal Procedures

The following removal procedures shall be utilized to conduct PCB Bulk Product Waste and Bulk PCB Remediation Waste removal.

3.2.1 PCB Bulk Product Waste Materials

PCB Bulk Product Waste Materials including exterior/interior window caulking and PCB Remediation Waste including non-porous metal window assemblies including glass, PCB containing glazing compounds, and shellac/varnish and associated mastic and black tar vapor barrier from the gymnasium floor (1968) shall be handled and removed from specified locations for proper disposal. Materials shall be removed in a manner which does not breakdown the materials into fine dust or powder to the extent feasible. Equipment and tools to be utilized shall include hand tools and mechanical equipment such as demolition hammers to remove materials from adjacent substrates. Mechanical removal equipment shall as appropriate be fitted with dust collection systems. Any dry or brittle caulking or glazing compound materials or other PCB Bulk Product waste shall be removed with additional engineering controls such as use of a HEPA vacuum to remove accumulated dust or debris during removal. Once removed, materials shall be placed in lined containers or into appropriate temporary containers such as 6-mil polyethylene disposal bags for controlled transport to PCB waste containers at the end of each work shift. PCB Bulk Product Waste shall be stored for disposal in accordance with 40 CFR §761.65 and marked in accordance with 40 CFR Part § 761.40 and § 761.45. Sequence of removal shall follow the following general requirements:

- PCB window caulking (1956) (including materials associated with those windows that were < 50
 PPM) shall be removed from all windows at masonry openings and properly containerized for
 disposal as PCB Bulk Product Waste ≥ 50 ppm. Surfaces from which PCB caulking has been
 removed shall be cleaned with solvent based cleaner and wire brush to remove all visible caulking
 prior to proceeding with removal of PCB Remediation Waste.
- PCB shellac/varnish (1968) (including mastic and black tar vapor barrier that were < 50 PPM) shall be removed and properly containerized for disposal as PCB Bulk Product Waste ≥ 50 ppm.
- PCB interior window sill caulking including slate window sills (1968) shall be removed from all
 window opening for disposal as PCB Bulk Product Waste ≥ 50 ppm. Surfaces from which PCB
 caulking has been removed (metal) shall be cleaned with solvent based cleaner and wire brush to
 remove all visible caulking.

3.2.2 Bulk PCB Remediation Waste – Adjacent Building Materials

The use of minimal quantities of water to moisten the generated dust prior to collection shall be utilized. Under no circumstances shall the PCB remediation waste show evidence of free liquid water, pooling, or



ponding within the waste stream. Any liquid used to wet the dust and debris to control fugitive emissions shall be collected and decontaminated in accordance with 40 CFR § 761.79 (b) or disposed of as PCB Liquid Waste in accordance with 40 CFR Part § 761.60 (a). All rags and other cleaning materials used to clean shall also be properly disposed as PCB Remediation Waste. All PCB Remediation Waste shall be disposed of in accordance with 40 CFR Part § 761.61(a)(5)(i)(B)(2)(iii). All waste containers shall comply with 40 CFR § 761.65 and shall be appropriately labeled in accordance with 40 CFR Part § 761.40 and § 761.45. Sequence of removal shall follow the following general requirements:

- Steel lintels to remain shall be stripped of all paint and surface ground smooth. Non-porous surfaces (exterior steel beam/lintel) shall be cleaned to standard of ≤ 1 μg/100 cm².
- Steel lintels to be removed shall be stripped of all paint and surfaces ground smooth. Non-porous surfaces (exterior steel beam/lintel) shall be cleaned to standard of ≤ 1 μg/100 cm², and recycled.
- Once materials have been removed and surfaces cleaned EnviroScience shall be notified. Post testing verification sampling shall be performed once visually inspected to verify removal and cleaning, as per Subpart P.

3.3 Verification Sampling Plan

Following the completion of the Bulk PCB Remediation Waste shall implement the following verification sampling plan in accordance with 40 CFR Part § 761.61 (6) and to the extent applicable Sub-part O and P.

Upon completion of work in each area, a visual inspection of all remediated surfaces for visible evidence of dust and debris shall be performed. Surfaces shall also be inspected for visible PCB source materials that may not have been removed. The visual inspection shall provide in a preliminary way, verification that remediation work has been completed in accordance with this SIPD. Visual inspection shall ensure no visible dust or debris is present on adjacent surfaces where caulking was removed and adjacent surface cutting is completed. In addition to the remediation surfaces the surfaces of protective coverings and isolation barriers shall be inspected to ensure they are cleaned of dust and debris. No sampling shall be performed until the visual inspection is complete and the clearance criteria satisfied in each work area. The project shall be phased in accordance with proposed construction schedule.

3.3.1 Porous Brick (Verification Sampling)

Brick surfaces shall be evaluated to verify that removal of Bulk PCB Remediation Waste has resulted in surfaces with ≤1 ppm for unrestricted use based on high occupancy use of the structure. EnviroScience shall follow the EPA "Standard Operating Procedures for Sampling Porous Surfaces for Polychlorinated Biphenyls (PCBs)" (dated May 11, 2011) as prepared by the Office of Environmental Measurement and Evaluation, EPA New England Region 1., to collect verification samples. The areas to be sampled shall be representative of the variety of conditions identified. Appropriate control samples shall also be collected.

The locations of samples shall be based on visual inspection results. Locations requiring sample verification will be performed on associated masonry openings associated with window systems and exercise gym floor. The surfaces to be verified are irregular shaped and the requirements for sample location and quantity as detailed in Sub-part O (alternative) shall be applied in a linear fashion in lieu of a



grid pattern. The surfaces involve linear surfaces of vertical/horizontal jambs on multiple masonry openings resulting from PCB caulking materials. Sampling shall be conducted in accordance with the following protocol:

Windows – One chip sample shall be collected from each jamb having a linear dimension of **10 feet** or less. Two chip samples shall be collected from each jamb having a linear length of not more than 20 linear feet.

The Building where work is required has vertical/horizontal joints associated with rough openings for windows at the following delineations per designated side elevations:

Southeast Elevation 1956 Section

- 66 windows (1st and 2nd floor) with 2 vertical joints each containing 20 linear feet of caulk per joint and 1 horizontal joint at sill containing 297 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 30 chip samples will be collected from the horizontal joint (32 samples)

Total verification sampling for Southeast Elevation = 38 samples.

Southeast Elevation - Section B-B 1956 Section

- 21 windows (1st and 2nd floor) with 2 vertical joints each containing 20 linear feet of caulk per joint and 1 horizontal joint at sill containing 95 linear feet of caulk (left of center core)
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 10 chip samples will be collected from the horizontal joint (12 samples)
- 14 windows (1st and 2nd floor) with 2 vertical joints each containing 20 linear feet of caulk per joint and 1 horizontal joint at sill containing 63 linear feet of caulk (right of center core)
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and
 9 chip samples will be collected from the horizontal joint
 (11 samples)
- 3 windows (2nd floor) with 2 vertical joints each containing 12 linear feet per joint and 1 horizontal
 joint at sill containing 12 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 2 chip samples will be collected from the horizontal joint (4 samples)



Total verification sampling for Southeast Elevation – Section B-B = 27 samples.

South Elevation 1956 Section

- 3 windows (2nd floor) with 2 vertical joints each containing 12 linear feet per joint and 1 horizontal
 joint at sill containing 12 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and
 2 chip samples will be collected from the horizontal joint
 (4 samples)

Total verification sampling for South Elevation = 4 samples.

Northeast Elevation-South End 1956 Section

- 3 windows (1st and 2nd floor) with 2 vertical joints each containing 20 linear feet per joint and 1 horizontal joint at sill containing 12 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 2 chip samples will be collected from the horizontal joint (4 samples)
- 51 windows (1st and 2nd floor, partial just 2nd floor) with 1 vertical joint containing 20 linear feet, 1 vertical joint containing 14 linear feet (1st floor), 1 vertical joint (2nd floor) containing 6 linear feet, 1 horizontal joint at sill containing 153 linear feet of caulk (1st floor), and 1 horizontal joint at sill containing 77 linear feet of caulk (2nd floor)
 - Verification sampling 2 chip samples will be collected from the vertical joint containing 20 linear feet of caulk, 2 chip samples will be collected from the vertical joint containing 14 linear feet, 1 chip samples will be collected from the vertical joint containing 6 linear feet, 16 chip samples will be collected form the horizontal joint at 1st floor, and 8 chip samples will be collected from the horizontal joint at 2nd floor (29 samples)

Total verification sampling for Northeast Elevation = 33 samples.

Southwest Elevation-South End Court yard-Guidance 1956 Section

- 22 windows (1st and 2nd floor) with 2 vertical joints each containing 20 linear feet of caulk per joint and 1 horizontal joint at sill containing 99 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 10 chip samples will be collected from the horizontal joint (14 samples)



Total verification sampling for Southwest Elevation-South End Courtyard/Guidance = 14 samples.

Northwest Elevation-Section A-A 1956 Section

- 26 windows (1st floor) with 2 vertical joints each containing 10 linear feet of caulk per joint and 1 horizontal joint at sill containing 117 linear feet of caulk
 - Verification sampling 1 chip samples will be collected from each vertical joint (2) and 12 chip samples will be collected from the horizontal joint (14 samples)

Total verification sampling for Northwest Elevation – Section A-A = 14 samples.

Northeast Elevation-North End 1956 Section

- 36 windows with 6 vertical joints each containing 10 linear feet of caulk at each vertical joint and 3 horizontal joints at sill totaling 162 linear feet of caulk
 - Verification sampling 1 chip samples will be collected from each vertical joint (6) and 17 chip samples will be collected from the horizontal joint (23 samples)

Total verification sampling for Northeast Elevation - North End = 23 samples.

Northwest corner Elevation 1956 Section

- 14 windows with 4 vertical joints containing 8 linear feet of caulk at each vertical joint and 1 horizontal joint at sill containing 63 linear feet of caulk
 - Verification sampling 1 chip samples will be collected from each vertical joint (4) and 7 chip samples will be collected from the two horizontal joints (11 samples)

Total verification sampling for Northwest Elevation = 11 samples.

Southwest Elevation North End-Cafeteria 1956 Section

- 3 windows with 2 vertical joints each containing 14 linear feet of caulk at each vertical joint and 1 horizontal joints at sill containing 14 linear feet of caulk
 - Verification sampling 3 chip samples will be collected from each vertical joint (2) and 2 chip samples will be collected from the horizontal joint (5 samples)

Total verification sampling for Southwest Elevation - North End/Cafeteria = 5 samples.



South Elevation Cafeteria 1956 Section

- 4 windows with 2 vertical joints each containing 14 linear feet of caulk at each vertical joint and 1 horizontal joints at sill containing 18 linear feet of caulk
 - Verification sampling 2 chip samples will be collected from each vertical joint (2) and 2 chip samples will be collected from the horizontal joint (6 samples)

Total verification sampling for South Elevation - Cafeteria = 6 samples.

West Elevation Boy's Locker Room 1956 Section

- 6 windows with 2 vertical joints each containing 5 linear feet of caulk at each vertical joint and 1 horizontal joint at lintel containing 12 linear feet of caulk
 - Verification sampling 1 chip sample will be collected from each vertical joint (2) and 2 chip samples will be collected from the horizontal joint (4 samples)

Total verification sampling for West Elevation – Boy's Locker Room = 4 samples.

Northwest Elevation - Roof 1956 Section

- 1 window with 2 vertical joints each containing 5 linear feet of caulk at each vertical joint and 1 horizontal joint at lintel containing 4 linear feet of caulk
 - Verification sampling 1 chip sample will be collected from each vertical joint (2) and 1 chip sample will be collected from the horizontal joint (3 samples)

Total verification sampling for Northwest Elevation - Roof = 3 samples.

Southwest Elevation-Classrooms 1968 Section

- 74 windows (1st and 2nd floor) 1 horizontal joint at window sill containing 224 linear feet of window sill caulk
 - Verification sampling 23 wipe samples will be collected from each horizontal joint (1) of the metal windows
 (23 samples)

Total verification sampling for <u>Southwest Elevation-Classrooms 1968 Section</u> = 23 samples.



Court Yard- South Elevation 1968 Section

- 20 windows (1st and 2nd floor) 1 horizontal joint at window sill containing 64 linear feet of window sill caulk
 - Verification sampling 7 wipe samples will be collected from each horizontal joint (1) of the adjacent metal windows
 (7 samples)

Total verification sampling for <u>Court Yard-South 1968 Section</u> = 7 samples.

Court Yard- West Elevation 1968 Section

- 28 windows (1st and 2nd floor) 1 horizontal joint at window sill containing 84 linear feet of window sill caulk
 - Verification sampling 9 wipe samples will be collected from each horizontal joint (1) of the adjacent metal windows
 (9 samples)

Total verification sampling for <u>Court Yard-West 1968 Section</u> = 9 samples.

West Elevation 1968 Section

- 14 windows (1st floor) 1 horizontal joint at window sill containing 70 linear feet of window sill caulk
 - Verification sampling 7 wipe samples will be collected from each horizontal joint (1) of the adjacent metal windows
 (7 samples)

Total verification sampling for <u>West Elevation 1968 Section</u> = 7 samples.

South Elevation-Cafeteria 1968 Section

- 1 windows (1st floor) 1 horizontal joint at window sill containing 5 linear feet of window sill caulk
 - Verification sampling 1 wipe samples will be collected from each horizontal joint (1) of the adjacent metal windows
 (1 samples)

Total verification sampling for <u>South Elevation-Cafeteria 1968 Section</u> = 1 samples.



1968 Exercise Gymnasium (Small Gym) (Approximately 1,000 SF)

• Shellac/varnish wood floor (≥ 50 PPM) and black mastic and tar vapor barrier associated with wood floor (>1 PPM but less than 50 PPM) will be removed. Verification sampling will be performed in 10 representative samples of concrete sub floor will be collected in the 1968 auxiliary gymnasium.

Total verification sampling for 1968 Exercise Gymnasium (Small Gym) = 10 samples.

1956/1968 Interior expansion joint compound caulking (Approximately 40 LF)

Interior expansion joint compound caulk (1956/1968)

Total verification sampling for 156/1968 Interior expansion joint compound caulking = 4 samples

A total of 356 samples for verification shall be collected along with 5% duplicate samples (18 samples), totaling 374 samples. The laboratory shall be an accredited laboratory for PCB analysis. The analysis method shall include extraction using EPA Method 3540C (Soxhlet Extraction) and analysis method SW846 8082.

Results of analysis shall be compared to the clearance objective which for unrestricted use shall be ≤ 1 ppm. If any location exceeds this clearance objective, additional removal will be conducted.

4 Schedule and Plan Certification

It is the intent of the Owner (Meriden Public Schools) to begin the removal of PCB Bulk Product Materials and Bulk PCB Remediation Waste during proposed construction in four separate phases beginning in the summer of 2013, and completing all work by 2017. Other non-PCB work will occur in the in the same time period in accordance with the overall construction plan. It is anticipated that the work shall be performed as expeditiously as possible including removal of PCB Bulk Product Waste followed by the removal of Bulk PCB Remediation Waste from adjacent surfaces. Upon completing the Bulk PCB Remediation Waste removal and verification sampling confirming the Project Objectives are met, the renovation project shall commence. Additionally, no PCB Abatement work shall be performed while school is in session. The PCB Abatement work will be conducted while the school is vacant.



The Owner hereby certifies that all the sampling plans, sample collection procedures, sample preparation procedures, extraction procedures and instrumental/chemical analysis procedures used to assess or characterize the PCB contamination at the cleanup site, are on file at the School and available for EPA inspection.

Michael Olives	03/14/2013
Owner's Representative,	Date
Michael Grove, Assistant Superintendent	03/14/2013
E CONTINE CONTINE	
Fuss & O'Neill EnviroScience, LLC Representative	Date
Carlos Texidor, Project Manager	
Remediation Contractor Representative	Date
To be determined	








1-1 Site Location Map

. 450 . 01 .

Google


To see all the details that are visible on the screen, use the "Print" link next to the map.









2-1 Window Elevations Drawing









3-1 Window Elevations - Photographs







 $F: \P2011\1127\A1E\Deliverables\SIP\SIDP_PlattHS_Revised_20130314.docx$









 $F: \P2011\1127\A1E\Deliverables\SIP\SIDP_PlattHS_Revised_20130314.docx$








HM-01 Existing First Floor Plan






HM-02 Existing Second Floor Plan






PCB-01 PCBs Source Materials Sample Locations



March that the state of the sta




PCB-02 PCBs Soil Sampling Locations



PCB-02



PCB-03 PCBs Roof Sampling Locations



NERVINE TO SERVICE TO THE STATE OF THE SERVICE TO SERVICE STATE ST



Appendix A

Laboratory Analysis and Chain of Custody – Source Materials-Bulk



January 16, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt High School, Meridan, CT

Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12A0201

by L. Tolson

Enclosed are results of analyses for samples received by the laboratory on January 9, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Holly L. Folsom Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road

Manchester, CT 06040 ATTN: Karron Redfield

PURCHASE ORDER NUMBER: 20111127.A1E

PROJECT NUMBER:

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

20111127,A1E

12A0201

REPORT DATE: 1/16/2012

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION:

Platt High School, Meridan, CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0106EMM-01P	12A0201-01	Caulk	Skylight Glaze Cmpd. (1956)	SW-846 8082A	
0106EMM-02P	12A0201-02	Product/Solid	Tar at rolled sheet roof (1956 loc-23)	SW-846 8082A	
0106EMM-03P	12A0201-03	Product/Solid	Top layer rolled sheet roof (1956 loc-23)	SW-846 8082A	
0106EMM-04P	12A0201-04	Caulk	Caulk at Brick (1956 (Circle))	SW-846 8082A	
0106EMM-05P	12A0201-05	Product/Solid	Pitch box flashing (1956 loc.16)	SW-846 8082A	
0106EMM-06P	12A0201-06	Product/Solid	Roof drain flashing (1956 loc 20)	SW-846 8082A	
0106EMM-07P	12A0201-07	Product/Solid	Bottom layer roof (1968-loc,30)	SW-846 8082A	
0106EMM-08P	12A0201-08	Product/Solid	Top layer roof (1968-loc.30)	SW-846 8082A	
0106EMM-09P	12A0201-09	Product/Solid	Bottom layer roof (1956-loc.20)	SW-846 8082A	
0106EMM-10P	12A0201-10	Product/Solid	Top layer roof (1956-loc.20)	SW-846 8082A	
0106EMM-11P	12A0201-11	Caulk	Caulk at exhaust vent (1968-loc.4(Tan/Grey))	SW-846 8082A	
0106EMM-12P	12A0201-12	Caulk	Caulk at paropet Vent (1956-loc.10(blk))	SW-846 8082A	
0106EMM-13P	12A0201-13	Caulk	Caulk & exhaust vent (1956-loc.16(White))	SW-846 8082A	
0106EMM-14P	12A0201-14	Product/Solid	Vent flashing (1968-loc.30)	SW-846 8082A	
0106EMM-15P	12A0201-15	Product/Solid	Vent flashing (1956-loc.26)	SW-846 8082A	
0106EMM-16P	12A0201-16	Product/Solid	Top layer-Rolled Sheet Flash (1956-loc.5)	SW-846 8082A	
0106EMM-17P	12A0201-17	Product/Solid	Top layer-Rolled Sheet Flash. (1968-loc.21)	SW-846 8082A	
0106EMM-18P	12A0201-18	Product/Solid	Flashing Paropet (Under Metal) (1968-loc.2)	SW-846 8082A	
0106EMM-19P	12A0201-19	Product/Solid	Flashing Paropet Under Metal (1956-loc.11)	SW-846 8082A	
0106EMM-20P	12A0201-20	Caulk	Caulk @ Paropet (1956-loc,20)	SW-846 8082A	
0106EMM-21P	12A0201-21	Product/Solid	Perimeter Flashing (Under Metal) (1968-loc.5)	SW-846 8082A	
0106EMM-22P	12A0201-22	Product/Solid	Perimeter Flashing (Under Metal) (1956-loc,21)	SW-846 8082A	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8082A

Qualifications:

Elevated method reporting limit due to insufficient sample volume

Analyte & Samples(s) Qualified:

12A0201-14[0106EMM-14P], 12A0201-15[0106EMM-15P]

Elevated reporting limit due to matrix.

Analyte & Samples(s) Qualified:

12A0201-02[0106EMM-02P], 12A0201-06[0106EMM-06P], 12A0201-19[0106EMM-19P]

Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported.

Analyte & Samples(s) Qualified:

Aroclor-1248

12A0201-15[0106EMM-15P]

The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.

Analyte & Samples(s) Qualified:

Decachlorobiphenyl, Decachlorobiphenyl [2C], Tetrachloro-m-xylene, Tetrachloro-m-xylene [2C]

12A0201-02[0106EMM-02P], 12A0201-19[0106EMM-19P]

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Aroclor-1016 [2C], Aroclor-1260 [2C]

B044154-BS1, B044154-BSD1



The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Michael A. Erickson Laboratory Director



Project Location: Platt High School, Meridan, CT Sample Description: Skylight Glaze Cmpd. (1956) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-01P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-01 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Fime Analyzed	Analyst
Aroclor-1016 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1221 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1232 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1242 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1248 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1254 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1260 [1]	ND.	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1262 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Aroclor-1268 [1]	ND	2.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:21	MJC
Surrogates		% Recovery	Recovery Limits	, -	Flag				
Decachlorobiphenyl [1]		117	30-150					1/13/12 17:21	
Decachlorobiphenyl [2]		96.6	30-150					1/13/12 17:21	
Tetrachloro-m-xylene [1]		93.3	30-150					1/13/12 17:21	
Tetrachloro-m-xylene [2]		98.3	30-150					1/13/12 17:21	



Project Location: Platt High School, Meridan, CT

Sample Description:

Tar at rolled sheet roof (1956 loc-23)

Work Order: 12A0201

1/14/12 17:11

Date Received: 1/9/2012

Field Sample #: 0106EMM-02P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-02

Sample Flags: DL-03

Tetrachloro-m-xylene [2]

Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with 3540 Soxhlet Ex	traction

Carried Control of the Control of th		A -14							
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1221 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1232 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1242 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1248 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1254 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1260 [1]	ND	1.3	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1262 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Aroclor-1268 [1]	ND	13	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:11	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		* * *	30-150		S-01			1/14/12 17:11	
Decachlorobiphenyl [2]			30-150		S-01			1/14/12 17:11	
Tetrachloro-m-xylene [1]			30-150		\$-01			1/14/12 17:11	

S-01

30-150



Project Location: Platt High School, Meridan, CT

Sample Description

Top layer rolled sheet roof (1956 loc-2

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-03P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-03

Sample Matrix: Product/Solid

Polychlorinated	l Biphenyls with 3540 Soxhlet Extraction	n
-----------------	--	---

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1248 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1254 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1260 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Aroclor-1268 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:55	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		110	30-150					1/13/12 21:55	
Decachlorobiphenyl [2]		86.5	30-150					1/13/12 21:55	
Tetrachloro-m-xylene [1]		107	30-150					1/13/12 21:55	
Tetrachloro-m-xylene [2]		112	30-150					1/13/12 21:55	



Project Location: Platt High School, Meridan, CT

Sample Description: Caulk at Brick (1956 (Circle))

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-04P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-04 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1221 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1232 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1242 [1]	ND	0.99	mg/Kg	.5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1248 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1254 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1260 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1262 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Aroclor-1268 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:34	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		111	30-150					1/13/12 17:34	
Decachlorobiphenyl [2]		93.4	30-150					1/13/12 17:34	
Tetrachloro-m-xylene [1]		94.4	30-150					1/13/12 17:34	
Tetrachloro-m-xylene [2]		99.4	30-150					1/13/17 17:34	



Project Location: Platt High School, Meridan, CT

Sample Description: Pitch box flashing (1956 loc.16)

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-05P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-05 Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction	
-----------------	--	--

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1221 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1232 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1242 [1]	ND	0.33	mg/Kg	(1)		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1248 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1254 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1260 [1]	ND	0.33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1262 [1]	ND	0.33	mg/Kg	10		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Aroclor-1268 [1]	ND	0,33	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 20:50	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		125	30-150					1/13/12 20:50	
Decachlorobiphenyl [2]		100	30-150					1/13/12 20:50	
Tetrachloro-m-xylene [1]		123	30-150					1/13/12 20:50	
Tetrachloro-m-xylene [2]		122	30-150					1/13/12 20:50	



Project Location: Platt High School, Meridan, CT

Sample Description:

Roof drain flashing (1956 loc.20)

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-06P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-06

Sample Flags: DL-03

Sample	Matrix:	Product/Solid

Polychlorinated	Biphenyls with	3540 Soxhlet	Extraction	

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1221 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1232 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1242 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1248 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1254 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1260 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1262 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	MJC
Aroclor-1268 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:08	МЈС
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		107	30-150					1/13/12 22:08	
Decachlorobiphenyl [2]		86.6	30-150					1/13/12 22:08	
Tetrachloro-m-xylene [1]		120	30-150					1/13/12 22:08	
Tetrachloro-m-xylene [2]		123	30-150					1/13/12 22:08	



Project Location: Platt High School, Meridan, CT

Sample Description:

Bottom layer roof (1968-loc.30)

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-07P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-07

Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with	3540 Soxhlet Extraction	
-----------------	----------------	-------------------------	--

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.40	mg/Kg	4		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1221 [1]	ND	0.40	mg/Kg	T		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1232 [1]	ND	0.40	mg/Kg	4		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1242 [1]	ND	0.40	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1248 [1]	ND	0.40	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1254 [1]	ND	0.40	mg/Kg	F		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1260 [1]	ND	0.40	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1262 [1]	ND	0,40	mg/Kg	1.		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Aroclor-1268 [1]	ND	0.40	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:21	MJC
Surrogates		% Recovery	Recovery Limits	7	Flag				
Decachlorobiphenyl [1]		106	30-150					1/13/12 22:21	
Decachlorobiphenyl [2]		82.9	30-150					1/13/12 22:21	
Tetrachloro-m-xylene [1]		108	30-150					1/13/12 22:21	
Tetrachloro-m-xylene [2]		109	30-150					1/13/12 22:21	



Project Location: Platt High School, Meridan, CT

Sample Description:

Top layer roof (1968-loc.30)

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-08P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-08
Sample Matrix: Product/Solid

Polychlorinated	Biphenyls	with 3540	Soxhlet	Extraction	

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1248 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 22:34	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		110	30-150					1/13/12 22:34	
Decachlorobiphenyl [2]		89.1	30-150					1/13/12 22:34	
Tetrachloro-m-xylene [1]		106	30-150					1/13/12 22:34	
Tetrachloro-m-xylene [2]		111	30-150					1/13/12 22:34	



Project Location: Platt High School, Meridan, CT Sample Description: Bottom layer roof (1956-loc,20) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-09P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-09

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

	Folychiormated Dipnenyls with 3540 Soxniet Extraction								
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1221 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1232 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1242 [1]	ND	0,67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1248 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1254 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1260 [1]	ND	0.67	mg/Kg	1.		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1262 [1]	ND	0.67	mg/Kg	T		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Aroclor-1268 [1]	ND	0.67	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 22:47	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		109	30-150					1/13/12 22:47	
Decachlorobiphenyl [2]		85.4	30-150					1/13/12 22:47	
Tetrachloro-m-xylene [1]		121	30-150					1/13/12 22:47	
Tetrachloro-m-xylene [2]		122	30-150					1/13/12 22:47	



Project Location: Platt High School, Meridan, CT Sample Description: Top layer roof (1956-loc.20) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-10P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-10
Sample Matrix: Product/Solid

Polychloringted	Rinhanyle with	3540 Sovblat	Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1248 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1254 [1]	ND	0,50	mg/Kg	5.		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Aroclor-1268 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:00	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		111	30-150					1/13/12 23:00	
Decachlorobiphenyl [2]		90.2	30-150					1/13/12 23:00	
Tetrachloro-m-xylene [1]		112	30-150					1/13/12 23:00	
Tetrachloro-m-xylene [2]		117	30-150					1/13/12 23:00	



Project Location: Platt High School, Meridan, CT Sample Description: Caulk at exhaust vent (1968-loc.4(Tan. Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-11P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-11 Sample Matrix: Caulk

	Polychlorinated Biphenyls with 3540 Soxblet Extraction									
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys	
Aroclor-1016 [1]	ND	1,0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1221 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1232 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1242 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1248 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1254 [2]	1.4	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1260 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1262 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Aroclor-1268 [1]	ND	1.0	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 17:47	MJC	
Surrogates		% Recovery	Recovery Limits		Flag					
Decachlorobiphenyl [1]		96.1	30-150					1/13/12 17:47		
Decachlorobiphenyl [2]		80.1	30-150					1/13/12 17:47		
Tetrachloro-m-xylene [1]		78.6	30-150					1/13/12 17:47		
Tetrachloro-m-xylene [2]		82,2	30-150					1/13/12 17:47		



Project Location: Platt High School, Meridan, CT Sample Description: Caulk at paropet Vent (1956-loc.10(bl) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-12P

Sample ID: 12A0201-12 Sample Matrix: Caulk Sampled: 1/6/2012 00:00

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1221 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1232 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1242 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1248 [1]	ND	0,97	mg/Kg	.5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1254 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1260 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1262 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Aroclor-1268 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:00	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		110	30-150					1/13/12 18:00	
Decachlorobiphenyl [2]		90.3	30-150					1/13/12 18:00	
Tetrachloro-m-xylene [1]		96.3	30-150					1/13/12 18:00	
Tetrachloro-m-xylene [2]		87.9	30-150					1/13/12 18:00	



Project Location: Platt High School, Meridan, CT Sample Description: Caulk & exhaust vent (1956-loc.16(WI Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-13P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-13 Sample Matrix: Caulk

		Polychlori	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1221 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1232 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1242 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1248 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1254 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1260 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1262 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Aroclor-1268 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:13	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		123	30-150					1/13/12 18:13	
Decachlorobiphenyl [2]		101	30-150					1/13/12 18:13	
Tetrachloro-m-xylene [1]		95.3	30-150					1/13/12 18:13	
Tetrachloro-m-xylene [2]		102	30-150					1/13/12 18:13	



Project Location: Platt High School, Meridan, CT Sample Description: Vent flashing (1968-loc.30) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-14P

Sampled: 1/6/2012 00:00

117

Sample ID: 12A0201-14

Tetrachloro-m-xylene [2]

Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with 3540 Soxh	et Extraction

Sample Flags: DL-02		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1221 [1]	ND	1.3	mg/Kg	i i		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1232 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1242 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1248 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1254 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1260 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1262 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Aroclor-1268 [1]	ND	1.3	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:13	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		108	30-150				-	1/13/12 23:13	
Decachlorobiphenyl [2]		83.9	30-150					1/13/12 23:13	
Tetrachloro-m-xylene [1]		116	30-150					1/13/12 23:13	

30-150

1/13/12 23:13



Project Location: Platt High School, Meridan, CT

Sample Description:

108

Vent flashing (1956-loc.26)

Work Order: 12A0201

1/13/12 23:26

Date Received: 1/9/2012

Field Sample #: 0106EMM-15P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-15 Sample Matrix: Product/Solid

Tetrachloro-m-xylene [2]

Sample Flags: DL-02		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1,5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1221 [1]	ND	1,5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1232 [1]	ND	1.5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1242 [1]	ND	1.5	mg/Kg	T		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1248 [1]	ND	1.5	mg/Kg	1	P-04	SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1254 [1]	ND	1.5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Aroclor-1260 [1]	ND	1.5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23;26	MJC
Aroclor-1262 [1]	ND	1.5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23;26	MJC
Aroclor-1268 [1]	ND	1.5	mg/Kg	1		SW-846 8082A	1/10/12	1/13/12 23:26	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		104	30-150					1/13/12 23:26	
Decachlorobiphenyl [2]		88,2	30-150					1/13/12 23:26	
Tetrachloro-m-xylene [1]		113	30-150					1/13/12 23:26	

30-150



Project Location: Platt High School, Meridan, CT

Sample Description:

Top layer-Rolled Sheet Flash. (1956-lc

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-16P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-16
Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.48	mg/K.g	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1221 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1232 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1242 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1248 [1]	ND	0,48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1254 [1]	ND	0,48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1260 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1262 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:39	MJC
Aroclor-1268 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23;39	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		113	30-150					1/13/12 23:39	
Decachlorobiphenyl [2]		91.0	30-150					1/13/12 23:39	
Tetrachloro-m-xylene [1]		118	30-150					1/13/12 23:39	
Tetrachloro-m-xylene [2]		123	30-150					1/13/12 23:39	



Project Location: Platt High School, Meridan, CT Sample Description: Top layer-Rolled Sheet Flash. (1968-Ic

Date Received: 1/9/2012

Field Sample #: 0106EMM-17P

Work Order: 12A0201

Sample ID: 12A0201-17

Sampled: 1/6/2012 00:00

Sample 1D. 12	A0201-17
Sample Matrix:	Product/Solid

	Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst			
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1248 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 23:52	MJC			
Surrogates		% Recovery	Recovery Limits		Flag							
Decachlorobiphenyl [1]		102	30-150					1/13/12 23:52				
Decachlorobiphenyl [2]		82.3	30-150					1/13/12 23:52				
Tetrachloro-m-xylene [1]		110	30-150					1/13/12 23:52				
Tetrachloro-m-xylene [2]		116	30-150					1/13/12 23;52				



Project Location: Platt High School, Meridan, CT

Sample Description:

Flashing Paropet (Under Metal) (1968-

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-18P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-18
Sample Matrix: Product/Solid

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1221 [1]	ND	0.71	mg/Kg	.5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1232 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1242 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1248 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1254 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1260 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Aroclor-1262 [1]	ND	0.71	mg/Kg	5		SW-846 8082A *	1/10/12	1/14/12 0:05	MJC
Aroclor-1268 [1]	ND	0.71	mg/Kg	5		SW-846 8082A	1/10/12	1/14/12 0:05	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		106	30-150					1/14/12 0:05	
Decachlorobiphenyl [2]		84.3	30-150					1/14/12 0:05	
Tetrachloro-m-xylene [1]		111	30-150					1/14/12 0:05	
Tetrachloro-m-xylene [2]		117	30-150					1/14/12 0:05	



Project Location: Platt High School, Meridan, CT

Sample Description:

Flashing Paropet Under Metal (1956-lc

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-19P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-19 Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Sample Flags: DL-03		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1221 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1232 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1242 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1248 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1254 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1260 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1262 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Aroclor-1268 [1]	ND	18	mg/Kg	100		SW-846 8082A	1/10/12	1/14/12 17:24	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]			30-150		S-01			1/14/12 17:24	
Decachlorobiphenyl [2]		#e	30-150		S-01			1/14/12 17:24	
Tetrachloro-m-xylene [1]		140	30-150		S-01			1/14/12 17:24	
Tetrachloro-m-xylene [2]			30-150		S-01			1/14/12 17:24	



Project Location: Platt High School, Meridan, CT

Sample Description:

Caulk @ Paropet (1956-loc.20)

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-20P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-20 Sample Matrix: Caulk

Polychlorinated	Biphenyls with	3540 Soxhlet Extraction	
-----------------	----------------	-------------------------	--

Analyte	Results	RL .	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1221 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1232 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1242 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1248 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1254 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1260 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1262 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Aroclor-1268 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/11/12	1/13/12 18:26	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		88.1	30-150					1/13/12 18:26	
Decachlorobiphenyl [2]		73.6	30-150					1/13/12 18:26	
Tetrachloro-m-xylene [1]		82.1	30-150					1/13/12 18:26	
Tetrachloro-m-xylene [2]		87.3	30-150					1/13/12 18:26	



Project Location: Platt High School, Meridan, CT Sample Description: Perimeter Flashing (Under Metal) (19) Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-21P

The second second second

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-21 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1221 [1]	ND	0.91	mg/Kg	.5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1232 [1]	ND	10,0	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1242 [1]	ND	0.91	mg/Kg	.5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1248 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1254 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1260 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1262 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Aroclor-1268 [1]	ND	0.91	mg/Kg	5		SW-846 8082A	1/10/12	1/13/12 21:03	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		120	30-150					1/13/12 21:03	
Decachlorobiphenyl [2]		97,4	30-150					1/13/12 21:03	
Tetrachloro-m-xylene [1]		120	30-150 1/13/12 21:03		1/13/12 21:03				
Tetrachloro-m-xylene [2]		125	30-150					1/13/12 21:03	



Project Location: Platt High School, Meridan, CT

Sample Description:

Perimeter Flashing (Under Metal) (19:

Work Order: 12A0201

Date Received: 1/9/2012

Field Sample #: 0106EMM-22P

Sampled: 1/6/2012 00:00

Sample ID: 12A0201-22
Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with	3540 Soxhlet	Extraction

		RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1221 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1232 [1]	ND	0.25	mg/Kg	4		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1242 [1]	ND	0.25	mg/Kg	1.		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroelor-1248 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1254 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1260 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1262 [1]	ND	0.25	mg/Kg	1.		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Aroclor-1268 [1]	ND	0.25	mg/Kg	1		SW-846 8082A	1/10/12	1/14/12 17:37	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		129	30-150					1/14/12 17:37	_
Decachlorobiphenyl [2]		98.7	30-150					1/14/12 17:37	
Tetrachloro-m-xylene [1]		123	30-150					1/14/12 17:37	
Tetrachloro-m-xylene [2]		119	30-150					1/14/12 17:37	



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12A0201-01 [0106EMM-01P]	B044218	0.250	10.0	01/11/12	
12A0201-04 [0106EMM-04P]	B044218	0,506	10,0	01/11/12	
12A0201-11 [0106EMM-11P]	B044218	0,501	10.0	01/11/12	
12A0201-12 [0106EMM-12P]	B044218	0.515	10.0	01/11/12	
12A0201-13 [0106EMM-13P]	B044218	0.503	10.0	01/11/12	
12A0201-20 [0106EMM-20P]	B044218	0.548	10.0	01/11/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12A0201-02 [0106EMM-02P]	B044154	1.50	10.0	01/10/12	
12A0201-03 [0106EMM-03P]	B044154	2.20	10.0	01/10/12	
12A0201-05 [0106EMM-05P]	B044154	0.600	10.0	01/10/12	
12A0201-06 [0106EMM-06P]	B044154	1.00	10.0	01/10/12	
12A0201-07 [0106EMM-07P]	B044154	0.500	10.0	01/10/12	
12A0201-08 [0106EMM-08P]	B044154	2.00	10.0	01/10/12	
12A0201-09 [0106EMM-09P]	B044154	0.300	(0.0	01/10/12	
12A0201-10 [0106EMM-10P]	B044154	2.00	10.0	01/10/12	
12A0201-14 [0106EMM-14P]	B044154	0.150	10.0	01/10/12	
12A0201-15 [0106EMM-15P]	B044154	0.130	10.0	01/10/12	
12A0201-16 [0106EMM-16P]	B044154	2.10	10.0	01/10/12	
12A0201-17 [0106EMM-17P]	B044154	2.00	10.0	01/10/12	
12A0201-18 [0106EMM-18P]	B044154	1.40	10.0	01/10/12	
12A0201-19 [0106EMM-19P]	B044154	1.10	10.0	01/10/12	
12A0201-21 [0106EMM-21P]	B044154	1.10	10.0	01/10/12	
12A0201-22 [0106EMM-22P]	B044154	0.800	10.0	01/10/12	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B044154 - SW-846 3540C										
Blank (B044154-BLK1)			Prepared: 01/10/12 Analyzed: 01/13/12							
Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	0.875		mg/Kg	1.00		87.5	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.715		mg/Kg	1.00		71.5	30-150			
Surrogate: Tetrachloro-m-xylene	J.23		mg/Kg	1,00		123	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.23		mg/Kg	1,00		123	30-150			
.CS (B044154-BS1)				Prepared: 01/	10/12 Analy	zed: 01/13/1	2 -			
Aroclor-1016	0.27	0.10	mg/Kg	0.250		108	40-140			
roclor-1016 [2C]	0.28	0.10	mg/Kg	0.250		113	40-140			V-06
Aroclor-1260	0.21	0.10	mg/Kg	0.250		82.2	40-140			
Aroclor-1260 [2C]	0.21	0.10	mg/Kg	0.250		85.6	40-140			V-06
urrogate: Decachlorobiphenyl	0.895		mg/Kg	1,00		89.5	30-150			
urrogate: Decachlorobiphenyl [2C]	0.734		mg/Kg	1.00		73.4	30-150			
urrogate: Tetrachloro-m-xylene	1.20		mg/Kg	1.00		120	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.21		mg/Kg	1.00		121	30-150			
CS Dup (B044154-BSD1)				Prepared: 01/	10/12 Analy	zed: 01/13/1	2			
roclor-1016	0,30	0.10	mg/Kg	0.250		118	40-140	8.55	30	
roclor-1016 [2C]	0.29	0.10	mg/Kg	0.250		117	40-140	3.51	30	V-06
roclor-1260	0.23	0.10	mg/Kg	0.250		92.4	40-140	11.6	30	
roclor-1260 [2C]	0.26	0.10	mg/Kg	0,250		102	40-140	17.7	30	V-06
urrogate: Decachlorobiphenyl	0.969		mg/Kg	1.00		96.9	30-150			
urrogate: Decachlorobiphenyl [2C]	0.788		mg/Kg	1.00		78.8	30-150			
urrogate: Tetrachloro-m-xylene	1.22		mg/Kg	1.00		122	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.23		mg/Kg	1.00		123	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analuta	Barrier.	Reporting		Spike	Source	0.75	%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch B044218 - SW-846 3540C										
Blank (B044218-BLK1)				Prepared: 01	/11/12 Anal	yzed: 01/13/	12			
Aroclor-1016	ND	0.20	mg/Kg							
Aroclor-1016 [2C]	ND	0.20	mg/Kg							
Aroclor-1221	ND	0.20	mg/Kg							
Aroclor-1221 [2C]	ND	0.20	mg/Kg							
Aroclor-1232	ND	0.20	mg/Kg							
Aroclor-1232 [2C]	ND	0.20	mg/Kg							
Aroclor-1242	ND	0.20	mg/Kg							
Aroclor-1242 [2C]	ND	0.20	mg/Kg							
Aroclor-1248	ND	0.20	mg/Kg							
Aroclor-1248 [2C]	ND	0.20	mg/Kg							
Aroclor-1254	ND	0.20	mg/Kg							
Aroclor-1254 [2C]	ND	0.20	mg/Kg							
Aroclor-1260	ND	0.20	mg/Kg							
Aroclor-1260 [2C]	ND	0.20	mg/Kg							
Aroclor-1262	ND	0.20	mg/Kg							
Aroclor-1262 [2C]	ND	0.20	mg/Kg							
Aroclor-1268	ND	0.20	mg/Kg							
Aroclor-1268 [2C]	ND	0.20	mg/Kg							
Surrogate: Decachlorobiphenyl	3.45		mg/Kg	4.00		86.1	30-150			
surrogate: Decachlorobiphenyl [2C]	2.88		mg/Kg	4,00		72.0	30-150			
urrogate: Tetrachloro-m-xylene	4.61		mg/Kg	4.00		115	30-150			
surrogate: Tetrachloro-m-xylene [2C]	4.55		mg/Kg	4.00		114	30-150			
.CS (B044218-BS1)				Prepared: 01/	11/12 Analy	zed: 01/13/1	2			
aroclor-1016	4.4	0.20	mg/Kg	4.00		109	40-140			
roclor-1016 [2C]	4.1	0.20	mg/Kg	4.00		102	40-140			
aroclor-1260	4.2	0.20	mg/Kg	4.00		105	40-140			
roclor-1260 [2C]	4.1	0.20	mg/Kg	4.00		102	40-140			
urrogate: Decachlorobiphenyl	4.15		mg/Kg	4.00		104	30-150	_		
urrogate: Decachlorobiphenyl [2C]	4.42		mg/Kg	4.00		111	30-150			
urrogate: Tetrachloro-m-xylene	4.63		mg/Kg	4.00		116	30-150			
urrogate: Tetrachloro-m-xylene [2C]	4.59		mg/Kg	4.00		115	30-150			
CS Dup (B044218-BSD1)				Prepared: 01/	11/12 Analy	zed: 01/13/1	7			
roclor-1016	4.2	0,20	mg/Kg	4.00	The state of	104	40-140	4.81	30	
roclor-1016 [2C]	3,8	0.20	mg/Kg	4.00		95.0	40-140	6.88		
roclor-1260	3,2	0.20	mg/Kg	4.00		78.8	40-140		30	
roclor-1260 [2C]	3.1	0.20	mg/Kg	4.00		78.7	40-140	28.2 25.5	30	
arrogate: Decachlorobiphenyl	2.64	1 2 2 2	mg/Kg	4,00		66.1	30-150	200		-
urrogate: Decachlorobiphenyl [2C]	2.79		mg/Kg	4.00		69.8	30-150			
urrogate: Tetrachloro-m-xylene	4.38		mg/Kg	4.00		109	30-150			
irrogate: Tetrachloro-m-xylene [2C]	4.32		mg/Kg	4.00		108	30-150			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
*	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
DL-02	Elevated method reporting limit due to insufficient sample volume
DL-03	Elevated reporting limit due to matrix.
P-04	Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported.
S-01	The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.



CERTIFICATIONS


Certified Analyses included in this Report

Analyte	Certifications
SW-846 8082A in Product/Solid	
Aroclor-1016	CT,NH,NY,ME,NC
Aroclor-1016 [2C]	CT,NH,NY,ME,NC
Aroclor-1221	CT,NH,NY,ME,NC
Aroclor-1221 [2C]	CT,NH,NY,ME,NC
Aroclor-1232	CT,NH,NY,ME,NC
Aroclor-1232 [2C]	CT,NH,NY,ME,NC
Aroclor-1242	CT,NH,NY,ME,NC
Aroclor-1242 [2C]	CT,NH,NY,ME,NC
Aroclor-1248	CT,NH,NY,ME,NC
Aroclor-1248 [2C]	CT,NH,NY,ME,NC
Aroclor-1254	CT,NH,NY,ME,NC
Aroclor-1254 [2C]	CT,NH,NY,ME,NC
Aroclor-1260	CT,NH,NY,ME,NC
Aroclor-1260 [2C]	CT,NH,NY,ME,NC

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	01/1/2012
MA.	Massachusetts DEP	M-MA100	06/30/2012
CT.	Connecticut Department of Publile Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2012
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2012
u	Rhode Island Department of Health	LAO00112	12/30/2012
IC.	North Carolina Div. of Water Quality	652	12/31/2012
IJ	New Jersey DEP	MA007 NELAP	06/30/2012
L	Florida Department of Health	E871027 NELAP	06/30/2012
T	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
VA	State of Washington Department of Ecology	C2065	02/23/2012
ΛE	State of Maine	2011028	06/9/2013

Number Relinquished By Accepted By Date 1 Admin Alfra 2 Jam Karrot Monaro (C.306 1/4/18) 3		-04P-c -04P-c -06P 1	Item No. 1 2 3 4 Olob ENIM - Sample Number Source Date Time Code Sampled Sampled OLD - sklyrt glaze and Bulk 1-le-18 and O2 029 - tem & polled sheet pol	Sampler's Signature: AMM MM Date: 1-10-1A Source Codes: MW=Monitoring Well PW=Porable Water S=Soil W=Waste SW=Surface Water T=Treatment Facility B=Sediment A=Air X=Other Bulk	PROJECT NAME PLANT HIGH SCHOOL REPORT TO: Karron Redired INVOICE TO:	AIN-OF	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com \2\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Time Reporting and Detection Limit Requirements: 73 1300 Additional Comments: 74 1420 Page 0 3	1956-10c.30	1956 (Jack) 1956 (Jac. 16	Soil VOA Vial Giass Soil Contail Giass Soil Contail Glass Amber Plastic As is Plastic Anoth Plastic A	Incitional land	PROJECT NUMBER LABORA Analysis Request PROJECT NUMBER LABORA Contain Contain	Turnaround 1 Day* 3 Days* 2 Days* 4 Standard (5 days) 2 Days* 4 Standard (5 days)	146 Haruford Road, Manchester, CT 06040 50 Redfield Street, Suite 100, Boston, MA 02122 50 Quarry Road, Trumbull, CT 06611 1419 Richland Street, Columbia, SC 29201 78 Interstate Drive, West Springfield, MA 01089





1	T		***************************************
_	_	-	200000000000000000000000000000000000000

d, MA 01089	275 Promenade Street, Suite 350, Providence, RI 02908
ville, NC 27858	30 Washington Street, Suite 301, Pouphkeonsie NY 12601
any, NY 12203	Other .

Page 34 of 35

つばんけい つせ つけらずつけい ゆせつつゅう	# AP 2001 - 20			Turnsround	Ž Dać
CITATIN-OL-COSTODI RECORD			□ 1 Day* □ □ 2 Days* □	□ 3 Days* Standard (S days)	C) Other (days) *Surcharge Applies
PROJECT NAME PROJECT LOCATION		PROJECT NUMBER	> {		LABORATORY
	Analysis	0011 1101 111	777		Containers
INVOICE TO:	Request				Correnticio
P.O. No.:					ni reliere
e: Edwill Wild MMD Date: 1-6-12	L			Na(50g);	[] 14:8C
318	`	XXX	sanoi (00	As is
Julk	0C0X		wal ainer	W. J. As.	250 m 250 m 1
	150	80.11	1655 SON CON	ilass Amber	Plastic As 15 Plastic As 15 Plastic As 15 Plastic As 16 Pl
21 personeles flating mount Bulk 1-12-12 a.m.					1968-100.5
	<u> </u>		The state of the s	The state of the s	1956-106-21
					чений кайландардардардардардардардардардардардардард
			26		
Transfer Relinquished By Accepted By Date	Time	Reporting and Detection Limit Requirements:	irements:		

(L) 1/2

mest

Monussey (Co-

It acroid

19/18 1300 Additional Comments:

19/12 1420

7


13

į

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com

Do all samples have the proper Base pH: Yes





Page 35 of 35

Rev. 1 May 2011

Sample Receipt Checklist

CLIENT NAME: FUSS OV	14 0,VON	KRECEIVE	DBY: MIK D	ATE: 1/4/1/
1) Was the chain(s) of custody reli		gned?	(Yes) No	No CoC Included
2) Does the chain agree with the self not, explain:	amples?		Yes No	
3) Are all the samples in good con- lf not, explain:	dition?		(Yes) No	
4) How were the samples received	:			
On Ice Direct from San		Ambient	- C1() T	•
Were the samples received in Tem			In Cooler(s)	
_			C)? (es) No / No remp gun	2,3°C
5) Are there Dissolved samples for	the lab to filter?		V 61	
Who was notified	Date	Ti	Yes (No)	
6) Are there any RUSH or SHORT H	OLDING TIME of	nme .	/ ○ \	
Who was notified	Dota Time Sa	mpies?	Yes (No)	
Who was notified	Date	Ime_		
-1.	1 0		Permission to subcontra	ct samples? Yes No
7) Location where samples are stored:	109-	11	(Walk-in clients only) if r	ot already approved
the second of th			Client Signature:	- 11
Cor	tainore ro	م لامینامه		
301	italije i S i el	cerveu a	t Con-Test	
	# of containers			# of containers
1 Liter Amber			8 oz amber/clear jar	- Solitariois
500 mL Amber			4 oz amber/clear ar	27
250 mL Amber (8oz amber)			2 oz amber/clear jar	
1 Liter Plastic			Air Cassette	
500 mL Plastic			Hg/Hopcalite Tube	
250 mL plastic	-		Plastic Bag / Ziploc	
40 mL Vial - type listed below			PM 2.5 / PM 10	
Colisure / bacteria bottle			PUF Cartridge	
Dissolved Oxygen bottle Encore	:		SOC Kit	
Flashpoint bottle	1		TO-17 Tubes	
Perchlorate Kit		N	on-ConTest Container	
Other		<u> </u>	Other glass jar	
_aboratory Comments:		[25]	Other	
40 mL vials: # HCl	# Methanol	4	Time	and Date Frozen:
			3	
# Bisulfate	# DI Water			



February 2, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Meriden, CT

Client Job Number:

Project Number: 20111127.AIE

Laboratory Work Order Number: 12A0820

ly L. Tolson

Enclosed are results of analyses for samples received by the laboratory on January 26, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Holly L. Folsom Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield REPORT DATE: 2/2/2012

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

20111127.A1E

12A0820

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Meriden, CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0123EMM-01P	12A0820-01	Caulk	EXT. Wondow Caulk 1956 Wing	SW-846 8082A	
0123EMM-02P	12A0820-02	Caulk	EXT. W. Caulk @ Sash 1956	SW-846 8082A	
0123EMM-03P	12A0820-03	Caulk	EXT W Glaze 1956	SW-846 8082A	
0123EMM-04P	12A0820-04	Caulk	EXT. W. Caulk 1968-rear	SW-846 8082A	
0123EMM-05P	12A0820-05	Caulk	EXT. W. Glaze 1968-rear	SW-846 8082A	
0123EMM-06P	12A0820-06	Caulk	EXT. Door Caulk 1968-rear	SW-846 8082A	
0123EMM-07P	12A0820-07	Caulk	EXT. expansion joint caulk 1956/1968	SW-846 8082A	
0123EMM-08P	12A0820-08	Caulk	EXT. Door Caulk 1968-Garages	SW-846 8082A	
0123EMM-09P	12A0820-09	Caulk	EXT. Door Caulk 1956	SW-846 8082A	
0123EMM-10P	12A0820-10	Caulk	Int. Slate Sill Caulk Cafeteria	SW-846 8082A	
0123EMM-11P	12A0820-11	Caulk	Ext. Window Caulk Cafeteria	SW-846 8082A	
0123EMM-12P	12A0820-12	Caulk	Ext. Window Glaze Cafeteria	SW-846 8082A	
0123EMM-13P	12A0820-13	Caulk	Int. W. Caulk Rm 83	SW-846 8082A	
0123EMM-14P,	12A0820-14	Caulk	Int. W. Caulk Rm 63	SW-846 8082A	
0123EMM-15P	12A0820-15	Caulk	Int. Slate Shill Caulk Rm 87	SW-846 8082A	
0123EMM-16P	12A0820-16	Caulk	Sink Basin Caulk Rm 19	SW-846 8082A	
0123EMM-17P	12A0820-17	Caulk	Sink Basin Caulk Rm 87	SW-846 8082A	
0123EMM-18P	12A0820-18	Caulk	Blind Flashing 1968-rear	SW-846 8082A	
0123EMM-19P	12A0820-19	Caulk	Blind Flashing Adj. custodial entrance	SW-846 8082A	
0123EMM-20P	12A0820-20	Caulk	Blind Flashing 1956 Class Wing	SW-846 8082A	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8082A

Qualifications:

Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%. The higher result was reported.

Analyte & Samples(s) Qualified:

Aroclor-1254 [2C]

12A0820-08[0123EMM-08P]

Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported.

Analyte & Samples(s) Qualified:

Aroclor-1242

12A0820-18[0123EMM-18P]

The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.

Analyte & Samples(s) Qualified:

Decachlorobiphenyl, Decachlorobiphenyl [2C], Tetrachloro-m-xylene, Tetrachloro-m-xylene [2C]

12A0820-01[0123EMM-01P]

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Daren J. Damboragian Laboratory Manager



Sample Description: EXT. Wondow Caulk 1956 Wing

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012 Field Sample #: 0123EMM-01P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-01 Samole Matrix: Caulk

		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1221 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1232 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1242 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1248 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1254 [1]	270	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1260 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1262 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Aroclor-1268 [1]	ND	19	mg/Kg	100		SW-846 8082A	1/28/12	1/31/12 10:00	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		*	30-150		S-01			1/31/12 10:00	
Decachlorobiphenyl [2]		*	30-150		S-01			1/31/12 10:00	
Tetrachloro-m-xylene [1]		*	30-150		S-01			1/31/12 10:00	
Tetrachloro-m-xylene [2]			30-150		S-01			1/31/12 10:00	



Project Location: Meriden, CT

104

Sample Description: EXT. W. Caulk @ Sash 1956

Work Order: 12A0820

1/31/12 10:13

Date Received: 1/26/2012

Field Sample #: 0123EMM-02P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-02

Tetrachloro-m-xylene [2]

		Polychlor	inated Biphenyls wi	th 3540 Soxhi	let Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1221 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1232 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1242 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1248 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1254 [1]	4.2	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1260 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1262 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Aroclor-1268 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:13	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		104	30-150					1/31/12 10:13	
Decachlorobiphenyl [2]		103	30-150					1/31/12 10:13	
Tetrachloro-m-xylene [1]		102	30-150					1/31/12 10:13	

30-150



Sample Description: EXT. W. Glaze 1956

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012

Field Sample #: 0123EMM-03P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-03 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1221 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1232 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1242 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1248 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1254 [1]	4.7	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1260 [1]	ND	0.87	mg/Kg	- 5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1262 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Aroclor-1268 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:26	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		108	30-150					1/31/12 10:26	
Decachlorobiphenyl [2]		108	30-150					1/31/12 10:26	
Tetrachloro-m-xylene [1]		108	30-150					1/31/12 10:26	
Tetrachloro-m-xylene [2]		106	30-150					1/31/12 10:26	



Project Location: Meriden, CT

Sample Description: EXT. W. Caulk 1968-rear

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-04P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-04 Sample Matrix: Caulk

Delvoblesingted	Distance to sold	28 40 Paul Lat C.	are letter

			The state of the Paris Control						
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1221 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1232 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1242 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1248 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1254 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1260 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1262 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Aroclor-1268 [1]	ND	0.84	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:39	MJC
Surrogates		% Recovery	Recovery Limits	s	Flag				
Decachlorobiphenyl [1]		100	30-150					1/31/12 10:39	
Decachlorobiphenyl [2]		99.6	30-150					1/31/12 10:39	
Tetrachloro-m-xylene [1]		99.4	30-150					1/31/12 10:39	
Tetrachloro-m-xylene [2]		98.9	30-150					1/31/12 10:39	



Analyte

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Meriden, CT

Sample Description:

Results

ND

ND

ND

ND

ND

ND

ND

ND

EXT. W. Glaze 1968-rear

Work Order: 12A0820

Date Received: 1/26/2012 Field Sample #: 0123EMM-05P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-05 Sample Matrix: Caulk

Aroclor-1016 [1]

Aroclor-1221 [1]

Aroclor-1232 [1]

Aroclor-1242 [1]

Aroclor-1248 [1]

Aroclor-1254 [1]

Aroclor-1260 [1]

Aroclor-1262 [1]

Polychlori	inated Biphenyls wit	th 3540 Soxhlo	et Extraction				
RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14;51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
9/ Decayary	Danavaru I imite		Floo				

Aroclor-1268 [1]	ND	0.87	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:51	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		60,3	30-150					1/31/12 14:51	
Decachlorobiphenyl [2]		61.6	30-150					1/31/12 14:51	
Tetrachloro-m-xylene [1]		115	30-150					1/31/12 14:51	
Tetrachloro-m-xylene [2]		109	30-150					1/31/12 14:51	



Sample Description:

EXT. Door Caulk 1968-rear

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012 Field Sample #: 0123EMM-06P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-06 Sample Matrix: Caulk

Sample Matrix: Caulk											
Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys		
Aroclor-1016 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1221 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1232 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1242 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1248 [1]	ND	0.89	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1254 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1260 [1]	ND	0.89	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1262 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Aroclor-1268 [1]	ND	0.89	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 10:52	MJC		
Surrogates		% Recovery	Recovery Limits		Flag						
Decachlorobiphenyl [1]		108	30-150					1/31/12 10:52			
Decachlorobiphenyl [2]		108	30-150					1/31/12 10:52			
Tetrachloro-m-xylene [1]		106	30-150					1/31/12 10:52			
Tetrachloro-m-xylene [2]		106	30-150					1/31/12 10:52			



Sample Description: EXT. expansion joint caulk 1956/1968

Project Location: Meriden, CT Date Received: 1/26/2012

Field Sample #: 0123EMM-07P

Sample ID: 12A0820-07 Sample Matrix: Caulk

Sampled: 1/23/2012 00:00

ļ	Poly	ch	lori	nated	I Bip	heny	Is v	vith	3540	Sox	ilet	Extrac	tion

Апаlyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1221 [1]	ND	0.99	mg/Kg	5	Y	SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1232 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1242 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1248 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1254 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1260 [1]	ND	0.99	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1262 [1]	ND	0.99	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Aroclor-1268 [1]	ND	0.99	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 11:05	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		112	30-150					1/31/12 11:05	
Decachlorobiphenyl [2]		115	30-150				4.	1/31/12 11:05	
Tetrachloro-m-xylene [1]		113	30-150					1/31/12 11:05	
Tetrachloro-m-xylene [2]		114	30-150					1/31/12 11:05	

Work Order: 12A0820



Project Location: Meriden, CT

Sample Description: EXT. Door Caulk 1968-Garages

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-08P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-08 Sample Matrix: Caulk

Samble Matrix: Caulk									
		Polychlori	inated Biphenyls w	ith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1221 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1232 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1242 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1248 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1254 [2]	1.4	0.94	mg/Kg	5	P-01	SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1260 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1262 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Aroclor-1268 [1]	ND	0.94	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:18	MJC
Surrogates		% Recovery	Recovery Limi	ts	Flag				
Decachlorobiphenyl [1]	•	101	30-150					1/31/12 11:18	
Decachlorobiphenyl [2]		102	30-150					1/31/12 11:18	
l'etrachloro-m-xylene [1]		100	30-150					1/31/12 11:18	
l'etrachloro-m-xylene [2]		102	30-150					1/31/12 11:18	



Project Location: Meriden, CT

Sample Description: EXT. Door Caulk 1956

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-09P Sampled: 1/23/2012 00:00

Sample ID: 12A0820-09 Sample Matrix: Caulk

			Extraction	th 3540 Soxhle	nated Biphenyls wi	Polychlori		Samble Matrix: Caulk
	Date Prepared	Method	Flag	Dilution	Units	RL	Results	Analyte
2 1/31/12:11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1016 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1221 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1232 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1242 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1248 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1254 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1260 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		5	mg/Kg	0.98	ND	Aroclor-1262 [1]
2 1/31/12 11:31	1/28/12	SW-846 8082A		.5	mg/Kg	0.98	ND	Aroclor-1268 [1]
			Flag	-	Recovery Limits	% Recovery		Surrogates
1/31/12 11:31					30-150	65.2		Decachlorobiphenyl [1]
1/31/12 11:31					30-150	67.4		Decachlorobiphenyl [2]
1/31/12 11:31					30-150	111		Tetrachloro-m-xylene [1]
1/31/12 11:31					30-150	114		Tetrachloro-m-xylene [2]
12	1/28/ 1/28/ 1/28/ 1/28/	SW-846 8082A SW-846 8082A SW-846 8082A	Flag	5 5 5 5	mg/Kg mg/Kg mg/Kg mg/Kg Recovery Limits 30-150 30-150 30-150	0.98 0.98 0.98 0.98 ** Recovery 65.2 67.4	ND ND	Aroclor-1254 [1] Aroclor-1260 [1] Aroclor-1262 [1] Aroclor-1268 [1] Surrogates Decachlorobiphenyl [1] Decachlorobiphenyl [2] Tetrachloro-m-xylene [1]



Project Location: Meriden, CT

Sample Description: Int. Slate Sill Caulk Cafeteria

Work Order: 12A0820

Date Received: 1/26/2012 Field Sample #: 0123EMM-10P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-10 Sample Matrix: Caulk

Polychlorinated	Rinhenvle with	3540 Savblet	Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1221 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1232 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1242 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1248 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1254 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1260 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1262 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Aroclor-1268 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:44	MJC
Surrogates		% Recovery	Recovery Limits	1	Flag				
Decachlorobiphenyl [1]		76.3	30-150					1/31/12 11:44	
Decachlorobiphenyl [2]		79.7	30-150					1/31/12 11:44	
Tetrachloro-m-xylene [1]		117	30-150					1/31/12 11:44	
Tetrachloro-m-xylene [2]		119	30-150					1/31/12 11:44	



Analyte

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Description:

Results

ND

ND

ND

ND

ND

4.2

ND

ND

Ext. Window Caulk Cafeteria

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012

Field Sample #: 0123EMM-11P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-11 Sample Matrix: Caulk

Aroclor-1016 [1]

Aroclor-1221 [1]

Aroclor-1232 [1]

Aroclor-1242 [1]

Aroclor-1248 [1]

Aroclor-1254 [1]

Aroclor-1260 [1]

Aroclor-1262 [1]

Polychlor	inated Biphenyls v	vith 3540 Soxhle	et Extraction				
RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
9.25							

ND	0.88	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 11:58	MJC
	% Recovery	Recovery Limits		Flag				
	82.1	30-150					1/31/12 11:58	
	75.6	30-150					1/31/12 11:58	
	118	30-150					1/31/12 11:58	
	121	30-150					1/31/12 11:58	
	ND	% Recovery 82.1 75.6 118	% Recovery Recovery Limits 82.1 30-150 75.6 30-150 118 30-150	% Recovery Recovery Limits 82.1 30-150 75.6 30-150 118 30-150	% Recovery Recovery Limits Flag 82.1 30-150 75.6 30-150 118 30-150	% Recovery Recovery Limits Flag 82.1 30-150 75.6 30-150 118 30-150	% Recovery Recovery Limits Flag 82.1 30-150 75.6 30-150 118 30-150	% Recovery Recovery Limits Flag 82.1 30-150 1/31/12 11:58 75.6 30-150 1/31/12 11:58 118 30-150 1/31/12 11:58



Project Location: Meriden, CT

Sample Description:

Ext. Window Glaze Cafeteria

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-12P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-12 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1221 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1232 [1]	ND	0.95	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1242 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1248 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1254 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1260 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1262 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Aroclor-1268 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:18	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		119	30-150					1/31/12 15:18	
Decachlorobiphenyl [2]		118	30-150					1/31/12 15:18	
Tetrachloro-m-xylene [1]		105	30-150					1/31/12 15:18	
Tetrachloro-m-xylene [2]		121	30-150					1/31/12 15:18	



Project Location: Meriden, CT

Sample Description:

Int. W. Caulk Rm 83

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-13P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-13 Sample Matrix: Caulk

		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1221 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1232 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1242 [1]	ND	3,9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1248 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1254 [2]	31	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1260 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1262 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Aroclor-1268 [1]	ND	3.9	mg/Kg	20		SW-846 8082A	1/28/12	1/31/12 12:11	MJC
Surrogates		% Recovery	Recovery Limits	p	Flag	1			
Decachlorobiphenyl [1]		114	30-150					1/31/12 12:11	
Decachlorobiphenyl [2]		119	30-150					1/31/12 12:11	
Tetrachloro-m-xylene [1]		104	30-150					1/31/12 12:11	
Tetrachloro-m-xylene [2]		108	30-150					1/31/12 12:11	



Sample Description:

Int. W, Caulk Rm 63

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012 Field Sample #: 0123EMM-14P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-14 Sample Matrix: Caulk

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1221 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1232 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1242 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1248 [2]	5.5	0.98	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1254 [2]	3,7	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1260 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1262 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Aroclor-1268 [1]	ND	0,98	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 14:38	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		74.8	30-150					1/31/12 14:38	
Decachlorobiphenyl [2]		75.6	30-150					1/31/12 14:38	
Tetrachloro-m-xylene [1]		112	30-150					1/31/12 14:38	
Tetrachloro-m-xylene [2]		115	30-150					1/31/12 14:38	



Analyte

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Results

ND

ND

ND

ND

ND

5.5

ND

ND

Sample Description: Int. Slate Shill Caulk Rm 87

Work Order: 12A0820

Project Location: Meriden, CT Date Received: 1/26/2012 Field Sample #: 0123EMM-15P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-15 Sample Matrix: Caulk

Aroclor-1016 [1]

Aroclor-1221 [1]

Aroclor-1232 [1]

Aroclor-1242 [1]

Aroclor-1248 [1]

Aroclor-1254 [1]

Aroclor-1260 [1]

Aroclor-1262 [1]

Aroclor-1268 [1]

Polychlorina	ated Biphenyls v	vith 3540 Soxhle	et Extraction				
RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC

Aroclor-1268 [1]	ND	0.95	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:24	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		111	30-150					1/31/12 12:24	
Decachlorobiphenyl [2]		112	30-150					1/31/12 12:24	
Tetrachloro-m-xylene [1]		105	30-150					1/31/12 12:24	
Tetrachloro-m-xylene [2]		109	30-150					1/31/12 12:24	



Sample Description:

Sink Basin Caulk Rm 19

Work Order: 12A0820

Project Location: Meriden, CT

Date Received: 1/26/2012

Field Sample #: 0123EMM-16P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-16 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.96	mg/K·g	5		SW-846.8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1221 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1232 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1242 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1248 [2]	4.1	0.96	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1254 [2]	1.7	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1260 [1]	ND	0.96	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1262 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Aroclor-1268 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 12:37	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		51.3	30-150					1/31/12 12:37	
Decachlorobiphenyl [2]		50.9	30-150					1/31/12 12:37	
Tetrachloro-m-xylene [1]		112	30-150					1/31/12 12:37	
Tetrachloro-m-xylene [2]		111	30-150					1/31/12 12:37	



Project Location: Meriden, CT

Sample Description: Sink Basin Caulk Rm 87

Date Received: 1/26/2012

Field Sample #: 0123EMM-17P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-17 Sample Matrix: Caulk

Polychlorinated Biphenyls	with 3540 Soxblet	Extraction
---------------------------	-------------------	------------

		1 diyemor.	mateu Dipuenyis wi	th 5540 SOAII	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.93	mg/Kg	.5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1221 [1]	ND	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1232 [1]	ND	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1242 [1]	ND	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1248 [2]	2,7	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1254 [2]	2.0	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1260 [1]	ND	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1262 [1]	ND	0,93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Aroclor-1268 [1]	ND	0.93	mg/Kg	5		SW-846 8082A	1/28/12	1/31/12 15:05	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		63.0	30-150					1/31/12 15:05	
Decachlorobiphenyl [2]		70.3	30-150					1/31/12 15:05	
Tetrachloro-m-xylene [1]		104	30-150					1/31/12 15:05	
Tetrachloro-m-xylene [2]		107	30-150					1/31/12 15:05	

Work Order: 12A0820



Project Location: Meriden, CT

Sample Description:

Blind Flashing 1968-rear

Work Order: 12A0820

Date Received: 1/26/2012

Field Sample #: 0123EMM-18P

U123ENINI-10F

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-18 Sample Matrix: Caulk

Polychlorinated	Biphenyls with	3540 Soxhlet	Extraction
-----------------	----------------	--------------	------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1221 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1232 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1242 [1]	1.7	0.17	mg/Kg	1	P-04	SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1248 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1254 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1260 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1262 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Aroclor-1268 [1]	ND	0.17	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 16:05	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		70.8	30-150					1/31/12 16:05	
Decachlorobiphenyl [2]		88.9	30-150					1/31/12 16:05	
Tetrachloro-m-xylene [1]		75.9	30-150					1/31/12 16:05	
Tetrachloro-m-xylene [2]		86.6	30-150					1/31/12 16:05	



Analyte

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Meriden, CT

Results

ND

ND

ND

18

ND

ND

ND

ND

1.8

Sample Description: Blind Flashing Adj. custodial entrance

Work Order: 12A0820

MJC

Date Received: 1/26/2012

Field Sample #: 0123EMM-19P

Sample ID: 12A0820-19

Samole Matrix: Caulk

Aroclor-1016 [1]

Aroclor-1221 [1]

Aroclor-1232 [1]

Aroclor-1242 [2]

Aroclor-1248 [1]

Aroclor-1254 [1]

Aroclor-1260 [1]

Aroclor-1262 [1]

Aroclor-1268 [1]

Sampled: 1/23/2012 00:00

Polychlor	inated Biphenyls w	vith 3540 Soxhle	et Extraction				
RL.	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	01		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC

SW-846 8082A

1/28/12

1/31/12 15:01

ND	1.8	mg/Kg	10		SW-846 8082A	1/28/12	1/31/12 15:01	MJC
Surrogates		Recovery Limits		Flag				
	92.3	30-150					1/31/12 15:01	
	93.7	30-150					1/31/12 15:01	
	104	30-150					1/31/12 15:01	
	96.5	30-150			1/31/12 15:0			
	ND	% Recovery 92.3 93.7 104	% Recovery Recovery Limits 92.3 30-150 93.7 30-150 104 30-150	% Recovery	% Recovery Recovery Limits Flag 92.3 30-150 93.7 30-150 104 30-150	% Recovery Recovery Limits Flag 92.3 30-150 93.7 30-150 104 30-150	% Recovery Recovery Limits Flag 92.3 30-150 93.7 30-150 104 30-150	% Recovery Recovery Limits Flag 92.3 30-150 1/31/12 15:01 93.7 30-150 1/31/12 15:01 104 30-150 1/31/12 15:01

10

mg/Kg



Sample Description:

Blind Flashing 1956 Class Wing

Work Order: 12A0820

Project Location: Meriden, CT

Date Received: 1/26/2012

Field Sample #: 0123EMM-20P

Sampled: 1/23/2012 00:00

Sample ID: 12A0820-20 Sample Matrix: Caulk

Sample Matrix: Caulk									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	1/28/12	1/31/12 15:14	MJC
Surrogates		% Recovery	Recovery Limits	s	Flag				
Decachlorobiphenyl [1]		80.9	30-150					1/31/12 15:14	
Decachlorobiphenyl [2]		95.7	30-150					1/31/12 15:14	
l'etrachloro-m-xylene [1]		75.4	30-150					1/31/12 15:14	
Tetrachloro-m-xylene [2]		88.3	30-150					1/31/12 15:14	



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12A0820-01 [0123EMM-01P]	B045170	0,534	10.0	01/28/12	
12A0820-02 [0123EMM-02P]	B045170	0.596	10.0	01/28/12	
12A0820-03 [0123EMM-03P]	B045170	0.575	10.0	01/28/12	
12A0820-04 [0123EMM-04P]	B045170	0.596	(0.0	01/28/12	
12A0820-05 [0123EMM-05P]	B045170	0.573	10.0	01/28/12	
12A0820-06 [0123EMM-06P]	B045170	0.563	10.0	01/28/12	
12A0820-07 [0123EMM-07P]	B045170	0,504	10.0	01/28/12	
12A0820-08 [0123EMM-08P]	B045170	0.533	10.0	01/28/12	
12A0820-09 [0123EMM-09P]	B045170	0.508	10.0	01/28/12	
12A0820-10 [0123EMM-10P]	B045170	0.513	10.0	01/28/12	
12A0820-11 [0123EMM-11P]	B045170	0.567	10.0	01/28/12	
12A0820-12 [0123EMM-12P]	B045170	0.524	10.0	01/28/12	
12A0820-13 [0123EMM-13P]	B045170	0.509	10.0	01/28/12	
12A0820-14 [0123EMM-14P]	B045170	0,508	10.0	01/28/12	
12A0820-15 [0123EMM-15P]	B045170	0.524	10.0	01/28/12	
12A0820-16 [0123EMM-16P]	B045170	0.521	10.0	01/28/12	
12A0820-17 [0123EMM-17P]	B045170	0.536	10.0	01/28/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12A0820-18 [0123EMM-18P]	B045172	1,20	10.0	01/28/12	
12A0820-19 [0123EMM-19P]	B045172	1.10	10.0	01/28/12	
12A0820-20 [0123EMM-20P]	B045172	2.00	10.0	01/28/12	



QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B045170 - SW-846 3540C										
Blank (B045170-BLK1)				Prepared: 01	/28/12 Anal	yzed: 01/30/	12			
Aroclor-1016	ND	0.20	mg/Kg							
Aroclor-1016 [2C]	ND	0.20	mg/Kg							
Aroclor-1221	ND	0.20	mg/Kg							
Aroclor-1221 [2C]	ND	0.20	mg/Kg							
Aroclor-1232	ND	0.20	mg/Kg							
Aroclor-1232 [2C]	ND	0.20	mg/Kg							
Aroclor-1242	ND	0.20	mg/Kg							
Aroclor-1242 [2C]	ND	0.20	mg/Kg							
Aroclor-1248	ND	0.20	mg/Kg							
Aroclor-1248 [2C]	ND	0.20	mg/Kg							
Aroclor-1254	ND	0.20	mg/Kg							
Aroclor-1254 [2C]	ND	0.20	mg/Kg							
Aroclor-1260	ND	0.20	mg/Kg							
Aroclor-1260 [2C]	ND	0.20	mg/Kg							
Aroclor-1262	ND	0.20	mg/Kg							
Aroclor-1262 [2C]	ND	0.20	mg/Kg							
Aroclor-1268	ND	0.20	mg/Kg							
Aroclor-1268 [2C]	ND	0.20	mg/Kg							
Surrogate: Decachlorobiphenyl	4.22		mg/Kg	4.00		106	30-150			
furrogate: Decachlorobiphenyl [2C]	4.20		mg/Kg	4.00		105	30-150			
urrogate: Tetrachloro-m-xylene	4.08		mg/Kg	4.00		102	30-150			
surrogate: Tetrachloro-m-xylene [2C]	4,05		mg/Kg	4.00		101	30-150			
.CS (B045170-BS1)				Prepared: 01/	28/12 Analy	zed: 01/30/1	2			
Aroclor-1016	3.6	0.20	mg/Kg	4.00		91.1	40-140			
croclor-1016 [2C]	3.6	0.20	mg/Kg	4.00		89.1	40-140			
roclor-1260	3.7	0.20	mg/Kg	4.00		92.1	40-140			
roclor-1260 [2C]	3.6	0.20	mg/Kg	4.00		90.9	40-140			
urrogate: Decachlorobiphenyl	4.33		mg/Kg	4.00		108	30-150	-		
urrogate: Decachlorobiphenyl [2C]	4.31		mg/Kg	4.00		108	30-150			
urrogate: Tetrachloro-m-xylene	3.96		mg/Kg	4.00		99.0	30-150			
urrogate: Tetrachloro-m-xylene [2C]	3.95		mg/Kg	4.00		98.7	30-150			
CS Dup (B045170-BSD1)				Prepared: 01/2	28/12 Analy:	zed: 01/30/1:	2			
roclor-1016	3,9	0.20	mg/Kg	4,00		97.8	40-140	7.00	30	
roclor-1016 [2C]	3,8	0.20	mg/Kg	4.00		95.4	40-140	6.78	30	
roclor-1260	3.9	0.20	mg/Kg	4.00		98.6	40-140	6.92	30	
roclor-1260 [2C]	3.9	0.20	mg/Kg	4.00		97.4	40-140	6.84	30	
irrogate: Decachlorobiphenyl	4.59		mg/Kg	4.00		115	30-150			
urrogate: Decachlorobiphenyl [2C]	4.58		mg/Kg	4.00		115	30-150			
urrogate: Tetrachloro-m-xylene	4.25		mg/Kg	4.00		106	30-150			
arrogate: Tetrachloro-m-xylene [2C]	4.24		mg/Kg	4.00		106	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B045172 - SW-846 3540C										
Blank (B045172-BLK1)				Prepared: 01	/28/12 Anal	yzed: 01/31/	12			
Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0,10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0,10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
surrogate: Decachlorobiphenyl	0.949		mg/Kg	1.00		94,9	30-150			
surrogate: Decachlorobiphenyl [2C]	1.03		mg/Kg	1.00		103	30-150			
urrogate: Tetrachloro-m-xylene	0.839		mg/Kg	1.00		83.9	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0.955		mg/Kg	1.00		95,5	30-150			
.CS (B045172-BS1)				Prepared: 01/	28/12 Analy	zed: 01/31/1	2			
roclor-1016	0.29	0.10	mg/Kg	0.250		116	40-140			
roclor-1016 [2C]	0.29	0.10	mg/Kg	0.250		115	40-140			
roclor-1260	0.29	0.10	mg/Kg	0.250		116	40-140			
roclor-1260 [2C]	0,28	0.10	mg/Kg	0.250		111	40-140			
urrogate: Decachlorobiphenyl	0.995		mg/Kg	1.00		99.5	30-150			
urrogate: Decachlorobiphenyl [2C]	1.09		mg/Kg	1,00		109	30-150			
urrogate: Tetrachloro-m-xylene	0.950		mg/Kg	1.00		95,0	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.08		mg/Kg	1.00		108	30-150			
CS Dup (B045172-BSD1)				Prepared: 01/2	28/12 Analy:	zed: 01/31/1	2			
roclor-1016	0,28	0.10	mg/Kg	0.250	7,11,11,1	111	40-140	3,91	30	
roclor-1016 [2C]	0.28	0.10	mg/Kg	0.250		111	40-140	3.54	30	
roclor-1260	0.28	0.10	mg/Kg	0.250		112	40-140	3.62	30	
roclor-1260 [2C]	0.27	0.10	mg/Kg	0.250		107	40-140	3.75	30	
urrogate: Decachlorobiphenyl	0.940					-5.0		2.13	24	
irrogate: Decachlorobiphenyl [2C]	1.03		mg/Kg mg/Kg	1.00		94.0	30-150			
progate: Tetrachloro-m-xylene	0.947		mg/Kg	1.00		103	30-150 30-150			
rrogate: Tetrachloro-m-xylene [2C]	1.07		mg/Kg mg/Kg	1.00		94.7	30-150			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
+	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
P-01	Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%, The higher result was reported.
P-04	Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported.
S-01	The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.



CERTIFICATIONS

Certifications

Certified Analyses included in this Report

Analyte

SW-846 8082A in Product/Solid	
Aroclor-1016	CT,NH,NY,ME,NC
Aroclor-1016 [2C]	CT,NH,NY,ME,NC
Aroclor-1221	CT,NH,NY,ME,NC
Aroclor-1221 [2C]	CT,NH,NY,ME,NC
Aroclor-1232	CT,NH,NY,ME,NC
Aroclor-1232 [2C]	CT,NH,NY,ME,NC
Aroclor-1242	CT,NH,NY,ME,NC
Aroclor-1242 [2C]	CT,NH,NY,ME,NC
Aroclor-1248	CT,NH,NY,ME,NC
Aroclor-1248 [2C]	CT,NH,NY,ME,NC
Aroclor-1254	CT,NH,NY,ME,NC
Aroclor-1254 [2C]	CT,NH,NY,ME,NC
Aroclor-1260	CT,NH,NY,ME,NC
Aroclor-1260 [2C]	CT,NH,NY,ME,NC

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2012
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Publile Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2012
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2012
RI	Rhode Island Department of Health	LAO00112	12/30/2012
NC	North Carolina Div. of Water Quality	652	12/31/2012
VJ.	New Jersey DEP	MA007 NELAP	06/30/2012
L	Florida Department of Health	E871027 NELAP	06/30/2012
VΤ	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
WA	State of Washington Department of Ecology	C2065	02/23/2012
ΛE.	State of Maine	2011028	06/9/2013
VA	Commonwealth of Virginia	1381	12/14/2012

Transfer Relinquished By Accepted By Date Number 1 1 1 1 1 1 1 1 1 1 1 1 1	12 - 08% Ext. door and I'm	Off Ext. windows could but 1-37 a.m. 039 Ext. w. glaze 049 Ext. w. glaze 059 Ext. w. glaze 069 Ext. dog could but 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Otable Water S=Soil Watment Facility B=Sediment A	PROJECT NAME PLATE H.S. PROJECT LOCATION PLATE H.S. MENDIN, CT REPORT TO: KAMPM PELLED	CHAIN-OF-CUSTODY RECORD	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 • www.FandO.com 12AC 820
Reporting and Detection Limit Requirements: 12 10 35 Additional Comments:	< < < <		Soul Soul Soul Soul Soul Soul Soul Soul	PROJECT NUMBER 2011 187, A1E Analysis Request	0300	146 Hartford Road, Manchester, CT 06040 56 Quarry Road, Trumbull, CT 06611 1419 Richland Street, Columbia, SC 29201 78 Interstate Drive, West Springfield, MA 01089
squirements:	1968 1956 1986		Soil VOA Vist mechanol Gisss Soil Container Other: Water Vist 1 As is 1 ACC Plastic As is 1250 ml 1500 ml Plastic ANO 250 ml 1500 ml Plastic NaOH 250 ml 1500 ml	7, A1E	Turnaround □ 1 Day* □ 3 Days* □ Other □ (days) □ 2 Days* ■ Standard (_ 5 _ days) *Surcharge Applies	0 🖂 50 Redfield Street, Suite 100, Boston, MA 02122 🛱 275 Promenade Street, Suite 350, Providence, RI 02908 🖂 80 Washington Street, Suite 301, Poughkeepsie, NY 12601

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			VI 17/1 VIII VIII V	VI - 1101 - SING GANGE	VI - 15P - Int. side shi and	VI PHO - Int. William 12	1 120 This William All	Source Code	Source Codes: NW=Monitoring: Well PW=Potable Water S=Soil W=Waste SW=Surface Water T=Treatment Facility: B=Sediment A=Air X=Other DY	Sampler's Signature: MANN MINE MAND Date: 1-25-12	REPORT TO: KANDIN REALINELE Analysis INVOICE TO: Request	PROJECT LOCATION PROJECT LOCATION NEW JULY CT	CHAIN-OF-CUSIODY KECOKD U31)	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com
Time Reporting and Detection Limit Requirements:	1856-closs wily	Adi custada la da	10ht-4m	Rm.19	54 mg	(m, /o 3	on ki	Soil VOA VIE CO. Other Comments Soil VOA VIE Soil Co. Other Amber Answer Answe	II Inethanol	1.Na(30)3;		PROJECT NUMBER 2011/127, ALE Con-725	☐ 2 Days*	Turnaround	¥ 146 Hartford Road, Manchester, CT 06040 □ 50 Redfield Street, Suite 100, Boston, MA 02122 □ 56 Quarry Road, Trumbull, CT 06611 □ 275 Promenade Street, Suite 350, Providence, RJ 02908 □ 279 Promenade Street, Suite 301, Poughkeepsie, NY 12601 □ 278 Interstate Drive, West Springfield, MA 01089 □ 80 Washington Street, Suite 301, Poughkeepsie, NY 12601 □ 0 0

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com





Sample Receipt Checklist

CLIENT NAME: F+O	CT	RECE	EIVED BY:	AP	DATE: 1/26/12	-
1) Was the chain(s) of custody re 2) Does the chain agree with the solution of the sample in good confirmation of the samples in good confirmation. If not, explain:	samples?	ned?	/	Yes No Yes No	No CoC Included	
4) How were the samples received					,	
On Ice Direct from Sa	mpling 🔲	Ambie	ent 🗌 📗	n Cooler(s)	<u> </u>	
Were the samples received in Ter	nperature Complia	nce of	(2-6°C)?	Yes) No	N/A	
Temperature °C by Temp blank		_Temp	erature °C by	Temp gun	4.0°C	
5) Are there Dissolved samples for Who was notified6) Are there any RUSH or SHORT	Date			Yes No)	
Who was notified		-		163 (10)	•	
7) Location where samples are stored			Permiss (Walk-ir		ntract samples? Yes No if not already approved)
_	ntainers re	ceive	d at Cor	n-Test		
	# of containers	1.2			# 01 00010	
1 Liter Amber	" or containers		8 07 am	ıber/clear jar	# of container	S
500 mL Amber				be/clear)ar	20	
250 mL Amber (8oz amber)				ber/clear jar		
1 Liter Plastic				Cassette		
500 mL Plastic				calite Tube		
250 mL plastic			Plastic	Bag / Ziploc		
40 mL Vial - type listed below	***************************************		PM 2	5 / PM 10		
Colisure / bacteria bottle			PUF	Cartridge		
Dissolved Oxygen bottle			St	OC Kit		
Encore		 	·	7 Tubes		
Flashpoint bottle		· · · -	· · · · · · · · · · · · · · · · · · ·	est Containe	ſ	
Perchlorate Kit Other				glass jar		
Laboratory Comments:		<u>Landl</u>		Other	1	
40 mL vials: # HCI	# Methanol				Time and Date Frozen:	
# Bisulfate	# DI Water	*****************				
# Thiosulfate	Unpreserved					
Do all samples have the proper Ac	id pH: Yes No	N/A			Doc# 277	
Do all samples have the proper Ba	se pH: Yes No	N/A)		Rev. 1 May	31 of 3



April 17, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt H.S Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12D0242

Enclosed are results of analyses for samples received by the laboratory on April 9, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa A. Worthington Project Manager



Fuss & O'Neill EnviroScience, LLC - CT

146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield

PURCHASE ORDER NUMBER: 20111127.A1E

PROJECT NUMBER:

20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

12D0242

REPORT DATE: 4/17/2012

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION:

Platt H.S

1	FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
	0406EMM-01A (0-0.5in)	12D0242-01	Product/Solid	Ext. Brick 1956 Wing	SW-846 8082A	
	0406EMM-01B (0.5-1.0in)	12D0242-02	Product/Solid	Ext. Brick 1956 Wing	SW-846 8082A	
	0406EMM-02A (0-0.5in)	12D0242-03	Product/Solid	Ext. Brick 1958 Wing-Cafeteria	SW-846 8082A	
	0406EMM-02B (0.5-1.0in)	12D0242-04	Product/Solid	Ext. Brick 1958 Wing-Cafeteria	SW-846 8082A	
	0406EMM-03A (0-0,5in)	12D0242-05	Product/Solid	Ext. Brick 1958 Wing	SW-846 8082A	
	0406EMM-03B (0.5-1.0in)	12D0242-06	Product/Solid	Ext. Brick 1958 Wing	SW-846 8082A	
	0406EMM-04A (0-0.5in)	12D0242-07	Product/Solid	Int. Block (right) Corridor	SW-846 8082A	
	0406EMM-04B (0-0.5in)	12D0242-08	Product/Solid	Int. Block (left) Corridor	SW-846 8082A	
	0406EMM-05A (0-0.5in)	12D0242-09	Product/Solid	Int. Block IntRM, 83	SW-846 8082A	
	0406EMM-05B (0.5-1.0in)	12D0242-10	Product/Solid	Int. Block IntRM, 83	SW-846 8082A	
	0406EMM-06A (0-0.5in)	12D0242-11	Product/Solid	Int. Block IntRM, 63	SW-846 8082A	
	0406EMM-06B (0.5-1.0in)	12D0242-12	Product/Solid	Int. Block IntRM, 63	SW-846 8082A	
	0406EMM-07A	12D0242-13	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
-	0406EMM-07B	12D0242-14	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
	0406EMM-07C	12D0242-15	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
	0406EMM-08A	12D0242-16	Bulk	Mastic (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
	0406EMM-08B	12D0242-17	Bulk	Mastic (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
	0406EMM-08C	12D0242-18	Bulk	Mastie (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
	0406EMM-09A	12D0242-19	Bulk	Blk Tor Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
	0406EMM-09B	12D0242-20	Bulk	Blk Tor Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
	0406EMM-09C	12D0242-21	Bulk	Blk For Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
	0406EMM-10A	12D0242-22	Bulk	Wood Floor Shellac (Gym 1956)	SW-846 8082A	
	0406EMM-10B	12D0242-23	Bulk	Wood Floor Shellac (Gym 1956)	SW-846 8082A	
	0406EMM-10C	12D0242-24	Bulk	Wood Floor Shellac (Gym 1956)	SW-846 8082A	
	0406EMM-11A	12D0242-25	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
	0406EMM-11B	12D0242-26	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
	0406EMM-11C	12D0242-27	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
	0406EMM-12	12D0242-28	Bulk	Int. Exp. Blacktor Behind Exp.	SW-846 8082A	
	0406EMM-13	12D0242-29	Bulk	Flashing Parapet (Under Metal) (1956)	SW-846 8082A	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8082A

Qualifications:

Initial continuing calibration standard was within method criteria. Closing continuing calibration standard was outside of method criteria, biased on the low side. Reanalysis yielded similar non-conformance, matrix interference was confirmed.

Analyte & Samples(s) Qualified:

12D0242-21[0406EMM-09C], 12D0242-22[0406EMM-10A], 12D0242-23[0406EMM-10B], 12D0242-24[0406EMM-10C], 12D0242-25[0406EMM-11A], 12D0242-26[0406EMM-11B], 12D0242-27[0406EMM-11C], 12D0242-28[0406EMM-12], 12D0242-29[0406EMM-13]

Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%. The higher result was reported.

Analyte & Samples(s) Qualified:

Aroclor-1248 [2C]

12D0242-25[0406EMM-11A], 12D0242-26[0406EMM-11B], 12D0242-27[0406EMM-11C]

The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.

Analyte & Samples(s) Qualified:

Decachlorobiphenyl, Decachlorobiphenyl [2C], Tetrachloro-m-xylene, Tetrachloro-m-xylene [2C]

12D0242-14[0406EMM-07B], 12D0242-28[0406EMM-12]

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Daren J. Damboragian Laboratory Manager



Project Location: Platt H.S

Sample Description:

Ext. Brick 1956 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-01A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-01 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Sox1	let Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		96.1	30-150					4/13/12 9:03	
Decachlorobiphenyl [2]		119	30-150					4/13/12 9:03	
Tetrachloro-m-xylene [1]		109	30-150					4/13/12 9:03	
Tetrachloro-m-xylene [2]		121	30-150					4/13/12 9:03	



Project Location: Platt H.S

Sample Description:

Ext. Brick 1956 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-01B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-02 Sample Matrix: Product/Solid

Sample Matrix: Product/Solid									
		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	ЛМВ
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		97.8	30-150					4/13/12 9:17	
Decachlorobiphenyl [2]		120	30-150					4/13/12 9:17	
Tetrachloro-m-xylene [1]		114	30-150					4/13/12 9:17	
Tetrachloro-m-xylene [2]		126	30-150					4/13/12 9:17	



Project Location: Platt H.S.

Sample Description: Ext. Brick 1958 Wing-Cafeteria

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-02A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 1.	2D0242-03
Sample Matrix	Product/Solid

Samule Matrix, Product/Solid		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1221 [1]	ND	0.095	mg/Kg	i		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1248 [1]	ND	0.095	mg/Kg	L		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1254 [1]	ND	0.095	mg/Kg	E		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1268 [1]	ND	0.095	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		91.7	30-150					4/13/12 9:31	
Decachlorobiphenyl [2]		111	30-150					4/13/12 9:31	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 9:31	
Tetrachloro-m-xylene [2]		119	30-150					4/13/12 9:31	



Project Location: Platt H.S

Sample Description: Ext. Brick 1958 Wing-Cafeteria

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-02B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-04 Sample Matrix: Product/Solid

Sample Matrix: Product/Solid									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1221 [1]	ND	0.10	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1242 [1]	ND	0.10	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1254 [1]	ND	0.10	mg/Kg	t		SW-846 8082A	4/10/12	4/13/12 9:45	ЛМВ
Aroclor-1260 [1]	ND	0.10	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	ЛМВ
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		88.9	30-150					4/13/12 9:45	
Decachlorobiphenyl [2]		107	30-150					4/13/12 9:45	
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 9:45	
Tetrachloro-m-xylene [2]		126	30-150					4/13/12 9:45	



Project Location: Platt H.S

Sample Description: Ext. Brick 1958 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-03A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-05 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		97.3	30-150					4/13/12 9:59	
Decachlorobiphenyl [2]		117	30-150					4/13/12 9:59	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 9:59	
Tetrachloro-m-xylene [2]		119	30-150					4/13/12 9:59	



Project Location: Platt H.S

Sample Description:

Ext. Brick 1958 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-03B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-06 Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst		
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1242 [1]	ND	0.095	mg/Kg	Ĺ		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1248 [1]	ND	0.095	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1254 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB		
Surrogates		% Recovery	Recovery Limits		Flag						
Decachlorobiphenyl [1]		96.5	30-150					4/13/12 10:13			
Decachlorobiphenyl [2]		137	30-150					4/13/12 10:13			
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 10:13			
Tetrachloro-m-xylene [2]		119	30-150					4/13/12 10:13			



Project Location: Platt H.S

Sample Description:

Int. Block (right) Corridor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-04A (0-0,5in)

-0.

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-07 Sample Matrix: Product/Solid

Sample Matrix: Product/Solid											
Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst		
Aroclor-1016 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1248 [1]	3.7	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1254 [1]	0.89	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB		
Surrogates		% Recovery	Recovery Limits		Flag						
Decachlorobiphenyl [1]		97,7	30-150					4/13/12 10:27			
Decachlorobiphenyl [2]		135	30-150					4/13/12 10:27			
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 10:27			
Tetrachloro-m-xylene [2]		124	30-150					4/13/12 10:27			



Project Location: Platt H.S

Sample Description:

Int. Block (left) Corridor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-04B (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-08

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst		
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1248 [1]	2,6	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1254 [1]	0.70	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1260 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Aroclor-1268 [1]	ND	0.45	mg/Kg	5.		SW-846 8082A	4/10/12	4/13/12 11:09	JMB		
Surrogates		% Recovery	Recovery Limits		Flag						
Decachlorobiphenyl [1]		95.3	30-150					4/13/12 11:09			
Decachlorobiphenyl [2]		114	30-150					4/13/12 11:09			
Tetrachloro-m-xylene [1]		109	30-150					4/13/12 11:09			
Tetrachloro-m-xylene [2]		121	30-150					4/13/12 11:09			



Project Location: Platt H.S

Sample Description:

Int. Block Int.-RM, 83

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-05A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-09
Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction											
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst		
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1248 [1]	0.21	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1254 [2]	0.15	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB		
Surrogates		% Recovery	Recovery Limits		Flag						
Decachlorobiphenyl [1]		94.7	30-150					4/13/12 11:23			
Decachlorobiphenyl [2]		130	30-150					4/13/12 11:23			
Tetrachloro-m-xylene [1]		105	30-150					4/13/12 11:23			
Tetrachloro-m-xylene [2]		117	30-150					4/13/12 11:23			



Project Location: Platt H.S

Sample Description: Int. Block Int.-RM, 83

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-05B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-10 Sample Matrix: Product/Solid

	Polychlor	inated Biphenyls wi	th 3540 Soxhlo	et Extraction				
Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1:		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
0.10	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
	% Recovery	Recovery Limits		Flag				
	90.8	30-150					4/13/12 11:37	
	124	30-150					4/13/12 11:37	
	103	30-150					4/13/12 11:37	
	116	30-150					4/13/12 11:37	
	ND	Results RL ND 0.095 Y Recovery 90.8 124 103	Results RL Units ND 0.095 mg/Kg ND 0.095 mg/Kg	Results RL Units Dilution ND 0.095 mg/Kg I ND 0.095 mg/Kg I	ND 0.095 mg/Kg I ND 0.095 mg/Kg I	Results RL Units Dilution Flag Method ND 0.095 mg/Kg I SW-846 8082A ND 0.095 mg/Kg I SW-846 8082A	Results RL Units Dilution Flag Method Prepared ND 0.095 mg/Kg I SW-846 8082A 4/10/12 ND 0.095 mg/Kg I SW-8	Results RL Units Dilution Flag Method Prepared Prepared Analyzed Date/Time Analyzed ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 11:37 ND 0.095 mg/Kg 1



Project Location: Platt H.S

Sample Description: Int. Block Int.-RM. 63

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-06A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-11 Sample Matrix: Product/Solid

Sample Matrix: Product/Solid									
		Polychlor	inated Biphenyls w	ith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analy
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1248 [1]	0.67	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1254 [1]	0.14	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Surrogates		% Recovery	Recovery Limit	S	Flag				
Decachlorobiphenyl [1]		93.9	30-150					4/13/12 11:51	
Decachlorobiphenyl [2]		129	30-150					4/13/12 11:51	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 11:51	
Tetrachloro-m-xylene [2]		120	30-150					4/13/12 11:51	



Project Location: Platt H.S

Sample Description:

Int. Block Int.-RM. 63

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-06B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-12

Sample	Matrix:	Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction										
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst	
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1221 [i]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1232 [1]	ND	0.091	mg/Kg	CL.		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1248 [1]	ND	0.091	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1254 [1]	ND	0.091	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB	
Surrogates		% Recovery	Recovery Limits		Flag				_	
Decachlorobiphenyl [1]		94,9	30-150					4/13/12 12:05		
Decachlorobiphenyl [2]		130	30-150					4/13/12 12:05		
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 12:05		
Tetrachloro-m-xylene [2]		125	30-150					4/13/12 12:05		



Project Location: Platt H.S

Sample Description: Wood Floor Shellac (Gym 1968) Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-07A

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-13 Sample Matrix: Bulk

Sample Matrix: Bulk									
		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1221 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1232 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1242 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1248 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1254 [2]	23	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1260 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Aroclor-1262 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	ЛМВ
Aroclor-1268 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		103	30-150					4/13/12 12:19	
Decachlorobiphenyl [2]		127	30-150					4/13/12 12:19	
Tetrachloro-m-xylene [1]		108	30-150					4/13/12 12:19	
Tetrachloro-m-xylene [2]		120	30-150					4/13/12 12:19	



Project Location: Platt H.S

Sample Description:

Wood Floor Shellac (Gym 1968)

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-07B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-14 Sample Matrix: Bulk

		Polychlor	inated Biphenyls v	vith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1221 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1232 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1242 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1248 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1254 [2]	67	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1260 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1262 [1]	ND	9,1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1268 [1]	ND	9,1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Surrogates		% Recovery	Recovery Limi	ts	Flag				
Decachlorobiphenyl [1]		*	30-150		S-01			4/17/12 1:36	
Decachlorobiphenyl [2]		*	30-150		S-01			4/17/12 1:36	
Tetrachloro-m-xylene [1]		*	30-150		S-01			4/17/12 1:36	
Tetrachloro-m-xylene [2]			30-150		S-01			4/17/12 1:36	



Project Location: Platt H.S

Sample Description:

Wood Floor Shellac (Gym 1968)

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-07C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-15 Sample Matrix: Bulk

Sample Matrix: Bulk									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1221 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1232 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1242 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1248 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1254 [2]	11	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1260 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	ЛМВ
Aroclor-1262 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1268 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Surrogates		% Recovery	Recovery Limits	,	Flag				
Decachlorobiphenyl [1]		90.1	30-150					4/13/12 12:47	
Decachlorobiphenyl [2]		114	30-150					4/13/12 12:47	
Tetrachloro-m-xylene [1]		101	30-150					4/13/12 12:47	
Tetrachloro-m-xylene [2]		110	30-150					4/13/12 12:47	



Project Location: Platt H.S

Sample Description:

Sampled: 4/6/2012 00:00

Date Received: 4/9/2012

Field Sample #: 0406EMM-08A

Sample ID: 12D0242-16 Samole Matrix: Bulk

Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1248 [2]	2.6	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1254 [2]	3.1	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1260 [1]	ND	0.45	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1268 [1]	ND	0,45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		98.5	30-150					4/13/12 22:42	
Decachlorobiphenyl [2]		95.6	30-150					4/13/12 22:42	
Tetrachloro-m-xylene [1]		112	30-150					4/13/12 22:42	
Tetrachloro-m-xylene [2]		109	30-150					4/13/12 22:42	



Project Location: Platt H.S

Sample Description:

98.1

Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

4/13/12 22:55

Date Received: 4/9/2012

Field Sample #: 0406EMM-08B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-17 Sample Matrix: Bulk

Tetrachloro-m-xylene [2]

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1248 [2]	2.3	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1254 [1]	1.6	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		89.0	30-150					4/13/12 22:55	
Decachlorobiphenyl [2]		87.5	30-150					4/13/12 22:55	
Tetrachloro-m-xylene [1]		99.8	30-150					4/13/12 22:55	

30-150



Project Location: Platt H.S

Sample Description: Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-08C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-18 Sample Matrix: Bulk

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1242 [1]	ND	0,50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1248 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1268 [1]	ND	0.50	mg/K.g	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		76.2	30-150					4/13/12 23:08	
Decachlorobiphenyl [2]		74.9	30-150					4/13/12 23:08	
Tetrachloro-m-xylene [1]		96.2	30-150					4/13/12 23:08	
Tetrachloro-m-xylene [2]		95.4	30-150					4/13/12 23-08	



Project Location: Platt H.S

Sample Description:

Blk Tor Upper Barrier (Under Cork Gy

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-09A

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-19 Sample Matrix: Bulk

		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1221 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1232 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1242 [1]	ND	1,9	mg/Kg	.20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1248 [2]	7.4	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1254 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1260 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1262 [1]	- ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1268 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		102	30-150					4/17/12 1:49	
Decachlorobiphenyl [2]		118	30-150					4/17/12 1:49	
Tetrachloro-m-xylene [1]		108	30-150					4/17/12 1:49	
Tetrachloro-m-xylene [2]		118	30-150					4/17/12 1:49	



Blk Tor Upper Barrier (Under Cork Gy

Project Location: Platt H.S

Sample Description:

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-09B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-20 Sample Matrix: Bulk

Sample Matrix: Bulk									
		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Uňits	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1221 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1232 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1242 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1248 [2]	2,3	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1254 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1260 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1262 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Aroclor-1268 [1]	ND	0,48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23;33	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		74.6	30-150					4/13/12 23:33	
Decachlorobiphenyl [2]		74.1	30-150					4/13/12 23:33	
Tetrachloro-m-xylene [1]		84.6	30-150					4/13/12 23:33	
Tetrachloro-m-xylene [2]		82.4	30-150					4/13/12 23:33	
A STATE OF THE PARTY OF THE PAR									



Project Location: Platt H.S

Sample Description:

Blk For Upper Barrier (Under Cork Gy

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-09C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-21

Sample M	atrix: Bulk
Sample Fl	ags: O-28

Polychlorinated Biphenyls with 3540 Soxhlet Ext	raction
---	---------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1248 [2]	2.4	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1260 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1268 [1]	ND	0.50	mg/Kg	-5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Surrogates		% Recovery	Recovery Limits		Flag			300,000,000	
Decachlorobiphenyl [1]		99.9	30-150					4/13/12 5:52	
Decachlorobiphenyl [2]		99,0	30-150					4/13/12 5:52	
Tetrachloro-m-xylene [1]		102	30-150					4/13/12 5:52	
Tetrachloro-m-xylene [2]		97.6	30-150					4/13/12 5:52	



Project Location: Platt H.S

Sample Description: Wood Floor Shellac (Gym 1956)

Work Order: 12D0242

Data/Time

Date Received: 4/9/2012

Field Sample #: 0406EMM-10A

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-22 Sample Matrix: Bulk

Sample Flags: O-28		et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method
Aroclos 1016 [17	MD	0.42	and the last			011 012 000a

Analyte	Results	RL	Units	Dilution	Flag	Method	Prepared	Analyzed	Analyst
Aroclor-1016 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1221 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1232 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1242 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1248 [2]	0.62	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1254 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1260 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1262 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1268 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		90.5	30-150					4/13/12 6:05	
Decachlorobiphenyl [2]		91.5	30-150					4/13/12 6:05	



Project Location: Platt H.S

Sample Description:

112

108

Wood Floor Shellac (Gym 1956)

Work Order: 12D0242

4/13/12 6:18

4/13/12 6:18

Date Received: 4/9/2012

Field Sample #: 0406EMM-10B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-23 Sample Matrix: Bulk

Tetrachloro-m-xylene [1]

Tetrachloro-m-xylene [2]

Sample Flags: O-28		Polychlor	inated Biphenyls wit						
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1248 [2]	0.36	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1254 [1]	0.55	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		50.7	30-150					4/13/12 6:18	
Decachlorobiphenyl [2]		50.6	30-150					4/13/12 6:18	

30-150

30-150



Sample Description: Wood Floor Shellac (Gym 1956)

Project Location: Platt H.S Date Received: 4/9/2012

Field Sample #: 0406EMM-10C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-24 Samole Matrix: Bulk

Control of the Control of the Control	
Sample Flags: O-28	Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1232 [1]	ND	0.095	mg/Kg	-1.		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1248 [2]	0.39	0.095	mg/Kg	0.		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1254 [1]	0.48	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1260 [1]	ND	0.095	mg/Kg	L.		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1262 [1]	ND	0.095	mg/Kg	P.		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Aroclor-1268 [1]	ND	0.095	mg/Kg	T-		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		53,9	30-150					4/13/12 6:31	
Decachlorobiphenyl [2]		54.1	30-150					4/13/12 6:31	
Tetrachloro-m-xylene [1]		120	30-150					4/13/12 6:31	
Tetrachloro-m-xylene [2]		113	30-150					4/13/12 6:31	

Work Order: 12D0242



Project Location: Platt H.S

Sample Description:

96,2

Vapor Barrier (Under Gym Wood Floc

Work Order: 12D0242

4/13/12 6:44

Date Received: 4/9/2012

Field Sample #: 0406EMM-11A

Sample ID: 12D0242-25

Sampled: 4/6/2012 00:00

Sample Matrix: Bulk

Tetrachloro-m-xylene [2]

Sample Flags: O-28		Polychlor							
Analyte	Results	RL .	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1248 [2]	3.1	0.45	mg/Kg	5	P-01	SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1254 [1]	2.7	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1260 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1268 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		107	30-150					4/13/12 6:44	
Decachlorobiphenyl [2]		94.8	30-150					4/13/12 6:44	
Tetrachloro-m-xylene [1]		98.3	30-150					4/13/12 6:44	

30-150



Project Location: Platt H.S

Sample Description: Vapor Barrier (Under Gym Wood Floc

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-11B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-26 Samole Matrix: Bulk

-			22,0377	
Sa	ample	Flags: ()-28	

Sample Flags: O-28		Polychlor	inated Biphenyls w	ith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1248 [2]	1,5	0.50	mg/Kg	5	P-01	SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1254 [1]	1.4	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
Surrogates		% Recovery	Recovery Limit	S	Flag				
Decachlorobiphenyl [1]		89.9	30-150					4/13/12 6:57	
Decachlorobiphenyl [2]		75.3	30-150					4/13/12 6:57	
Tetrachloro-m-xylene [1]		74.6	30-150					4/13/12 6:57	
Tetrachloro-m-xylene [2]		75.9	30-150					4/13/12 6:57	



Project Location: Platt H.S

Sample Description:

Vapor Barrier (Under Gym Wood Floc

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-11C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-27

Sample Matrix: Bulk	
Sample Flags: O-28	

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1221 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1232 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1242 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1248 [1]	2,3	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1254 [1]	3.0	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1260 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12. 7:10	PJG
Aroclor-1262 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1268 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Surrogates		% Recovery	Recovery Limits	s	Flag				
Decachlorobiphenyl [1]		102	30-150					4/13/12 7:10	
Decachlorobiphenyl [2]		85.0	30-150					4/13/12 7:10	
Tetrachloro-m-xylene [1]		82.2	30-150					4/13/12 7:10	
Tetrachloro-m-xylene [2]		84.1	30-150					4/13/12 7:10	



Sample Description:

Int. Exp. Blacktor Behind Exp.

Work Order: 12D0242

Project Location: Platt H.S Date Received: 4/9/2012

Field Sample #: 0406EMM-12

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-28

Sample	Matrix:	Bulk
Sample	Flage C	-28

Sample Flags: O-28		Polychlor	inated Biphenyls w	ith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1221 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1232 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1242 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1248 [2]	14	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1254 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1260 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1262 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1268 [1]	ND	5,0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Surrogates		% Recovery	Recovery Limit	ts	Flag				
Decachlorobiphenyl [1]		*	30-150		S-01			4/13/12 7:23	
Decachlorobiphenyl [2]		+	30-150		S-01			4/13/12 7:23	
Tetrachloro-m-xylene [1]		*	30-150		S-01			4/13/12 7:23	
Tetrachloro-m-xylene [2]			30-150		S-01			4/13/12 7:23	



Project Location: Platt H.S

Sample Description: Flashing Parapet (Under Metal) (1956)

Date Received: 4/9/2012 Field Sample #: 0406EMM-13

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-29 Sample Matrix: Bulk

Polychloringtod	Dinhamile with	25 40 Carblet	Datamatlan

Sample Flags: O-28		Polychlori	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1221 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12: 7:36	PJG
Aroclor-1232 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1242 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1248 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1254 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1260 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1262 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1268 [1]	ND	0.48	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		82.2	30-150					4/13/12 7:36	
Decachlorobiphenyl [2]		85.6	30-150					4/13/12 7:36	
Tetrachloro-m-xylene [1]		88.5	30-150					4/13/12 7:36	
Tetrachloro-m-xylene [2]		90.3	30-150					4/13/12 7:36	

Work Order: 12D0242



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12D0242-01 [0406EMM-01A (0-0.5in)]	B049480	2.20	10.0	04/10/12	
12D0242-02 [0406EMM-01B (0.5-1.0in)]	B049480	2.20	10.0	04/10/12	
12D0242-03 [0406EMM-02A (0-0.5in)]	B049480	2.10	10.0	04/10/12	
12D0242-04 [0406EMM-02B (0.5-1.0in)]	B049480	2.00	10.0	04/10/12	
12D0242-05 [0406EMM-03A (0-0.5in)]	B049480	2,20	10.0	04/10/12	
12D0242-06 [0406EMM-03B (0.5-1.0in)]	B049480	2.10	(0.0	04/10/12	
12D0242-07 [0406EMM-04A (0-0.5in)]	B049480	2.00	(0,0)	04/10/12	
12D0242-08 [0406EMM-04B (0-0.5in)]	B049480	2.20	(0.0)	04/10/12	
12D0242-09 [0406EMM-05A (0-0.5in)]	B049480	2.10	0.01	04/10/12	
12D0242-10 [0406EMM-05B (0.5-1.0in)]	B049480	2.10	0.01	04/10/12	
12D0242-11 [0406EMM-06A (0-0.5in)]	B049480	2.20	10.0	04/10/12	
12D0242-12 [0406EMM-06B (0.5-1.0in)]	B049480	2,20	10.0	04/10/12	
12D0242-13 [0406EMM-07A]	B049480	2.00	10,0	04/10/12	
12D0242-14 [0406EMM-07B]	B049480	2.20	10.0	04/10/12	
12D0242-15 [0406EMM-07C]	B049480	2.00	10.0	04/10/12	
12D0242-16 [0406EMM-08A]	B049480	2.20	10.0	04/10/12	
12D0242-17 [0406EMM-08B]	B049480	2.00	10.0	04/10/12	
12D0242-18 [0406EMM-08C]	B049480	2.00	10.0	04/10/12	
12D0242-19 [0406EMM-09A]	B049480	2.10	10.0	04/10/12	
12D0242-20 [0406EMM-09B]	B049480	2.10	10.0	04/10/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial g	Final [mL]	Date	
12D0242-21 [0406EMM-09C]	B049481	2.00	10.0	04/10/12	
12D0242-22 [0406EMM-10A]	B049481	2.30	10.0	04/10/12	
12D0242-23 [0406EMM-10B]	B049481	2.00	10.0	04/10/12	
12D0242-24 [0406EMM-10C]	B049481	2.10	10.0	04/10/12	
12D0242-25 [0406EMM-11A]	B049481	2.20	10.0	04/10/12	
12D0242-26 [0406EMM-11B]	B049481	2.00	10.0	04/10/12	
12D0242-27 [0406EMM-11C]	B049481	1.70	10.0	04/10/12	
12D0242-28 [0406EMM-12]	B049481	2.00	10.0	04/10/12	
12D0242-29 [0406EMM-13]	B049481	2.10	10.0	04/10/12	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	ppn	RPD	Sier
Batch B049480 - SW-846 3540C	Result	Linde	Onis	Level	Result	POREC	Limits	RPD	Limit	Notes
						- A A A A A A A			_	
Blank (B049480-BLK1)		2.44	- 60	Prepared: 04	1/10/12 Anal	yzed: 04/13/	12			
Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	0,979		mg/Kg	1.00		97.9	30-150	*		
Surrogate: Decachlorobiphenyl [2C]	1.19		mg/Kg	1.00		119	30-150			
Surrogate: Tetrachloro-m-xylene	1.05		mg/Kg	1.00		105	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.15		mg/Kg	1.00		115	30-150			
CS (B049480-BS1)				Prepared: 04/	10/12 Analy	zed: 04/13/1	2			
Aroclor-1016	0.27	0.10	mg/Kg	0.250		108	40-140			
Aroclor-1016 [2C]	0.28	0.10	mg/Kg	0.250		114	40-140			
Aroclor-1260	0.29	0.10	mg/Kg	0.250		116	40-140			
Aroclor-1260 [2C]	0,26	0.10	mg/Kg	0.250		104	40-140			
surrogate: Decachlorobiphenyl	0.949		mg/Kg	1,00		94.9	30-150			
urrogate: Decachlorobiphenyl [2C]	1.16		mg/Kg	1.00						
turrogate: Tetrachloro-m-xylene	1.10			1.00		116	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.22		mg/Kg mg/Kg	1.00		110 122	30-150 30-150			
.CS Dup (B049480-BSD1)				Prepared: 04/	10/12 Analy					
croclor-1016	0.24	0.10	mg/Kg	T. 01	10/12 Analy.		V. C. V. J.	10.6	50	
roclor-1016 [2C]	0.24			0.250		97.6	40-140	10.5	30	
roclor-1260	0.31	0.10	mg/Kg	0.250		122	40-140	7.04	30	
roclor-1260 [2C]	0.29	0.10	mg/Kg mg/Kg	0.250		115	40-140	1.51	30	
urrogate: Decachlorobiphenyl		9,10				115	40-140	10.2	30	
	0.937		mg/Kg	1.00		93.7	30-150			
urrogate: Decachlorobiphenyl [2C]	1.13		mg/Kg	1,00		113	30-150			
urrogate: Tetrachloro-m-xylene	1.06		mg/Kg	1.00		106	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.18		mg/Kg	1.00		118	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B049480 - SW-846 3540C										
Matrix Spike (B049480-MS1)	Sou	rce: 12D0242	-01	Prepared: 04	1/10/12 Analy	zed; 04/13/	12			
Aroclor-1016	0.27	0.095	mg/Kg	0,238	0.0	112	40-140			
Aroclor-1016 [2C]	0,25	0.095	mg/Kg	0.238	0.0	105	40-140			
Aroclor-1260	0.27	0.095	mg/Kg	0.238	0.0	115	40-140			
Aroclor-1260 [2C]	0.28	0.095	mg/Kg	0.238	0.0	118	40-140			
Surrogate: Decachlorobiphenyl	0.845		mg/Kg	0,952		88.7	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.15		mg/Kg	0.952		121	30-150			
Surrogate: Tetrachloro-m-xylene	1.05		mg/Kg	0.952		110	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.18		mg/Kg	0.952		124	30-150			
Matrix Spike Dup (B049480-MSD1)	Sou	rce: 12D0242	-01	Prepared: 04	/10/12 Analys	zed: 04/13/	12			
Aroclor-1016	0.27	0.095	mg/Kg	0.238	0.0	114	40-140	1.31	50	
Aroclor-1016 [2C]	0.26	0.095	mg/Kg	0.238	0.0	108	40-140	2.98	.50	
Aroclor-1260	0.26	0.095	mg/Kg	0.238	0.0	109	40-140	5.31	50	
Aroclor-1260 [2C]	0.28	0.095	mg/Kg	0.238	0.0	117	40-140	0.901	50	
Surrogate: Decachlorobiphenyl	0.857		mg/Kg	0.952		90.0	30-150			
urrogate: Decachlorobiphenyl [2C]	1.18		mg/Kg	0.952		124	30-150			
surrogate; Tetrachloro-m-xylene	1.04		mg/Kg	0.952		109	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.17		mg/Kg	0.952		123	30-150			
Batch B049481 - SW-846 3540C										
Blank (B049481-BLK1)				Prepared: 04/	10/12 Analyz	ed: 04/11/1	2			
Aroclor-1016	ND	0.10	mg/Kg							
roclor-1016 [2C]	ND	0.10	mg/Kg							
roclor-1221	ND	0.10	mg/Kg							
roclor-1221 [2C]	ND	0.10	mg/Kg							
roclor-1232	ND	0.10	mg/Kg							
roclor-1232 [2C]	ND	0.10	mg/Kg							
roclor-1242	ND	0.10	mg/Kg							
roclor-1242 [2C]	ND	0.10	mg/Kg							
roclor-1248	ND	0,10	mg/Kg							
roclor-1248 [2C]	ND	0.10	mg/Kg							
roclor-1254	ND	0,10	mg/Kg							
roclor-1254 [2C]	ND	0.10	mg/Kg							
roclor-1260	ND	0.10	mg/Kg							
roclor-1260 [2C]	ND	0.10	mg/Kg							
roclor-1262	ND	0.10	mg/Kg							
roclor-1262 [2C]	ND	0.10	mg/Kg							
roclor-1268	ND	0.10	mg/Kg							
roclor-1268 [2C]	ND	0.10	mg/Kg							
rrogate: Decachlorobiphenyl	1.07		mg/Kg	1.00		107	30-150			-
rrogate: Decachlorobiphenyl [2C]	0.970		mg/Kg	1.00		97.0	30-150			
rrogate: Tetrachloro-m-xylene	0.936		mg/Kg	1.00		93.6	30-150			
rrogate: Tetrachloro-m-xylene [2C]	1.03		mg/Kg	1.00		103	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B049481 - SW-846 3540C										
LCS (B049481-BS1)				Prepared: 04	1/10/12 Anal	yzed: 04/11/	12			
Aroclor-1016	0,29	0.10	mg/Kg	0,250		117	40-140			
Aroclor-1016 [2C]	0,30	0.10	mg/Kg	0.250		120	40-140			
Aroclor-1260	0.27	0.10	mg/Kg	0.250		110	40-140			
Aroclor-1260 [2C]	0.30	0.10	mg/Kg	0.250		120	40-140			
Surrogate: Decachlorobiphenyl	1.31		mg/Kg	1.00		131	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.17		mg/Kg	1.00		117	30-150			
Surrogate: Tetrachloro-m-xylene	1.10		mg/Kg	1.00		110	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.20		mg/Kg	1.00		120	30-150			
LCS Dup (B049481-BSD1)				Prepared: 04	/10/12 Analy	yzed: 04/11/	12			
Aroclor-1016	0.27	0.10	mg/Kg	0.250		106	40-140	9.91	30	
Aroclor-1016 [2C]	0.27	0.10	mg/Kg	0.250		110	40-140	8.94	30	
Aroclor-1260	0,24	0.10	mg/Kg	0.250		96.8	40-140	12.3	30	
Aroclor-1260 [2C]	0.27	0.10	mg/Kg	0.250		107	40-140	11.2	30	
Surrogate: Decachlorobiphenyl	1.11		mg/Kg	1.00		111	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.01		mg/Kg	1.00		101	30-150			
surrogate: Tetrachloro-m-xylene	0.974		mg/Kg	1.00		97.4	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.07		mg/Kg	1.00		107	30-150			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
+	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
O-28	Initial continuing calibration standard was within method criteria. Closing continuing calibration standard was outside of method criteria, biased on the low side. Reanalysis yielded similar non-conformance, matrix interference was confirmed.
P-01	Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%. The higher result was reported.
S-01	The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.



CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications	
SW-846 8082A in Product/Solid		
Aroclor-1016	CT,NH,NY,ME,NC	
Aroclor-1016 [2C]	CT,NH,NY,ME,NC	
Aroclor-1221	CT,NH,NY,ME,NC	
Aroclor-1221 [2C]	CT,NH,NY,ME,NC	
Aroclor-1232	CT,NH,NY,ME,NC	
Aroclor-1232 [2C]	CT,NH,NY,ME,NC	
Aroclor-1242	CT,NH,NY,ME,NC	
Aroclor-1242 [2C]	CT,NH,NY,ME,NC	
Aroclor-1248	CT,NH,NY,ME,NC	
Aroclor-1248 [2C]	CT,NH,NY,ME,NC	
Aroclor-1254	CT,NH,NY,ME,NC	
Aroclor-1254 [2C]	CT,NH,NY,ME,NC	
Aroclor-1260	CT,NH,NY,ME,NC	
Aroclor-1260 [2C]	CT,NH,NY,ME,NC	

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2012
T	Connecticut Department of Publile Health	PH-0567	09/30/2013
Y	New York State Department of Health	10899 NELAP	04/1/2013
пH	New Hampshire Environmental Lab	2516 NELAP	02/5/2013
L	Rhode Island Department of Health	LAO00112	12/30/2012
C	North Carolina Div. of Water Quality	652	12/31/2012
J	New Jersey DEP	MA007 NELAP	06/30/2012
L	Florida Department of Health	E871027 NELAP	06/30/2012
T	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
/A	State of Washington Department of Ecology	C2065	02/23/2013
E	State of Maine	2011028	06/9/2013
A	Commonwealth of Virginia	1381	12/14/2012

			4
The second secon	Additional Comments:	Roward 4/9/12 9:55 Addition	2 Jan Karen Street
	Reporting and Detection Limit Requirements:	Accepted By Date Time Reporting	Number Relinquished By
♦		1.6"	10 0313 1 6.5-
It Rom.		6 0.54	Tut. blade
ず	And a supplied to the supplied	5	048
(Day Condon o	(OHA Int. black
		6	038
1968		S. S	Est. bnck
	<	1.0	628
15/6 f	~~~	51	03 62A Ext. brox 0-0.5"
—		10"	010
70	<	5" X H-6-12 a.m.	OIA Ext. brick
Ther VOA Water VOA Plastic As is Plastic Nia Comments	Soil VOA VI Glass Soil Co Other: Water VC	Source Date Time Code Sampled Sampled	No. 1 2 3 4 04 b6 EMM -
ind [] As is 10 mg 1250	n f med maner	N=Air PCVW	X=Other Ad. Sortage X=Other Ad. Sortage
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	anoi	W=Waste R & W	
3.0% 1 116.80 1 1 1060 m red 1 104		Date: 4-6-12	Sampler's Signature: MMM MM MM
			P.O. No.:
Containers	S S S S S S S S S S S S S S S S S S S	Analysis Request	INVOICE TO:
LABORATORY COM- Test	PROJECT NUMBER 2011127, ALE	Menden CI	DIECT NAME +
Turnaround 13 Days*	□ 1 Day* □ 3 Day □ 2 Days ↑ □ Stand	ODY RECORD 0342	CHAIN-OF-CUSTODY RECORD
 50 Redfield Street, Suite 100, Boston, MA 02122 275 Promenade Street, Suite 350, Providence, RI 02908 80 Washington Street, Suite 301, Poughkeepsie, NY 12601 	146 Hartford Road, Manchester, CT 06040 ☐ 50 Redfield S ☐ 56 Quarry Road, Trumbull, CT 06611 ☐ 275 Promena ☐ 1419 Richland Street, Columbia, SC 29201 ☐ 80 Washingto ☐ 78 Interstate Drive, West Springfield, MA 01089		FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (850) 646-2469 · www.FandO.com 12-D0242-

Number Relinquished By Date Time Reporting and Detection of the Date of the Reporting and Detection of the Reporting and Det	Transfer Check 1 2 3 4 bt06Emm 1 2 3 4 bt06Emm 1 3 4 bt06Emm 1 3 4 bt06Emm 1 4 bt 06Emm 1 5 5 bt06Emm 1 6 7 6 bt06Emm 1 6 7 6 bt06Emm 1 7 6 bt0 6 5 bt06Emm 1 8 6 7 6 bt06Emm	FUSS & O'NEILL ENVIROSCIENCE, LIC Disciplines to Deliver (860) 646-2469 · www.fandO.com CHAIN-OF-CUSTODY RECORD PROJECT NAME PROJECT LOCATION PROJECT NAME PROJECT LOCATION Analysis INVOICE TO: P.O. NO.: PUSS & O'NEILL ENVIROSCIENCE, LIC Disciplines to Deliver PROJECT LOCATION PROJECT LOCATION Analysis Request Request PROJECT NUMBER PROJECT NUMBER Request Request
Reporting and Detection Limit Requirements: Additional Comments:	Soil VOA Vill Rechand Soil VOA Vill Rechand Soil VOA Vill Rechand Soil VOA Vill Rechand Soil Container Soil	□ 50 Redfield Street, Suite 10 □ 275 Promenade Street, Suite □ 80 Washington Street, Suite □ 10 Day* □ 3Days* □ 2 Days* □ Standard (∑ day → 41€

Transfer Number Relinquished By Dare 1 Mary Accepted By Dare 2 August Racust 4/6/12 3 August Racust 4/6/12 4 August Racust 4/6/12	25/29 - 12 black for bound strongly bull 4-6-12 p.m	116	23 (00) 24 (00) 25 (1) A vann mark	27 104 wood Apper strulac 1 1-6-12 pm 1	Sample Number	Sampler's Signature: CM/Will HILL Date: Y-CO-VA Source Codes: NW=Monitoring Well PW=Potable Water S=Soil W=Waste SW=Surface Water T=Treatment Facility B=Sediment A=Air X=Other	hitalis Mail Mills	INVOICE TO:	PROJECT NAME PROJECT LOCATION (CHAIN-OF-CUSTODY RECORD	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com 12 DO2 42
Time Reporting and Detection Limit Requirements: 2 753 Additional Comments: Levene to 01065 MM-19P 16 75 Sungle # 13 relevene to 01065 MM-19P RESulprinted for additional Charge 50 RL 15 L 19PM	(1956)				Soil Von Vial Glass Soil Contail Soil Von Vial Glass Soil Contail Soil Contail		Food & Som		PROJECT NUMBER 2011/127 A E Con-Tes+	O345 O1Day* ODays* Candard (Sdays) Surcharge Applies	☐ 146 Hartford Road, Manchester, CT 06040 ☐ 50 Redfield Street, Suite 100, Boston, MA 02122 ☐ 56 Quarry Road, Trumbull, CT 06611 ☐ 275 Promenade Street, Suite 350, Providence, RI 02908 ☐ 1419 Richland Street, Columbia, SC 29201 ☐ 78 Interstate Drive, West Springfield, MA 01089

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com





Sample Receipt Checklist

CLIENT NAME:	FUSS & C)'neill	RECEIVED BY:	SD	DATE: 4/9/12
2) Does the chair	i(s) of custody reling n agree with the sa ot, explain:		ed?	(e) No	No CoC Included
If no	nples in good cond ot, explain:			es No	
	samples received:				/
On Ice	Direct from Sam	=	Ambient	In Cooler(s)	<u>1</u>
Were the sample	s received in Temp	erature Complian	ce of (2-6°C)?	(Yes) No	N/A
Temperature °C b	y Temp blank		Temperature °C b	y Temp gun	5.3
5) Are there Diss	olved samples for t	the lab to filter?		Yes (No)	
	otified		Time	.00	
6) Are there any i	RUSH or SHORT H	OLDING TIME sam	nples?	Yes No	
	otified			res (No	
7) Location where s	samples are stored:	19	Permi. (Walk		ract samples? Yes No inot already approved
	have the proper A		N/A,		
9) Do all samples	have the proper Ba	ase pH: Yes No	N/A		
		a de a la comunicación de la com			and the second s
	Con	tainers rec	eived at Co	n-Test	
		# of containers			# of containers
1 Liter A			8 oz a	mber/clear jar	ii oi containeis
500 mL /			1	mber clear jar	29
250 mL Amber		•	2 oz a	mber/clear jar	
1 Liter P			Air	Cassette	
500 mL F			Hg/Hd	opcalite Tube	
250 mL p 40 mL Vial - type				Bag / Ziploc	
Colisure / bac				2.5 / PM 10	
Dissolved Oxy				Cartridge	
Enco				SOC Kit	
Flashpoint				-17 Tubes Test Container	
Perchlora	ite Kit			er glass jar	
Othe				Other	
Laboratory Commer	nts:				1
40 mL vials:	# HCI	# Metha	nol	Ti	me and Date Frozen:
Doc# 277	# Bisulfate	# DI Wa	ter		
Rev. 2 Sept 2011	# Thiosulfate	Unprese	rved		Page 42 of 42



July 9, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Meriden, CT

Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12F1044

Lua Warrhugten

Enclosed are results of analyses for samples received by the laboratory on June 29, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa A. Worthington Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road

Manchester, CT 06040 ATTN: Karron Redfield

REPORT DATE: 7/9/2012

PURCHASE ORDER NUMBER:

20111127.A1E

PROJECT NUMBER:

20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

12F1044

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION:

Meriden, CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0629EMM 11A	12F1044-01	Concrete	Ceiling Joint	SW-846 8082A	
0629EMM 11B	12F1044-02	Concrete	Ceiling Joint	SW-846 8082A	
0629EMM 11C	12F1044-03	Concrete	Ceiling Joint	SW-846 8082A	
0629EMM 12	12F1044-04	Concrete	Concrete Floor	SW-846 8082A	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8082A

Qualifications:

Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported

Analyte & Samples(s) Qualified:

Aroclor-1254, Aroclor-1260

12F1044-01[0629EMM 11A]

Continuing calibration verification was outside of control limits on the confirmation column, but within control limits on the primary column. All sample results are reported from the column within control criteria.

Analyte & Samples(s) Qualified:

Aroclor-1254, Aroclor-1260

12F1044-01[0629EMM 11A]

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Michael A. Erickson Laboratory Director Center



Project Location: Meriden, CT

Sample Description: Ceiling Joint

Work Order: 12F1044

Date Received: 6/29/2012

Field Sample #: 0629EMM 11A

Sampled: 6/29/2012 00:00

Sample ID: 12F1044-01 Sample Matrix: Concrete

Samole Matrix: Concrete									
		Polychlor	inated Biphenyls wit	th 3540 Soxl	let Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1221 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1232 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1242 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1248 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1254 [1]	2.8	0.91	mg/Kg	10	P-04, V-24	SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Aroclor-1260 [1]	8.0	0.91	mg/Kg	10	P-04, V-24	SW-846 8082A	6/30/12	7/5/12 15:15	ЛМВ
Aroclor-1262 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	ЛМВ
Aroclor-1268 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:15	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		110	30-150					7/5/12 15:15	
Decachlorobiphenyl [2]		83.5	30-150					7/5/12 15:15	
Tetrachloro-m-xylene [1]		93.5	30-150					7/5/12 15:15	
Tetrachloro-m-xylene [2]		111	30-150					7/5/12 15:15	



Project Location: Meriden, CT

Sample Description:

Ceiling Joint

Work Order: 12F1044

Date Received: 6/29/2012

Field Sample #: 0629EMM 11B

Sampled: 6/29/2012 00:00

Sample ID: 12F1044-02 Sample Matrix: Concrete

		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1221 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	ЛМВ
Aroclor-1232 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1242 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	ЛМВ
Aroclor-1248 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1254 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1260 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1262 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Aroclor-1268 [1]	ND	0.91	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:28	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		84.5	30-150					7/5/12 15:28	
Decachlorobiphenyl [2]		120	30-150					7/5/12 15:28	
Tetrachloro-m-xylene [1]		87.4	30-150					7/5/12 15:28	
Tetrachloro-m-xylene [2]		99,5	30-150					7/5/12 15:28	



Project Location: Meriden, CT

Sample Description: Ceiling Joint Work Order: 12F1044

Date Received: 6/29/2012

Field Sample #: 0629EMM 11C

Sampled: 6/29/2012 00:00

Sample ID: 12F1044-03 Sample Matrix: Concrete

Polychlorinated	Biphenyls with	3540 Soxhlet	Extraction
-----------------	----------------	--------------	------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1221 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1232 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1242 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1248 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1254 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1260 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1262 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Aroclor-1268 [1]	ND	1,0	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:41	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		111	30-150					7/5/12 15:41	
Decachlorobiphenyl [2]		129	30-150					7/5/12 15:41	
Tetrachloro-m-xylene [1]		86.5	30-150					7/5/12 15:41	
Tetrachloro-m-xylene [2]		97.1	30-150					7/5/12 15:41	



Sample Description:

Concrete Floor

Work Order: 12F1044

Project Location: Meriden, CT Date Received: 6/29/2012 Field Sample #: 0629EMM 12

Sampled: 6/29/2012 00:00

Sample ID: 12F1044-04 Sample Matrix: Concrete

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction	
-----------------	--	--

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1221 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1232 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1242 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1248 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1254 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1260 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1262 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Aroclor-1268 [1]	ND	0.95	mg/Kg	10		SW-846 8082A	6/30/12	7/5/12 15:54	JMB
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		101	30-150					7/5/12 15:54	
Decachlorobiphenyl [2]		95.0	30-150					7/5/12 15:54	
Tetrachloro-m-xylene [1]		76.7	30-150					7/5/12 15:54	
Tetrachloro-m-xylene [2]		86.2	30-150					7/5/12 15:54	



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12F1044-01 [0629EMM 11A]	B054321	2.20	10.0	06/30/12	
12F1044-02 [0629EMM 11B]	B054321	2.20	10.0	06/30/12	
12F1044-03 [0629EMM 11C]	B054321	2.00	10.0	06/30/12	
12F1044-04 [0629EMM 12]	B054321	2.10	10,0	06/30/12	



QUALITY CONTROL

Analista	B = 10	Reporting	***	Spike	Source		%REC	-	RPD	1.000
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch B054321 - SW-846 3540C										
Blank (B054321-BLK1)				Prepared: 06	/30/12 Analy	yzed: 07/03/	12			
Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0,10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	1.03		mg/Kg	1,00		103	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.31		mg/Kg	1.00		131	30-150			
Surrogate: Tetrachloro-m-xylene	1,08		mg/Kg	1.00		108	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.11		mg/Kg	1.00		111	30-150			
.CS (B054321-BS1)				Prepared: 06/	30/12 Analy	zed: 07/03/1	2			
Aroclor-1016	0.27	0.10	mg/Kg	0.250		109	40-140			
aroclor-1016 [2C]	0.28	0.10	mg/Kg	0,250		110	40-140			
Aroclor-1260	0.29	0.10	mg/Kg	0.250		118	40-140			
Aroclor-1260 [2C]	0.30	0.10	mg/Kg	0.250		121	40-140			
urrogate: Decachlorobiphenyl	1.05		mg/Kg	1.00		105	30-150			
urrogate: Decachlorobiphenyl [2C]	1,31		mg/Kg	1.00		131	30-150			
urrogate: Tetrachloro-m-xylene	1.13		mg/Kg	1.00		113	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.15		mg/Kg	1.00		115	30-150			
CS Dup (B054321-BSD1)				Prepared: 06/.	30/12 Analy:	zed: 07/03/1	2			
roclor-1016	0.25	0.10	mg/Kg	0.250		101	40-140	7.15	30	
roclor-1016 [2C]	0.27	0.10	mg/Kg	0.250		107	40-140	3.07	30	
roclor-1260	0.29	0.10	mg/Kg	0.250		115	40-140	2.07	30	
roclor-1260 [2C]	0.30	0.10	mg/Kg	0.250		118	40-140	2.72	30	
urrogate: Decachlorobiphenyl	0.993		mg/Kg	1.00		99.3	30-150		-	
urrogate: Decachlorobiphenyl [2C]	1.23		mg/Kg	1.00		123	30-150			
urrogate: Tetrachloro-m-xylene	1.05		mg/Kg	1.00		105	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.07		mg/Kg	1.00		107	30-150			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
+	Wide recovery limits established for difficult compound.
1	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
P-04	Due to continuing calibration non-conformance on the confirmatory detector, the lower of two results was reported.
V-24	Continuing calibration verification was outside of control limits on the confirmation column, but within control limits on the primary column. All sample results are reported from the column within control criteria.



CERTIFICATIONS

Certifications


Certified Analyses included in this Report

Analyte

	7.74
SW-846 8082A in Product/Solid	
Aroclor-1016	CT,NH,NY,ME,NC
Aroclor-1016 [2C]	CT,NH,NY,ME,NC
Aroclor-1221	CT,NH,NY,ME,NC
Aroclor-1221 [2C]	CT,NH,NY,ME,NC
Aroclor-1232	CT,NH,NY,ME,NC
Aroclor-1232 [2C]	CT,NH,NY,ME,NC
Aroclor-1242	CT,NH,NY,ME,NC
Aroclor-1242 [2C]	CT,NH,NY,ME,NC
Aroclor-1248	CT,NH,NY,ME,NC
Aroclor-1248 [2C]	CT,NH,NY,ME,NC
Aroclor-1254	CT,NH,NY,ME,NC
Aroclor-1254 [2C]	CT,NH,NY,ME,NC
Aroclor-1260	CT,NH,NY,ME,NC
Aroclor-1260 [2C]	CT,NH,NY,ME,NC

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
Alha	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2013
T	Connecticut Department of Publile Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2013
1H	New Hampshire Environmental Lab	2516 NELAP	02/5/2013
11.	Rhode Island Department of Health	LAO00112	12/30/2012
IC .	North Carolina Div. of Water Quality	652	12/31/2012
IJ	New Jersey DEP	MA007 NELAP	06/30/2013
L	Florida Department of Health	E871027 NELAP	06/30/2013
T	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
VA	State of Washington Department of Ecology	C2065	02/23/2013
IE.	State of Maine	2011028	06/9/2013
'A	Commonwealth of Virginia	1381	12/14/2012



39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com





Sample Receipt Checklist

CLIENT NAME:	Fuss }	O' Ned	RECE	IVED BY:	JB	dam kapinan valigida yaz.	DATE: 6/29/12
2) Does the chair		elinquished and signal	gned?		Yes Yes	No No	No CoC Included
3) Are all the sam	•	ondition?			æ	No	
4) How were the	samples receiv	ed:					,
On Ice	Direct from Sa		Ambie	nt 🗀	In Coole	ar(e) [\overline{A}
Were the samples		mperature Complia			Yes)	No No	'
Temperature °C by			•	erature °C b			2.7
		or the lab to filter? Date		ime	Yes (M 6)	
6) Are there any F	RUSH or SHOR	THOLDING TIME s	amples?		Yes	MOS	
Peri						s only)	ntract samples? Yes No if not already approved
B) Do all samples Do all samples Was the PC no	have the prope		ie CoC	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Andread of the second		No (N/A)
		# of containers		<u> </u>		<u> </u>	#
1 Liter A	mber	ii oi oomanoio		8 oz a	mber/cle	ar iar	# of containers
500 mL A	ımber	**************************************	1	***************************************	mber/ete	_) 4
250 mL Amber	(8oz amber)				mber/cle		
1 Liter Pl	lastic			Air	r Cassett	е	
500 mL P				Hg/H	opcalite 7	Tube	
250 mL p					c Bag / Z		
40 mL Vial - type					2.5 / PM		
Colisure / bact					F Cartrid	ge	
Dissolved Oxy Encor				······································	SOC Kit		
Flashpoint			-		-17 Tube		
Perchlora			-		Test Co		
Other			1639 1809	Oth	er glass j Other	lai	
aboratory Commer			<u> </u>		Other		
40 mL vials:	# HCI	# Metl	nanol				Time and Date Frozen:
loc# 277	# Bisulfate	# DI V	Vater				
ev. 3 May 2012	# Thiosulfate		served				Page 13 of 13



Appendix B

Laboratory Analysis and Chain of Custody – Adjacent Porous Surfaces-Bulk



April 17, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt H.S Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12D0242

Enclosed are results of analyses for samples received by the laboratory on April 9, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa A. Worthington Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield REPORT DATE: 4/17/2012

PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

20111127.A1E

20111127.A1E

12D0242

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION:

Platt H.S

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0406EMM-01A (0-0.5in)	12D0242-01	Product/Solid	Ext. Brick 1956 Wing	SW-846 8082A	
0406EMM-01B (0.5-1.0in)	12D0242-02	Product/Solid	Ext. Brick 1956 Wing	SW-846 8082A	
0406EMM-02A (0-0.5in)	12D0242-03	Product/Solid	Ext. Brick 1958 Wing-Cafeteria	SW-846 8082A	
0406EMM-02B (0.5-1.0in)	12D0242-04	Product/Solid	Ext. Brick 1958 Wing-Cafeteria	SW-846 8082A	
0406EMM-03A (0-0.5in)	12D0242-05	Product/Solid	Ext. Brick 1958 Wing	SW-846 8082A	
0406EMM-03B (0.5-1.0in)	12D0242-06	Product/Solid	Ext. Brick 1958 Wing	SW-846 8082A	
0406EMM-04A (0-0.5in)	12D0242-07	Product/Solid	Int. Block (right) Corridor	SW-846 8082A	
0406EMM-04B (0-0.5in)	12D0242-08	Product/Solid	Int. Block (left) Corridor	SW-846 8082A	
0406EMM-05A (0-0,5in)	12D0242-09	Product/Solid	Int. Block IntRM. 83	SW-846 8082A	
0406EMM-05B (0.5-1.0in)	12D0242-10	Product/Solid	Int. Block IntRM. 83	SW-846 8082A	
0406EMM-06A (0-0.5in)	J2D0242-11	Product/Solid	Int. Block IntRM. 63	SW-846 8082A	
0406EMM-06B (0.5-1.0in)	12D0242-12	Product/Solid	Int. Block IntRM, 63	SW-846 8082A	
0406EMM-07A	12D0242-13	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
0406EMM-07B	12D0242-14	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
0406EMM-07C	12D0242-15	Bulk	Wood Floor Shellac (Gym 1968)	SW-846 8082A	
0406EMM-08A	12D0242-16	Bulk	Mastic (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
0406EMM-08B	12D0242-17	Bulk	Mastic (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
0406EMM-08C	12D0242-18	Bulk	Mastic (Cork Under Wood Gym Floor) (Gym 1968)	SW-846 8082A	
0406EMM-09A	12D0242-19	Bulk	Blk Tor Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
0406EMM-09B	12D0242-20	Bulk	Blk Tor Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
0406EMM-09C	12D0242-21	Bulk	Blk For Upper Barrier (Under Cork Gym Floor)(1968)	SW-846 8082A	
0406EMM-10A	12D0242-22	Bulk	Wood Floor Shellae (Gym 1956)	SW-846 8082A	
0406EMM-10B	12D0242-23	Bulk,	Wood Floor Shellac (Gym 1956)	SW-846 8082A	
0406EMM-10C	12D0242-24	Bulk	Wood Floor Shellac (Gym 1956)	SW-846 8082A	
0406EMM-11A	12D0242-25	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
0406EMM-11B	12D0242-26	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
0406EMM-11C	12D0242-27	Bulk	Vapor Barrier (Under Gym Wood Floor) (Gym 1956)	SW-846 8082A	
0406EMM-12	12D0242-28	Bulk	Int. Exp. Blacktor Behind Exp.	SW-846 8082A	
0406EMM-13	12D0242-29	Bulk	Flashing Parapet (Under Metal) (1956)	SW-846 8082A	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report

SW-846 8082A

Qualifications:

Initial continuing calibration standard was within method criteria. Closing continuing calibration standard was outside of method criteria, biased on the low side. Reanalysis yielded similar non-conformance, matrix interference was confirmed.

Analyte & Samples(s) Qualified:

 $12D0242-21[0406EMM-09C],\ 12D0242-22[0406EMM-10A],\ 12D0242-23[0406EMM-10B],\ 12D0242-24[0406EMM-10C],\ 12D0242-25[0406EMM-11A],\ 12D0242-26[0406EMM-11B],\ 12D0242-27[0406EMM-11C],\ 12D0242-28[0406EMM-12],\ 12D0242-29[0406EMM-13]$

Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%. The higher result was reported.

Analyte & Samples(s) Qualified:

Aroclor-1248 [2C]

12D0242-25[0406EMM-11A], 12D0242-26[0406EMM-11B], 12D0242-27[0406EMM-11C]

The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix interferences.

Analyte & Samples(s) Qualified:

Decachlorobiphenyl, Decachlorobiphenyl [2C], Tetrachloro-m-xylene, Tetrachloro-m-xylene [2C]

12D0242-14[0406EMM-07B], 12D0242-28[0406EMM-12]

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete:

Daren J. Damboragian Laboratory Manager



Project Location: Platt H.S Date Received: 4/9/2012

Sample Description: Ext. Brick 1956 Wing

Work Order: 12D0242

4/13/12 9:03

Field Sample #: 0406EMM-01A (0-0.5in)

Sample 1D: 12D0242-01

Tetrachloro-m-xylene [2]

Sampled: 4/6/2012 00:00

121

Sample Matrix: Product/Solid

		Polychlor	nated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	L		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	E		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 9:03	JMB
Surrogates		% Recovery	Recovery Limits	7	Flag				
Decachlorobiphenyl [1]		96.1	30-150					4/13/12 9:03	
Decachlorobiphenyl [2]		119	30-150					4/13/12 9:03	
Tetrachloro-m-xylene [1]		109	30-150					4/13/12 9:03	

30-150



Project Location: Platt H.S

Sample Description:

Ext. Brick 1956 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-01B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-02 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxbl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	ЈМВ
Aroclor-1254 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:17	JMB
Surrogates		% Recovery	Recovery Limits	7	Flag				
Decachlorobiphenyl [1]		97.8	30-150					4/13/12 9:17	
Decachlorobiphenyl [2]		120	30-150					4/13/12 9:17	
Tetrachloro-m-xylene [1]		114	30-150					4/13/12 9:17	
Tetrachloro-m-xylene [2]		126	30-150					4/13/12 9:17	



Project Location: Platt H.S

Sample Description:

Ext. Brick 1958 Wing-Cafeteria

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-02A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-03

		Polychlori	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1232 [1]	ND	0.095	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1242 [1]	ND	0.095	mg/Kg	42		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1248 [1]	ND	0.095	mg/Kg	r		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1254 [1]	ND	0.095	mg/Kg	t		SW-846 8082A	4/10/12	4/13/12 9:31	ЛМВ
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:31	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		91.7	30-150					4/13/12 9:31	
Decachlorobiphenyl [2]		111	30-150					4/13/12 9:31	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 9:31	
Tetrachloro-m-xylene [2]		119	30-150					4/13/12 9:31	



Project Location: Platt H.S

Sample Description:

Ext. Brick 1958 Wing-Cafeteria

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-02B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-04 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1221 [1]	ND	0.10	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 9;45	JMB
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1248 [1]	ND	0.10	mg/Kg	t.		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1254 [1]	ND	0.10	mg/Kg	i)		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1260 [1]	ND	0.10	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:45	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		88.9	30-150					4/13/12 9:45	
Decachlorobiphenyl [2]		107	30-150					4/13/12 9:45	
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 9:45	
Tetrachloro-m-xylene [2]		126	30-150					4/13/12 9:45	



Project Location: Platt H.S

Sample Description: Ext. Brick 1958 Wing

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-03A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-05

Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1242 [1]	ND	190.0	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg)		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	Î		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 9:59	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		97.3	30-150					4/13/12 9:59	_
Decachlorobiphenyl [2]		117	30-150					4/13/12 9:59	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 9:59	
Tetrachloro-m-xylene [2]		119	30-150					4/13/12 9:59	



Project Location: Platt H.S

119

Sample Description: Ext. Brick 1958 Wing

Work Order: 12D0242

4/13/12 10:13

Date Received: 4/9/2012

Field Sample #: 0406EMM-03B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-06 Samole Matrix: Product/Solid

Tetrachloro-m-xylene [2]

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1221 [1]	ND	0.095	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1232 [1]	ND	0,095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1242 [1]	ND	0.095	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1248 [1]	ND	0.095	mg/Kg	1:		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1254 [1]	ND	0.095	mg/Kg	1_		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Aroclor-1268 [1]	ND	0,095	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 10:13	JMB
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		96.5	30-150					4/13/12 10:13	
Decachlorobiphenyl [2]		137	30-150					4/13/12 10:13	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 10:13	

30-150



Project Location: Platt H.S

Sample Description:

Int. Block (right) Corridor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-04A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-07 Sample Matrix: Product/Solid

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction	

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1232 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1248 [1]	3.7	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1254 [1]	0.89	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1260 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1262 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 10:27	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		97.7	30-150					4/13/12 10:27	
Decachlorobiphenyl [2]		135	30-150					4/13/12 10:27	
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 10:27	
Tetrachloro-m-xylene [2]		124	30-150					4/13/12 10:27	



Project Location: Platt H.S

Sample Description:

Int. Block (left) Corridor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-04B (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-08 Sample Matrix: Product/Solid

Samble Matrix: Product/Solid		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.45	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1221 [1]	ND	0.45	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	ЛМВ
Aroclor-1248 [1]	2.6	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1254 [1]	0.70	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1260 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Aroclor-1268 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 11:09	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		95.3	30-150					4/13/12 11:09	
Decachlorobiphenyl [2]		114	30-150					4/13/12 11:09	
Tetrachloro-m-xylene [1]		109	30-150					4/13/12 11:09	
Tetrachloro-m-xylene [2]		121	30-150					4/13/12 11:09	



Project Location: Platt H.S

Sample Description: Int. Block Int.-RM. 83

Date Received: 4/9/2012

Field Sample #: 0406EMM-05A (0-0.5in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-09

Consula Matrice	Decident/Calld

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1232 [1]	ND	0,095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1242 [1]	ND	0.095	mg/Kg	. (SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1248 [1]	0.21	0.095	mg/Kg	¥.		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1254 [2]	0.15	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1260 [1]	ND	0.095	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1262 [1]	ND	0.095	mg/Kg	X		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Aroclor-1268 [1]	ND	0.095	mg/Kg	I.		SW-846 8082A	4/10/12	4/13/12 11:23	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		94.7	30-150					4/13/12 11:23	
Decachlorobiphenyl [2]		130	30-150					4/13/12 11:23	
Tetrachloro-m-xylene [1]		105	30-150					4/13/12 11:23	
Tetrachloro-m-xylene [2]		117	30-150					4/13/12 11:23	

Work Order: 12D0242



Project Location: Platt H.S Sample Description: Int. Block Int.-RM, 83 Work Order, 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-05B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-10
Sample Matrix: Product/Solid

Polychlorinated Binhenyls with 3540 Soxblet Extraction

		rolychlor	mated bipnenyis wi	tn 3540 S0xni	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1232 [1]	ND	0.095	mg/Kg	4.		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1254 [2]	0.10	0.095	mg/Kg	4		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1260 [1]	ND	0.095	mg/Kg	E.		5W-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1262 [1]	ND	0.095	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Aroclor-1268 [1]	ND	0.095	mg/Kg	D		SW-846 8082A	4/10/12	4/13/12 11:37	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		90.8	30-150					4/13/12 11:37	
Decachlorobiphenyl [2]		124	30-150					4/13/12 11:37	
Tetrachloro-m-xylene [1]		103	30-150					4/13/12 11:37	
Tetrachloro-m-xylene [2]		116	30-150					4/13/12 11:37	



Project Location: Platt H.S

Sample Description: Int. Block Int.-RM. 63

Work Order 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-06A (0-0.5in)

Sample ID: 12D0242-11

Sampled: 4/6/2012 00:00

Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1248 [1]	0.67	0.091	mg/Kg	L		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1254 [1]	0.14	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 11:51	JMB
Surrogates		% Recovery	Recovery Limits	1	Flag				
Decachlorobiphenyl [1]		93.9	30-150					4/13/12 11:51	
Decachlorobiphenyl [2]		129	30-150					4/13/12 11:51	
Tetrachloro-m-xylene [1]		107	30-150					4/13/12 11:51	
Tetrachloro-m-xylene [2]		120	30-150					4/13/12 11:51	



Project Location: Platt H.S

Sample Description:

Int. Block Int.-RM. 63

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-06B (0.5-1.0in)

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-12 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxh	let Extraction	× ×			
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1221 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1232 [1]	ND	0.091	mg/Kg	Γ_{c}		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1242 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1248 [1]	ND	0.091	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1254 [1]	ND	0.091	mg/Kg	0		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1260 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1262 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Aroclor-1268 [1]	ND	0.091	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 12:05	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		94.9	30-150					4/13/12 12:05	
Decachlorobiphenyl [2]		130	30-150					4/13/12 12:05	
Tetrachloro-m-xylene [1]		113	30-150					4/13/12 12:05	
Tetrachloro-m-xylene [2]		125	30-150					4/13/12 12:05	



Analyte

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL, 413/525-2332

Project Location: Platt H.S

Sample Description:

Results

ND

ND

ND

ND

ND

23

ND

ND

2.0

Wood Floor Shellac (Gym 1968)

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-07A

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-13 Sample Matrix: Bulk

Aroclor-1016 [1]

Aroclor-,1221 [1]

Aroclor-1232 [1]

Aroclor-1242 [1]

Aroclor-1248 [1]

Aroclor-1254 [2]

Aroclor-1260 [1]

Aroclor-1262 [1]

Polychlorin	ated Biphenyls v	vith 3540 Soxhlo	et Extraction				
RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
2,0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12;19	JMB
2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
2,0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
2,0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
2,0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB

SW-846 8082A

4/10/12

4/13/12 12:19

JMB

Aroclor-1268 [1]	ND	2.0	mg/Kg	20		SW-846 8082A	4/10/12	4/13/12 12:19	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		103	30-150					4/13/12 12:19	
Decachlorobiphenyl [2]		127	30-150					4/13/12 12:19	
Tetrachloro-m-xylene [1]		108	30-150					4/13/12 12:19	
Tetrachloro-m-xylene [2]		120	30-150					4/13/12 12:19	

mg/Kg

20



Project Location: Platt H.S

Sample Description:

Wood Floor Shellac (Gym 1968)

Work Order: 12D0242

Date Received: 4/9/2012

Sample Matrix: Bulk

Field Sample #: 0406EMM-07B

Sample ID: 12D0242-14

Sampled: 4/6/2012 00:00

Polychlorinated Biphenyls with	3540 Soxhlet Extraction
--------------------------------	-------------------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1221 [1]	ND	9,1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1232 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1242 [1]	ND	9,1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1248 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1254 [2]	67	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1260 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1262 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Aroclor-1268 [1]	ND	9.1	mg/Kg	100		SW-846 8082A	4/10/12	4/17/12 1:36	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		*	30-150		S-01			4/17/12 1;36	
Decachlorobiphenyl [2]		*	30-150		S-01			4/17/12 1:36	
Tetrachloro-m-xylene [1]			30-150		S-01			4/17/12 1:36	
Tetrachloro-m-xylene [2]		*	30-150		S-01			4/17/12 1:36	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 Wood Floor Shellac (Gym 1968)

Project Location: Platt H.S

Sample Description:

Date Received: 4/9/2012

Field Sample #: 0406EMM-07C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-15 Sample Matrix: Bulk

		Polychlor	inated Biphenyls wi	th 3540 Soxble	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1221 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1232 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1242 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	ЛМВ
Aroclor-1248 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1254 [2]	-11	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1260 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1262 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Aroclor-1268 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 12:47	JMB
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		90.1	30-150					4/13/12 12:47	
Decachlorobiphenyl [2]		114	30-150					4/13/12 12:47	
Tetrachloro-m-xylene [1]		101	30-150					4/13/12 12:47	
Tetrachloro-m-xylene [2]		110	30-150					4/13/12 12:47	

Work Order: 12D0242



Project Location: Platt H.S

Date Received: 4/9/2012

Sample Description:

Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

Field Sample #: 0406EMM-08A

Sample ID: 12D0242-16

Sampled: 4/6/2012 00:00

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL.	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1248 [2]	2.6	0.45	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1254 [2]	3.1	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1260 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1262 [1]	ND	0,45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	MJC
Aroclor-1268 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:42	МЈС
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		98.5	30-150					4/13/12 22:42	
Decachlorobiphenyl [2]		95.6	30-150					4/13/12 22:42	
Tetrachloro-m-xylene [1]		112	30-150					4/13/12 22:42	
Tetrachloro-m-xylene [2]		109	30-150					4/13/12 22:42	



Project Location: Platt H.S

Sample Description:

Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-08B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-17 Sample Matrix: Bulk

Palychlaringtad	Rinhonyle with	35 10 Sorblat	Extraction

Analyte		Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1221 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1232 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1242 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1248 [2]		2.3	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1254 [1]		1.6	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1260 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1262 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Aroclor-1268 [1]		ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 22:55	MJC
Surrogates			% Recovery	Recovery Limit	s	Flag				
Decachlorobiphenyl [1]			89.0	30-150					4/13/12 22:55	
Decachlorobiphenyl [2]			87.5	30-150					4/13/12 22:55	
Tetrachloro-m-xylene [1]	-		99.8	30-150					4/13/12 22:55	
Tetrachloro-m-xylene [2]			98.1	30-150					4/13/12 22:55	



Project Location: Platt H.S

Field Sample #: 0406EMM-08C

Sample Description: Mastic (Cork Under Wood Gym Floor

Work Order: 12D0242

Date Received: 4/9/2012

Sample ID: 12D0242-18 Samole Matrix: Bulk

Sampled: 4/6/2012 00:00

Polychlorinate	Biphenyls with	3540 Soxhlet	Extraction	
----------------	----------------	--------------	------------	--

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1242 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1248 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1260 [1]	ND	0,50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:08	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		76.2	30-150					4/13/12 23:08	
Decachlorobiphenyl [2]		74.9	30-150					4/13/12 23:08	
Tetrachloro-m-xylene [1]		96.2	30-150					4/13/12 23:08	
Tetrachloro-m-xylene [2]		95.4	30-150					4/13/12 23:08	



Sample Description:

Blk Tor Upper Barrier (Under Cork Gy

Work Order: 12D0242

Project Location: Platt H.S Date Received: 4/9/2012

Field Sample #: 0406EMM-09A

2

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-19 Sample Matrix: Bulk

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1221 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1232 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1242 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1248 [2]	7.4	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1254 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1260 [1]	ND	1,9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1262 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Aroclor-1268 [1]	ND	1.9	mg/Kg	20		SW-846 8082A	4/10/12	4/17/12 1:49	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		102	30-150					4/17/12 1:49	
Decachlorobiphenyl [2]		118	30-150					4/17/12 1:49	
Tetrachloro-m-xylene [1]		108	30-150					4/17/12 1:49	
Tetrachloro-m-xylene [2]		118	30-150					4/17/12 1:49	



Project Location: Platt H.S

Sample Description:

Blk Tor Upper Barrier (Under Cork Gy

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-09B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-20 Sample Matrix: Bulk

Aroclor-1016 [1]
Aroclor-1221 [1]
Aroclor-1232 [1]
Aroclor-1242 [1]
Aroclor-1248 [2]
Aroclor-1254 [1]
Aroclor-1260 [1]
Aroclor-1262 [1]
Aroclor-1268 [1]

THE PA									
		Polychlori	nated Biphenyls wit	th 3540 Soxble	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	2.3	0.48	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/K.g	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 23:33	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
d [1]		74.6	30-150					4/13/12 23:33	
1 (2)		W 4 7	4.5 0.25						



Project Location: Platt H.S

Sample Description:

2.4

ND

0.50

0.50

97.6

Blk For Upper Barrier (Under Cork Gy

Work Order: 12D0242

4/10/12

4/10/12

4/13/12 5:52

4/13/12 5:52

4/13/12 5:52

4/13/12 5:52

SW-846 8082A

SW-846 8082A

Analyst PJG PJG PJG PJG

PJG

PJG

Date Received: 4/9/2012

Field Sample #: 0406EMM-09C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-21 Sample Matrix: Bulk

Aroclor-1248 [2]

Aroclor-1254 [1]

Aroclor-1260 [1]

Tetrachloro-m-xylene [2]

Sample Flags: O-28		Polychlo	rinated Biphenyls	with 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	
Aroclor-1016 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 5:52	
Aroclor-1221 [1]	ND	0.50	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 5:52	
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	

mg/Kg

mg/Kg

30-150

Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 5:52	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		99.9	30-150					4/13/12 5:52	
Decachlorobiphenyl [2]		99.0	30-150					4/13/12 5:52	
Tetrachloro-m-xylene [1]		102	30-150					4/13/12 5:52	

5

5



Wood Floor Shellac (Gym 1956)

Sample Description:

Work Order: 12D0242

Project Location: Platt H.S Date Received: 4/9/2012

Field Sample #: 0406EMM-10A

Sample ID: 12D0242-22

Sampled: 4/6/2012 00:00

		n
Samole	Matrix:	Bulk

Sample Flags: O-28		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1221 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1232 [1]	ND	0.43	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1242 [1]	ND	0.43	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1248 [2]	0.62	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1254 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1260 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1262 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Aroclor-1268 [1]	ND	0.43	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:05	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		90.5	30-150					4/13/12 6:05	
Decachlorobiphenyl [2]		91.5	30-150					4/13/12 6:05	
Tetrachloro-m-xylene [1]		103	30-150					4/13/12 6:05	
Tetrachloro-m-xylene [2]		103	30-150					4/13/12 6:05	



Project Location: Platt H.S

Sample Description:

Wood Floor Shellac (Gym 1956)

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-10B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-23 Sample Matrix: Bulk

Sample	IVIAIII.	t. Duin
Sample	Flags:	O-28

Polychlorinated	Biphenyls with	3540 Soxhlet	Extraction
-----------------	----------------	--------------	------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1242 [1]	ND	0.10	mg/Kg	T		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1248 [2]	0.36	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1254 [1]	0.55	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1262 [1]	ND	0.10	mg/Kg	10		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Aroclor-1268 [1]	ND	0.10	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 6:18	PJG
Surrogates		% Recovery	Recovery Limits	5	Flag				
Decachlorobiphenyl [1]		50.7	30-150					4/13/12 6:18	
Decachlorobiphenyl [2]		50.6	30-150					4/13/12 6:18	
Tetrachloro-m-xylene [1]		112	30-150					4/13/12 6:18	
Tetrachloro-m-xylene [2]		108	30-150					4/13/12 6;18	



Sample Description: Wood Floor Shellac (Gym 1956)

30-150

30-150

Project Location: Platt H.S Date Received: 4/9/2012

Field Sample #: 0406EMM-10C

Sampled: 4/6/2012 00:00

120

113

Sample ID: 12D0242-24

Samo	e N	Aatr	IX.	Bull
Sampl	le F	lags	: C	-28

Tetrachloro-m-xylene [1]

Tetrachloro-m-xylene [2]

Polychlorinated Biphenyls with 3540 Soxhlet Extraction								
Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
0.39	0.095	mg/Kg	1.		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
0.48	0.095	mg/Kg	1)		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
ND	0.095	mg/Kg	T.		SW-846 8082A	4/10/12	4/13/12: 6:31	PJG
ND	0.095	mg/Kg	1		SW-846 8082A	4/10/12	4/13/12 6:31	PJG
	% Recovery	Recovery Limits		Flag				
	53.9	30-150					4/13/12 6:31	
	54.1	30-150					4/13/12 6:31	
	ND ND ND ND 0,39 0.48 ND	Results RL ND 0.095 ND 0.095 ND 0.095 ND 0.095 0.39 0.095 0.48 0.095 ND 0.095 ND 0.095 ND 0.095 ND 0.095 % Recovery 53.9	Results RL Units ND 0.095 mg/Kg ND 0.095 mg/Kg ND 0.095 mg/Kg ND 0.095 mg/Kg 0.39 0.095 mg/Kg ND 0.095 mg/Kg	Results RL Units Dilution ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 0.39 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 % Recovery Recovery Limits	Results RL Units Dilution Flag ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 ND 0.095 mg/Kg 1 0.39 0.095 mg/Kg 1 0.48 0.095 mg/Kg 1 ND 0.095 Flag	Results RL Units Dilution Flag Method ND 0.095 mg/Kg 1 SW-846 8082A 0.39 0.095 mg/Kg 1 SW-846 8082A 0.48 0.095 mg/Kg 1 SW-846 8082A ND 0.095 mg/Kg 1 SW-846 8082A <td>Results RL Units Dilution Flag Method Prepared ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 0.39 0.095 mg/Kg 1 SW-846 8082A 4/10/12 0.48 0.095 mg/Kg 1 SW-846 8082A 4/10/12 ND 0.095 mg/Kg 1</td> <td>Results RL Units Dilution Flag Method Prepared Prepared Analyzed ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 0.39 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 0.48 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A</td>	Results RL Units Dilution Flag Method Prepared ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 0.39 0.095 mg/Kg 1 SW-846 8082A 4/10/12 0.48 0.095 mg/Kg 1 SW-846 8082A 4/10/12 ND 0.095 mg/Kg 1	Results RL Units Dilution Flag Method Prepared Prepared Analyzed ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 0.39 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 0.48 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A 4/10/12 4/13/12 6:31 ND 0.095 mg/Kg 1 SW-846 8082A

Work Order: 12D0242

4/13/12 6:31

4/13/12 6:31 -



Vapor Barrier (Under Gym Wood Floc

Project Location: Platt H.S

Sample Description:

Date Received: 4/9/2012

Field Sample #: 0406EMM-11A

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-25 Sample Matrix: Bulk

Sample Flags: O-28

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1221 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1232 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1242 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1248 [2]	3,1	0.45	mg/Kg	5	P-01	SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1254 [1]	3.7	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1260 [1]	ND	0.45	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1262 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Aroclor-1268 [1]	ND	0.45	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:44	PJG
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		107	30-150					4/13/12 6:44	
Decachlorobiphenyl [2]		94.8	30-150					4/13/12 6:44	
Tetrachloro-m-xylene [1]		98,3	30-150					4/13/12 6:44	
Tetrachloro-m-xylene [2]		96.2	30-150					4/13/12 6:44	

Work Order: 12D0242



Project Location: Platt H.S

Sample Description: Vapor Barrier (Under Gym Wood Floc

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-11B

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-26 Samnle Matrix: Bulk

	Polychlor	inated Biphenyls wi	et Extraction					
Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6;57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
1.5	0.50	mg/Kg	5	P-01	SW-846 8082A	4/10/12	4/13/12 6:57	PJG
1.4	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
ND	0.50	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 6:57	PJG
	% Recovery	Recovery Limits		Flag				
	89.9	30-150					4/13/12 6:57	
	75.3	30-150					4/13/12 6:57	
	74.6	30-150					4/13/12 6:57	
	75.9	30-150					4/13/12 6:57	
	ND ND ND ND 1.5 1.4 ND	Results RL ND 0.50 MD 0.50 WRecovery 89.9 75.3 74.6	Results RL Units ND 0.50 mg/Kg ND 0.50 mg/Kg ND 0.50 mg/Kg ND 0.50 mg/Kg 1.5 0.50 mg/Kg ND 0.50 30-150 75.3 30-150 74.6 30-150	Results RL Units Dilution ND 0.50 mg/Kg 5 ND 0.50 mg/Kg 5 ND 0.50 mg/Kg 5 ND 0.50 mg/Kg 5 1.5 0.50 mg/Kg 5 ND 0.50 mg/Kg 5	ND 0.50 mg/Kg 5 1.5 0.50 mg/Kg 5 ND 0.50 mg/Kg 5	Results RL Units Dilution Flag Method	ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12	ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 1.5 0.50 mg/Kg 5 P-01 SW-846 8082A 4/10/12 4/13/12 6:57 1.4 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/12 6:57 ND 0.50 mg/Kg 5 SW-846 8082A 4/10/12 4/13/1



Project Location: Platt H.S

Sample Description:

Vapor Barrier (Under Gym Wood Floc

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-11C

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-27

Sample	Matrix:	Bulk
Sample	Flags: C)-28

Polychlorinate	Biphenyls with	3540 Soxhlet	Extraction
----------------	----------------	--------------	------------

A 15 TO 10 T			-0.100.000						
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0,59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1221 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1232 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1242 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1248 [1]	2,3	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1254 [1]	3.0	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1260 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1262 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Aroclor-1268 [1]	ND	0.59	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:10	PJG
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		102	30-150					4/13/12 7:10	
Decachlorobiphenyl [2]		85.0	30-150					4/13/12 7:10	
Tetrachloro-m-xylene [1]		82.2	30-150					4/13/12 7:10	
Tetrachloro-m-xylene [2]		84.1	30-150					4/13/12 7:10	



Project Location: Platt H.S.

Sample Description: Int. Exp. Blacktor Behind Exp.

Work Order: 12D0242

Date Received: 4/9/2012

Field Sample #: 0406EMM-12

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-28

Sample Matrix: Bulk

Sample Flags: O-28		Polychlor							
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1221 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1232 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1242 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1248 [2]	14	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1254 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1260 [1]	ND.	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1262 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Aroclor-1268 [1]	ND	5.0	mg/Kg	50		SW-846 8082A	4/10/12	4/13/12 7:23	PJG
Surrogates		% Recovery	Recovery Limit	s	Flag				
Decachlorobiphenyl [1]		*	30-150		S-01			4/13/12 7:23	
Decachlorobiphenyl [2]		*	30-150		S-01			4/13/12 7:23	
Tetrachloro-m-xylene [1]		4	30-150		S-01			4/13/12 7:23	
Tetrachloro-m-xylene [2]		4.1	30-150		S-01			4/13/12 7:23	



Project Location: Platt H.S

90.3

Sample Description: Flashing Parapet (Under Metal) (1956)

Work Order: 12D0242

4/13/12 7:36

Date Received: 4/9/2012

Field Sample #: 0406EMM-13

Sampled: 4/6/2012 00:00

Sample ID: 12D0242-29

Tetrachloro-m-xylene [2]

Sample	Matrix		Bulk
Camala	Tile med	0	20

Sample Flags: O-28		Polychlor	inated Biphenyls wit	th 3540 Soxhl	let Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1221 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1232 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1242 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1248 [1]	ND	0.48	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1254 [1]	ND	0.48	mg/Kg	.5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1260 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1262 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Aroclor-1268 [1]	ND	0.48	mg/Kg	5		SW-846 8082A	4/10/12	4/13/12 7:36	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		82.2	30-150					4/13/12 7:36	
Decachlorobiphenyl [2]		85.6	30-150					4/13/12 7:36	
Tetrachloro-m-xylene [1]		88.5	30-150					4/13/12 7:36	

30-150



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12D0242-01 [0406EMM-01A (0-0.5in)]	B049480	2.20	10.0	04/10/12	
12D0242-02 [0406EMM-01B (0.5-1.0in)]	B049480	2.20	10.0	04/10/12	
12D0242-03 [0406EMM-02A (0-0.5in)]	B049480	2.10	10:0	04/10/12	
12D0242-04 [0406EMM-02B (0.5-1.0in)]	B049480	2.00	10.0	04/10/12	
12D0242-05 [0406EMM-03A (0-0,5in)]	B049480	2.20	10.0	04/10/12	
12D0242-06 [0406EMM-03B (0.5-1.0in)]	B049480	2.10	10.0	04/10/12	
12D0242-07 [0406EMM-04A (0-0.5in)]	B049480	2.00	10.0	04/10/12	
12D0242-08 [0406EMM-04B (0-0.5in)]	B049480	2,20	10.0	04/10/12	
12D0242-09 [0406EMM-05A (0-0.5in)]	B049480	2.10	10.0	04/10/12	
12D0242-10 [0406EMM-05B (0.5-1.0in)]	B049480	2.10	10.0	04/10/12	
12D0242-11 [0406EMM-06A (0-0.5in)]	B049480	2.20	10.0	04/10/12	
12D0242-12 [0406EMM-06B (0.5-1.0in)]	B049480	2,20	10.0	04/10/12	
12D0242-13 [0406EMM-07A]	B049480	2,00	10.0	04/10/12	
12D0242-14 [0406EMM-07B]	B049480	2.20	10.0	04/10/12	
12D0242-15 [0406EMM-07C]	B049480	2,00	-10.0	04/10/12	
12D0242-16 [0406EMM-08A]	B049480	2,20	10,0	04/10/12	
12D0242-17 [0406EMM-08B]	B049480	2.00	10.0	04/10/12	
12D0242-18 [0406EMM-08C]	B049480	2.00	10.0	04/10/12	
2D0242-19 [0406EMM-09A]	B049480	2.10	10.0	04/10/12	
12D0242-20 [0406EMM-09B]	B049480	2.10	10.0	04/10/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12D0242-21 [0406EMM-09C]	B049481	2.00	10.0	04/10/12	
12D0242-22 [0406EMM-10A]	B049481	2.30	10.0	04/10/12	
12D0242-23 [0406EMM-10B]	B049481	2.00	10,0	04/10/12	
12D0242-24 [0406EMM-10C]	B049481	2.10	10.0	04/10/12	
12D0242-25 [0406EMM-11A]	B049481	2.20	10.0	04/10/12	
12D0242-26 [0406EMM-11B]	B049481	2.00	0.01	04/10/12	
12D0242-27 [0406EMM-11C]	B049481	1.70	10.0	04/10/12	
12D0242-28 [0406EMM-12]	B049481	2.00	10.0	04/10/12	
12D0242-29 [0406EMM-13]	B049481	2.10	10.0	04/10/12	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL, 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B049480 - SW-846 3540C										
Blank (B049480-BLK1)				Prepared: 04	/10/12 Analy	yzed: 04/13/	12			
Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroelor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0:10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	0.979		mg/Kg	1.00		97.9	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.19		mg/Kg	1.00		119	30-150			
Surrogate: Tetrachloro-m-xylene	1.05		mg/Kg	1.00		105	30-150			
surrogate: Tetrachloro-m-xylene [2C]	1.15		mg/Kg	1.00		115	30-150			
.CS (B049480-BS1)				Prepared: 04/	10/12 Analy	zed: 04/13/1	2			
Aroclor-1016	0.27	0.10	mg/Kg	0.250		108	40-140			
roclor-1016 [2C]	0,28	0.10	mg/Kg	0.250		114	40-140			
Aroclor-1260	0.29	0.10	mg/Kg	0.250		116	40-140			
rocior-1260 [2C]	0.26	0.10	mg/Kg	0.250		104	40-140			
urrogate: Decachlorobiphenyl	0.949		mg/Kg	1.00		94.9	30-150			
urrogate: Decachlorobiphenyl [2C]	1.16		mg/Kg	1.00		116	30-150			
штоgate: Tetrachloro-m-xylene	1.10		mg/Kg	1.00		110	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.22		mg/Kg	1.00		122	30-150			
CS Dup (B049480-BSD1)				Prepared: 04/	10/12 Analya	zed: 04/13/1	2			
roclor-1016	0.24	0.10	mg/Kg	0.250		97.6	40-140	10,5	30	
roclor-1016 [2C]	0.31	0.10	mg/Kg	0.250		122	40-140	7,04	30	
roclor-1260	0.29	0.10	mg/Kg	0.250		115	40-140	1.51	30	
roclor-1260 [2C]	0.29	0.10	mg/Kg	0.250		115	40-140	10.2	30	
urrogate: Decachlorobiphenyl	0.937		mg/Kg	1.00		93.7	30-150	170		
urrogate: Decachlorobiphenyl [2C]	1.13		mg/Kg	1.00		113	30-150			
urrogate: Tetrachloro-m-xylene	1.06		mg/Kg	1.00		106	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.18		mg/Kg	1.00		118	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B049480 - SW-846 3540C										
Matrix Spike (B049480-MSI)	Sou	rce: 12D0242	-01	Prepared: 04	/10/12 Analy	zed: 04/13/	12			
Aroclor-1016	0.27	0.095	mg/Kg	0.238	0.0	112	40-140			
Aroclor-1016 [2C]	0.25	0,095	mg/Kg	0.238	0.0	105	40-140			
Aroclor-1260	0.27	0.095	mg/Kg	0.238	0.0	115	40-140			
Aroclor-1260 [2C]	0.28	0.095	mg/Kg	0,238	0.0	118	40-140			
Surrogate: Decachlorobiphenyl	0.845		mg/Kg	0.952		88.7	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.15		mg/Kg	0.952		121	30-150			
Surrogate: Tetrachloro-m-xylene	1.05		mg/Kg	0.952		110	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.18		mg/Kg	0.952	0	124	30-150			
Aatrix Spike Dup (B049480-MSD1)	Sou	ree: 12D0242	-01	Prepared: 04	/10/12 Analyz	zed: 04/13/1	12			
Aroclor-1016	0,27	0.095	mg/Kg	0.238	0.0	114	40-140	1.31	50	
Aroclor-1016 [2C]	0.26	0.095	mg/Kg	0.238	0.0	108	40-140	2.98	50	
Aroclor-1260	0.26	0,095	mg/Kg	0.238	0.0	109	40-140	5.31	50	
Aroclor-1260 [2C]	0,28	0.095	mg/Kg	0.238	0.0	117	40-140	0.901	50	
urrogate: Decachlorobiphenyl	0.857		mg/Kg	0.952		90.0	30-150			
urrogate: Decachlorobiphenyl [2C]	1.18		mg/Kg	0.952		124	30-150			
urrogate: Tetrachloro-m-xylene	1.04		mg/Kg	0.952		109	30-150			
urrogate: Tetrachloro-m-xylene [2C]	1.17		mg/Kg	0.952		123	30-150			
Batch B049481 - SW-846 3540C										
Blank (B049481-BLK1)				Prepared: 04/	10/12 Analyz	ed: 04/11/1	2			
roclor-1016	ND	0.10	mg/Kg							
roclor-1016 [2C]	ND	0.10	mg/Kg							
roclor-1221	ND	0.10	mg/Kg							
roclor-1221 [2C]	ND	0.10	mg/Kg							
roclor-1232	ND	0,10	mg/Kg							
roclor-1232 [2C]	ND	0.10	mg/Kg							
roclor-1242	ND	0.10	mg/Kg							
roclor-1242 [2C]	ND	0.10	mg/Kg							
roclor-1248	ND	0.10	mg/Kg							
roclor-1248 [2C]	ND	0.10	mg/Kg							
roclor-1254	ND	0.10	mg/Kg							
roclor-1254 [2C]	ND	0.10	mg/Kg							
roclor-1260	ND	0.10	mg/Kg							
roclor-1260 [2C]	ND	0.10	mg/Kg							
roclor-1262	ND	0.10	mg/Kg							
roclor-1262 [2C]	ND	0.10	mg/Kg							
roclor-1268	ND	0.10	mg/Kg							
roclor-1268 [2C]	ND	0.10	mg/Kg							
rrogate: Decachlorobiphenyl	1.07		mg/Kg	1.00		107	30-150			
rrogate: Decachlorobiphenyl [2C]	0.970		mg/Kg	1.00		97,0	30-150			
moonta. Tatas ablass as audams	0.936		mg/Kg	1.00		93.6	30-150			
rrogate: Tetrachloro-m-xylene	411.6						200			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B049481 - SW-846 3540C										-
LCS (B049481-BS1)				Prepared: 04	1/10/12 Anal	yzed: 04/11/	12			
Aroclor-1016	0.29	0.10	mg/Kg	0.250		117	40-140			
Aroclor-1016 [2C]	0.30	0.10	mg/Kg	0.250		120	40-140			
Aroclor-1260	0.27	0.10	mg/Kg	0,250		110	40-140			
Aroclor-1260 [2C]	0.30	0.10	mg/Kg	0.250		120	40-140			
Surrogate: Decachlorobiphenyl	1.31		mg/Kg	1.00		131	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.17		mg/Kg	1.00		117	30-150			
Surrogate: Tetrachloro-m-xylene	1.10		mg/Kg	1.00		110	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.20		mg/Kg	1.00		120	30-150			
LCS Dup (B049481-BSD1)				Prepared: 04	/10/12 Analy	zed: 04/11/	12			
Aroclor-1016	0.27	0,10	mg/Kg	0.250		106	40-140	9.91	30	
Aroclor-1016 [2C]	0.27	0.10	mg/Kg	0.250		110	40-140	8.94	30	
Aroclor-1260	0.24	0.10	mg/Kg	0.250		96.8	40-140	12,3	30	
Aroclor-1260 [2C]	0.27	0.10	mg/Kg	0.250		107	40-140	11.2	30	
Surrogate: Decachlorobiphenyl	1.11		mg/Kg	1.00		111	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.01		mg/Kg	1.00		101	30-150			
Surrogate: Tetrachloro-m-xylene	0.974		mg/Kg	1.00		97.4	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.07		mg/Kg	1.00		107	30-150			



FLAG/QUALIFIER SUMMARY

	QC result is outside of established limits.
Ť	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
D-28	Initial continuing calibration standard was within method criteria. Closing continuing calibration standard was outside of method criteria, biased on the low side. Reanalysis yielded similar non-conformance, matrix interference was confirmed.
P-01	Result was confirmed using a dissimilar column. Relative percent difference between the two results was >40%. The higher result was reported.
S-01	The surrogate recovery for this sample is not available due to sample dilution below the surrogate reporting limit required from high analyte concentration and/or matrix, interferences



CERTIFICATIONS

Certifications

Certified Analyses included in this Report

Analyte

SW-846 8082A in Product/Solid	
Aroclor-1016	CT,NH,NY,ME,NC
Aroclor-1016 [2C]	CT,NH,NY,ME,NC
Aroclor-1221	CT,NH,NY,ME,NC
Aroclor-1221 [2C]	CT,NH,NY,ME,NC
Aroclor-1232	CT,NH,NY,ME,NC
Aroclor-1232 [2C]	CT,NH,NY,ME,NC
Aroclor-1242	CT,NH,NY,ME,NC
Aroclor-1242 [2C]	CT,NH,NY,ME,NC
Aroclor-1248	CT,NH,NY,ME,NC
Aroclor-1248 [2C]	CT,NH,NY,ME,NC
Aroclor-1254	CT,NH,NY,ME,NC
Aroclor-1254 [2C]	CT,NH,NY,ME,NC
Aroclor-1260	CT,NH,NY,ME,NC
Aroclor-1260 [2C]	CT NH NY ME NO

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Publile Health	PH-0567	09/30/2013
ĬΥ	New York State Department of Health	10899 NELAP	04/1/2013
1H	New Hampshire Environmental Lab	2516 NELAP	02/5/2013
a	Rhode Island Department of Health	LAO00112	12/30/2012
IC	North Carolina Div. of Water Quality	652	12/31/2012
0	New Jersey DEP	MA007 NELAP	06/30/2012
L	Florida Department of Health	E871027 NELAP	06/30/2012
rT.	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
VA	State of Washington Department of Ecology	C2065	02/23/2013
TE .	State of Maine	2011028	06/9/2013
'A	Commonwealth of Virginia	1381	12/14/2012


		4
	на соницено:	dr.77
	Additional Commons	13:00 Mills Print 4/6/12 0:02
	ng and Detection Limit Requirements:	Transfer Relinquished By Accepted By Date Time Reporting
(0.5-1.6"
It Rm. 8.	C	Tut. black o.
<u> </u>	<	048
1227 Care	(04A tat black
	<	038
1966 = 0		05 03A Ext. brick 0-0.5"
1908	<u></u>	Ext. brick
—	<	010
1-9	<	The state of the s
Orer Sold State VOA STATE	Soil VOA Viz. Soil VOA Viz. Soil VOA Viz. Soil Col. Sinter VOA T. Sinter VOA T.	No. 1 2 3 4 0406 EMM - Sample Number Source Sampled Sampled Sampled
250 ml (250 ml	I methaliner on the mater	ry B=Sediment
1. HO 1. 1. 500 1	201/24	PW=Porable Water S=Soil W=Water
1 H2SQ1 000 001	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sampler's Signature: WMS MQ MH Page 4-1-13
		PO NO. Request
= 1		Karron Redottela
LABORATORY	PROJECT NUMBER 2011127, ALE	JEC
S days) *Surcharge Applies	Ul Day* U3 Days* UStandard (5	CHAIN-OF-CUSTODY RECORD 0342
		a talan Memmahana asas
 50 Redfield Street, Suite 100, Boston, MA 02122 275 Promenade Street, Suite 350, Providence, RI 02908 80 Washington Street, Suite 301, Poughkeepsie, NY 12601 	146 Hartford Road, Manchester, CT 06040	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com 12-D02-U9 13-146 Hartford Road, 7 13-1419 Richland Str
AND THE PROPERTY OF THE PROPER		

Time Date Date Res A O O O O O					4 3
FUSS & ONEILL ENVIROSCIENCE, LLC Durchitume to Deliture CHAIN-OF-CUSTODY RECORD Respect NAME PROPECT NAME PRO		tional Comments:	9.51 21/2/h	The Karley Here Kould Sign	2
SSS & O'NEILL ENVIROSCIENCE, LIC primo a Dalater frimo		rting and Detection Limit Requirements:	Time	A P	Transfer Number
SSS & O'NEILL ENVIROSCIENCE, LIC phinor on Dolling CHAIN-OF-CUSTODY RECORD CHAIN-OF-CUSTODY RECORD O344 CT NAME PROJECT LOCATION Methods steer, chaine it CT 60011 1978 Reducing Steer, Same it CT 60011 1980 Washington Steers, Same i	\	<	\ <u>\</u>	T' (um	
SSS & O'NEILL ENVIROSCIENCE, ILC phine to Definer the Definer the Definer the Definer CHAIN-OF-CUSTODY RECORD CHAIN-OF-CUSTODY RECORD Trum CHAIN-OF-CUSTODY RECORD Analysis Request PROPET NOMINE PROPET LOCATION Analysis Request PROPET Nomine PROPET Nominer PROPET NOMINE	ran per delimana	V		adon Jet 2018	2
SS & O'NEILL ENVIROSCIENCE, LLC 1-50 (1-10 Road, Americane, CT (0040) 1-50 (1-10 Road, Americane, CT (0041) 1-50 (1-10 Road, America	4		<	08°C	18
SS & O'NEILL ENVIROSCIENCE, LLC spliner to Deliver thing to Deliver the Deliver CHAIN-OF-CUSTODY RECORD CHAIN-OF-CUSTODY RECORD PROJECT LOCATION AND PROJECT NAME PROJECT LOCATION AND PROJECT LOCATION AND PROJECT NAME PROJECT LOCATION AND PROJECT NAME PROJECT LOCATION AND PROJECT NAME PROJECT NAME PROJECT LOCATION AND PROJECT NAME AND PROJECT NAME PROJECT NAME PROJECT NAME AND PROJECT NA					17
SSS & O'NEILL ENVIROSCIENCE, ILC phins to Deliver (\$40,250 - wave fault).com 20 CHAIN-OF-CUSTODY RECORD 150 Green Columbia, St. 20 2011 150 1			<	Mustic (c	16
SSS & O'NEILL ENVIROSCIENCE, ILC phines to Deliver phines to Deliver St. Carlos of		<u>e</u>	•	<u></u>	<u>u</u> .
SS & O'NEILL ENVIROSCIENCE, LLC phines to Deliver (she 2460) - www.front. Environ. Manchester, CT 0.0040 (she 2460) - www.front. CT 0.0040 (check of the control of the					Tu-
SSS & O'NEILL ENVIROSCIENCE, LLC phines to Deliver phines to Deliver chication - waveFundDoom DOO 42 2 2 2 2 2 2 2 2	6		<	word floor strellac	133
SS & O'NEILL ENVIROSCIENCE, LLC Thinse to Deliver The So Quary Road, Transbull, CT 06611 To So Reclined Street, Sain To So Reclined Street, Sain II To So Reclined Street, Sain II To So Reclined Street, Sain To So Reclined	<u></u>	description of the control of the co		+	12
SSS & O'NEILL ENVIROSCIENCE, LIC phines to Deliver phines to Deliver 120242 1319 Redund Road, Manchester, CT 06040 125 Promenade Street, Suil 130 Reducid Road, Manchester, CT 06011 1319 Redund Road, Transbull, CT 06011 1319 Redunds, SC 202011 1319 Redunds, SC 202011 130 Washington Street, Suil 131 Reducid Road, Transbull, CT 06011 1319 Redunds, SC 202011 1320 Promenade Street, Suil 1320 Promenad	A THE RESIDENCE OF THE PROPERTY OF THE PROPERT	5	5m.	IN-101601 0, -0,51 X	F
15S & O'NEILL ENVIROSCIENCE, LLC 15 Quarry Road, Transbull, CT 06040 15 Quarry Road, Transbull, CT 06011 15 Quarry Road, Transbull, CT 06011 166:260 · wave Fand Oxom 17 D 72 42 18 Washington Street, Suite 16 19 Rectand Street, Calumbia, SC 29201 18 Washington Street, Suite 16 19 Rectand Street, Suite 16 19 Rectand Street, Calumbia, SC 29201 18 Washington Street, Suite 16 19 PROJECT LOCKTION 10 PROJECT NUMBER 20 Date: 4-6-12 20 PROJECT NUMBER 20 Date: 4-6-12 20 PROJECT NUMBER 20 Date: 4-6-12 20 PROJECT Number Schulard (S. S. S	Water VOA Class Ambe	Class Soil C	Time Sampled	Sample Number Source Code	
SS & O'NEILL ENVIROSCIENCE, LLC D46 Hantford Road, Manchester, CT 06040 D50 Redifield Street, Suite 10 S6 Quarry Road, Trambull, CT 06611 D50 Quarry Road, Trambull, CT 06611 D	Vial / JAs		0 C 56 * Vo	His surface / Bulk	X=Other _
& O'NEILL ENVIROSCIENCE, LLC St. to Deliver St. to Deliver 120242 125 Promenade Street, Suite 10 120 Neadhird Street, Columbia, SC 29201 1275 Promenade Street, Suite 10 1275 Promenade Street,	is	"Manol sice"		Well PW=Potable Water S=Soil T=Treatment Facility B=Sediment	Source Co MW=Moni SW=Surfac
FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 640-2469 · www.lfandO.com 2 D D 2 42 2 275 Promenate Street, Suite 10 275 Promenate Street,	Na(SO)2 111/250, 111/250, 10001	80	Account of the second of the s	Will Mill Date:	Sampler's
USS & O'NEILL ENVIROSCIENCE, LLC isciplines to Deliver 1200242				5.:	P.O. No.
PROJECT NAME PROJECT LOCATION PROJECT LOCATION PROJECT LOCATION PROJECT NAME PROJECT LOCATION PROJECT LOCATION PROJECT LOCATION PROJECT NAME	Containers		Analysis . Request	70	INVOICE
2'NEILL ENVIROSCIENCE, LLC 246 Hartford Road, Manchester, CT 06040 56 Quarry Road, Trumbull, CT 06611 1419 Richland Street, Columbia, SC 29201 1419 Richland Street, Columbia, SC 29201 1419 Richland Street, Columbia, SC 29201 151 Columbia 152	LABORATORY	9	en, CT	DIAH H.S., PROJECT L	
ENVIROSCIENCE, LLC D446 Hartford Road, Manchester, CT 06040 D56 Quarty Road, Trumbull, CT 06611 D1419 Richland Street, Columbia, SC 29201 D78 Interstate Drive, West Springfield, MA 01089	days) *Surcharge Appli			CHAIN-OF-COSTODY RECO	PROPOSITA ANNO AND THE THE RESIDENCE OF THE PROPOSITION OF THE PROPOSI
ENVIROSCIENCE, LLC D 56 Quarry Road, Trumbull, CT 06040 12078 Interstate Drive, West Springfield, MA 01089	Tumaround			CUAIN OF CHETON, DECO	
	ield Street, Suite 100, Boston, MA 02122 menade Street, Suite 350, Providence, RI 02908 hington Street, Suite 301, Poughkeepsic, NY 1260	000	D46 Hartford R D 56 Quarry Roac D 1419 Richland 8 D 78 Interstate D	ENVIRO	

Transfer Number Relinquished By Date Time Number 1 Mark Mark Accepted By Date Time 1 Mark Rocart 4/6/12 9:55	PW=Potable Water S=Soil W=Waste T=Treatment Facility B=Sediment A=Air Source Sample Number OHOLEMAN - Shulle H-L DA black for balance Shulle H-L 118 Conder Hamber Hall Bulle H-L 119 Flashing purposed watch Bulle H-L 119 Flashing purposed watch Bulle H-L 110 Flashing purposed watch Bulle H-L 1110 Flashing purposed watch Bulle H-L 11110 Flashing purposed watch Bulle H		FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com 12 DO2 42 CHAIN-OF-CUSTODY RECORD 13 A F.
Additional Comments: Sample #13 releasent to 01065 MM-19P Ale Subjunted for additional Cheany 50 RL 15 L 19PM	Soil VOA Vial Soil VOA Vial Intelligence Consession Soil Container Soil Container Consession Soil Container Container Soil Container	PROJECT NUMBER 2011 A 1 E 2011 A 2 A 1 E	ford Road, Manchester, CT 06040

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com







CLIENT NAME:	FUSS &	O'rell	RECEIVED BY:	SD DA	TE: 4/9/12
2) Does the chai		relinquished and sign	gned?	(es) No No	CoC Included
	ot, explain:			(es No	
4) How were the	samples receiv	ed:			
On Ice	Direct from S	Sampling	Ambient	In Cooler(s)	
Were the sample	s received in Te	emperature Compli	ance of (2-6°C)?	(Yes) No N/	Δ
Temperature °C b			Temperature °C b	by Temp gun 5.	3
5) Are there Diss	olved samples	for the lab to filter?		Yes (No)	
		Date		163 (10)	
		T HOLDING TIME s		Yes No	
		Date		res (ND)	
7) Location where	samples are store	ed:	Permi (Walk	ission to subcontract -in clients only) if not Signature:	1
8) Do all samples	have the prope	er Acid pH: Yes 1	Vo (NTA)		
9) Do all samples	have the prope	r Base pH: Yes	No NA	The same of the sa	
	C	ontainers re	ceived at Co	n-Test	
				711 1000	
1 Liter A	Amber	# of containers			# of containers
500 mL /	**************************************		1 1	amber/clear jar	
250 mL Amber	(8oz amber)			imber/clear)ar imber/clear jar	129
1 Liter F	Plastic			r Cassette	
500 mL F	Plastic			opcalite Tube	
250 mL _J			1 1	c Bag / Ziploc	
40 mL Vial - type				2.5 / PM 10	
Colisure / bac		***************************************	PU	F Cartridge	
Dissolved Oxy				SOC Kit	
Enco Flashpoin				-17 Tubes	
Perchlora				Test Container	
Othe			- Oth	er glass jar	
aboratory Comme				Other	
40 mL vials:	# HCI	# Meti	hanol	Time a	and Date Frozen;
oc# 277	# Bisulfate		٠.		
	•••	# DI W			
lev. 2 Sept 2011	# Thiosulfate _	Unpre	serve <u>d</u>		Page 42 of 42



Appendix C

Laboratory Analysis and Chain of Custody – Adjacent Soil Sample Analysis



March 15, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt HS Meriden CT

Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12C0199

ly L. Folsom

Enclosed are results of analyses for samples received by the laboratory on March 8, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Holly L. Folsom Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield REPORT DATE: 3/15/2012

PURCHASE ORDER NUMBER: 20111127.A1E

PROJECT NUMBER 20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 12C0199

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Platt HS Meriden CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0307EMM-01A 0-4	12C0199-01	Soil	Atea 1	SM 2540G	
				SW-846 8082A	
0307EMM-02A 0-4	12C0199-03	Soil	Area 1	SM 2540G	
				SW-846 8082A	
0307EMM-03A 0-4	12C0199-05	Soil	Area 2	SM 2540G	
				SW-846 8082A	
0307EMM-04A 0-4	12C0199-07	Soil	Area 2	SM 2540G	
				SW-846 8082A	
0307EMM-05A 0-4	12C0199-09	Soil	Area 3	SM 2540G	
				SW-846 8082A	
0307EMM-06A 0-4	12C0199-11	Soil	Area 3	SM 2540G	
				SW-846 8082A	
0307EMM-07A 0-4	12C0199-13	Soil	Area 3	SM 2540G	
				SW-846 8082A	
0307EMM-08A 0-4	12C0199-15	Soil	Area 4	SM 2540G	
				SW-846 8082A	
0307EMM-09A 0-4	12C0199-17	Soil	Area 4	SM 2540G	
				SW-846 8082A	
0307EMM-10A 0-4	12C0199-19	Soil	Area 4	SM 2540G	
				SW-846 8082A	
0307EMM-11A 0-4	12C0199-21	Soil	Area 4	SM 2540G	
				SW-846 8082A	
0307EMM-12A 0-4	12C0199-23	Soil	Area 4	SM 2540G	
				SW-846 8082A	
0307EMM-13A 0-4	12C0199-25	Soil	Area 5	SM 2540G	
				SW-846 8082A	
0307EMM-14A 0-4	12C0199-27	Soil	Area 5	SM 2540G	
				SW-846 8082A	
0307EMM-15A 0-4	12C0199-29	Soil	Area 5	SM 2540G	
				SW-846 8082A	
0307EMM-16A 0-4	12C0199-31	Soil	Area 6	SM 2540G	
				SW-846 8082A	
0307EMM-17A 0-4	12C0199-33	Soil	Area 7	SM 2540G	
				SW-846 8082A	
0307EMM-18A 0-4	12C0199-35	Soil	Area 7	SM 2540G	
				SW-846 8082A	
0307EMM-19A 0-4	12C0199-37	Soil	Area 7	SM 2540G	
			2,700	SW-846 8082A	
0307EMM-20A 0-4	12C0199-39	Soil	Area 7	SM 2540G	
				SW-846 8082A	



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road

Manchester, CT 06040 ATTN: Karron Redfield

PURCHASE ORDER NUMBER: 20111127.A1E

PROJECT NUMBER: 20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

12C0199

REPORT DATE: 3/15/2012

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Platt HS Meriden CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB	
0307EMM-21A 0-4	12C0199-41	Soil	Area 7	SM 2540G		
				SW-846 8082A		
0307EMM-22	12C0199-43	Caulk	Interior CMU Exp. Jt Caulk: 1968	SW-846 8082A		
0307EMM-23	12C0199-44	Caulk	Skylight glaze Cmd 1956	SW-846 8082A		
0307EMM-24	12C0199-45	Caulk	Roof drain flashing 1956	SW-846 8082A		
0307EMM-25	12C0199-46	Caulk	Tar & rolled sheet roof 1956	SW-846 8082A		
0307EMM-26	12C0199-47	Product/Solid	Vent Flashing 1956	SW-846 8082A		
0307EMM-27	12C0199-48	Product/Solid	Vent flashing 1968	SW-846 8082A		



CASE NARRATIVE SUMMARY

All	reported results are	within defined laboratory	quality	control	objectives unless	listed t	below or	otherwise qualified in	n this report.
-----	----------------------	---------------------------	---------	---------	-------------------	----------	----------	------------------------	----------------

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Daren J. Damboragian Laboratory Manager



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-01A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-01

Sample Description: Area 1

Sample Matrix: Soil									
		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5.		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 21:49	MJC
Surrogates		% Recovery	Recovery Limits	2	Flag				
Decachlorobiphenyl [1]		104	30-150					3/10/12 21:49	
Decachlorobiphenyl [2]		90.1	30-150					3/10/12 21:49	
Tetrachloro-m-xylene [1]		95.1	30-150					3/10/12 21:49	
Tetrachloro-m-xylene [2]		91.0	30-150					3/10/12 21:49	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-01A 0-4

Sample ID: 12C0199-01 Sample Matrix: Soil

Sample Description: Area 1

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		74.5		% Wt	-1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Area 1

Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-02A 0-4

Sample Description:

Sample ID: 12C0199-03

Sample Matrix: Soil

Sampled: 3/7/2012 00:00

		Polychlor	inated Biphenyls wi	th 3540 Soxhi	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1254 [1]	ND	0,13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1260 [1]	ND	0,13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:02	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		95.7	30-150					3/10/12 22:02	
Decachlorobiphenyl [2]		85,1	30-150					3/10/12 22:02	
Tetrachloro-m-xylene [1]		93.4	30-150					3/10/12 22:02	
Tetrachloro-m-xylene [2]		91.2	30-150					3/10/12 22:02	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-02A 0-4

Sample ID: 12C0199-03 Sample Matrix: Soil

Sample Description: Area I

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		79.6		% Wt	1.		SM 2540G	3/12/12	3/12/12 0:06	ESH



Area 2

Project Location: Platt HS Meriden CT

Sample Description:

Date Received: 3/8/2012 Field Sample #: 0307EMM-03A 0-4 Sample ID: 12C0199-05

Sample Matrix: Soil

Sampled: 3/7/2012 00:00

Polychi	orinated	Biphenyl	with 3540	Soxhlet	Extraction	1	

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12:22:15	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:15	MJC
Surrogates		% Recovery	Recovery Limits		Flag				CARCO
Decachlorobiphenyl [1]		86.5	30-150					3/10/12 22:15	
Decachlorobiphenyl [2]		75.5	30-150					3/10/12 22:15	
Tetrachloro-m-xylene [1]		87.7	30-150					3/10/12 22:15	
Tetrachloro-m-xylene [2]		85,6	30-150					3/10/12 22:15	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-03A 0-4

Sample ID: 12C0199-05 Sample Matrix: Soil

Sample Description:

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		75.1		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-04A 0-4

Sample Description: Area 2

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-07 Sample Matrix: Soil

Polychlor	ingted Rinhe	nyle with 3540	Souhlat Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1221 [1]	ND	0,13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:28	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		95.4	30-150					3/10/12 22:28	
Decachlorobiphenyl [2]		83.8	30-150					3/10/12 22:28	
l'etrachloro-m-xylene [1]		92.2	30-150					3/10/12 22:28	
Tetrachloro-m-xylene [2]		89.4	30-150					3/10/12 22:28	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-04A 0-4

Sample ID: 12C0199-07 Sample Matrix: Soil

Sample Description: Area 2

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		76.7	-	% W1	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Area 3

Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-05A 0-4

Sample Description:

Sample ID: 12C0199-09 Sample Matrix: Soil Sampled: 3/7/2012 00:00

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction	

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1221 [1]	ND	0,12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:41	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		101	30-150					3/10/12 22:41	
Decachlorobiphenyl [2]		87,9	30-150					3/10/12 22:41	
Tetrachloro-m-xylene [1]		94.7	30-150					3/10/12 22:41	
Tetrachloro-m-xylene [2]		91.3	30-150					3/10/12 22:41	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-05A 0-4

Sample ID: 12C0199-09 Sample Matrix: Soil

Area 3

Sample Description:

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		80.8		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-06A 0-4

Sample ID: 12C0199-11 Sample Matrix: Soil

Sample Description:

Sampled: 3/7/2012 00:00

Polychloringted	Rinbenyls with	3540 Soyblet	Extraction

Analyte	Results	RL,	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5.		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Aroclor-1268 [1]	ND	0,13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 22:54	MJC
Surrogates		% Recovery	Recovery Limits	0	Flag				_
Decachlorobiphenyl [1]		94.2	30-150					3/10/12 22:54	
Decachlorobiphenyl [2]		82.1	30-150					3/10/12 22:54	
Tetrachloro-m-xylene [1]		90.2	30-150					3/10/12 22:54	
Tetrachloro-m-xylene [2]		87.9	30-150					3/10/12 22:54	



Project Location: Platt HS Meriden CT

Sample Description: Area 3

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-06A 0-4

Sample ID: 12C0199-11

Sampled: 3/7/2012 00:00

Sample Matrix: Soil

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		78.7		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Sample Description: Area 3

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-07A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-13 Sample Matrix: Soil

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.18	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1221 [1]	ND	0.18	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1232 [1]	ND	0.18	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1242 [1]	ND	0.18	mg/Kg dry	5.		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1248 [1]	ND	0.18	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1254 [1]	ND	0.18	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1260 [1]	ND	0.18	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1262 [1]	ND	0.18	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Aroclor-1268 [1]	ND	0.18	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:07	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		95.6	30-150					3/10/12 23:07	
Decachlorobiphenyl [2]		84.2	30-150					3/10/12 23:07	
Tetrachloro-m-xylene [1]		90.0	30-150					3/10/12 23:07	
Tetrachloro-m-xylene [2]		88.5	30-150					3/10/12 23:07	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-07A 0-4

Sample ID: 12C0199-13 Sample Matrix: Soil Sample Description: Area 3

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		56.5		% W1	L		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Sample Description: Area 4

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-08A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-15 Sample Matrix: Soil

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RĹ	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23;20	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:20	MJC
Surrogates		% Recovery	Recovery Limits	ş	Flag				
Decachlorobiphenyl [1]		96.1	30-150					3/10/12 23:20	
Decachlorobiphenyl [2]		87.4	30-150					3/10/12 23:20	
Tetrachloro-m-xylene [1]		93.1	30-150					3/10/12 23:20	
Tetrachloro-m-xylene [2]		91.8	30-150					3/10/12 23:20	



Project Location: Platt HS Meriden CT

Sample Description: Area 4

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-08A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-15 Sample Matrix: Soil

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		78.6		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-09A 0-4

Sample Description: Area 4

Sample ID: 12C0199-17 Sample Matrix: Soil

Sampled: 3/7/2012 00:00

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23;33	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:33	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		98.3	30-150					3/10/12 23:33	
Decachlorobiphenyl [2]		85.8	30-150					3/10/12 23:33	
Tetrachloro-m-xylene [1]		89.3	30-150					3/10/12 23:33	
Tetrachloro-m-xylene [2]		87.7	30-150					3/10/12 23:33	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-09A 0-4

Sample ID: 12C0199-17 Sample Matrix: Soil

Sample Description: Area 4 Work Order: 12C0199

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		78.2		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Sample Description:

Area 4

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-10A 0-4

Sample ID: 12C0199-19

Sampled: 3/7/2012 00:00

Sample Manra, Son	
	Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1248 [1]	ND	0,12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1260 [1]	ND .	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 23:46	MJC
Surrogates		% Recovery	Recovery Limit	S	Flag				-
Decachlorobiphenyl [1]		90.5	30-150					3/10/12 23:46	
Decachlorobiphenyl [2]		81.1	30-150					3/10/12 23:46	
Tetrachloro-m-xylene [1]		88.1	30-150					3/10/12 23:46	
Tetrachloro-m-xylene [2]		86.7	30-150					3/10/12 23:46	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-10A 0-4

Sample ID: 12C0199-19 Sample Matrix: Soil

Sample Description:

Area 4

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		80,2		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Area 4

Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-11A 0-4

Sample Description:

Sample ID: 12C0199-21 Sample Matrix: Soil

Sampled: 3/7/2012 00:00

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23;59	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 23:59	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		106	30-150					3/10/12 23:59	
Decachlorobiphenyl [2]		92,6	30-150					3/10/12 23:59	
Tetrachloro-m-xylene [1]		90.4	30-150					3/10/12 23:59	
Tetrachloro-m-xylene [2]		88.6	30-150					3/10/12 23:59	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-11A 0-4

Sample ID: 12C0199-21 Sample Matrix: Soil

Sample Description: Area 4

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		80.8		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-12A 0-4

Sample Description: Area 4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-23 Sample Matrix: Soil

		Polychlor	inated Biphenyls w	ith 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/11/12 0:12	MJC
Surrogates		% Recovery	Recovery Limit	S	Flag				
Decachlorobiphenyl [1]		102	30-150					3/11/12 0:12	
Decachlorobiphenyl [2]		90,1	30-150					3/11/12 0:12	
Tetrachloro-m-xylene [1]		89.3	30-150					3/11/12 0:12	
Tetrachloro-m-xylene [2]		86.8	30-150					3/11/12 0:12	



Project Location: Platt HS Meriden CT

Sample Description: Area 4

Date Received: 3/8/2012

Field Sample #: 0307EMM-12A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-23 Samole Matrix: Soil

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		80.4		% Wt	11		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Sample Description:

Area 5

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-13A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-25 Sample Matrix: Soil

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/9/12.22:51	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/9/12 22:51	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		108	30-150					3/9/12 22:51	
Decachlorobiphenyl [2]		97.0	30-150					3/9/12 22:51	
Tetrachloro-m-xylene [1]		95.6	30-150					3/9/12 22:51	
Tetrachloro-m-xylene [2]		95.2	30-150					3/9/12 22:51	



Project Location: Platt HS Meriden CT

Sample Description: Area 5

Date Received: 3/8/2012

Field Sample #: 0307EMM-13A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-25 Sample Matrix: Soil

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		79.1		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-14A 0-4

Sample Description: Area 5

Sample ID: 12C0199-27

Sample Matrix: Soil

Sampled: 3/7/2012 00:00

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:03	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		103	30-150					3/9/12 23:03	
Decachlorobiphenyl [2]		92.7	30-150					3/9/12 23:03	
Tetrachloro-m-xylene [1]		92.5	30-150					3/9/12 23:03	
Tetrachloro-m-xylene [2]		92.3	30-150					3/9/12 23:03	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-14A 0-4

Sample ID: 12C0199-27
Sample Matrix: Soil

Sample Description: Area 5

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		78.6		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Area 5

30-150

Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-15A 0-4

Sample Description:

86.2

Sample ID: 12C0199-29 Sample Matrix: Soil

Tetrachloro-m-xylene [2]

Sampled: 3/7/2012 00:00

		Polychlor	inated Biphenyls wit	th 3540 Soxhi	let Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1221 [1]	ND	0,17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1232 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1242 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1248 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1254 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1260 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1262 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Aroclor-1268 [1]	ND	0.17	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:16	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		90.4	30-150					3/9/12 23:16	
Decachlorobiphenyl [2]		82.1	30-150					3/9/12 23:16	
Tetrachloro-m-xylene [1]		86.5	30-150					3/9/12 23:16	

Work Order: 12C0199

3/9/12 23:16



Project Location: Platt HS Meriden CT

Sample Description:

Area 5

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-15A 0-4

Sample ID: 12C0199-29

Sample Matrix: Soil

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		58,6		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Sample ID: 12C0199-31

Sample Matrix: Soil

Sampled: 3/7/2012 00:00 Field Sample #: 0307EMM-16A 0-4

Sample Description:

Polychlorinated	Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1221 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1232 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1242 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1248 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1254 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1260 [1]	ND	0.13	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1262 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Aroclor-1268 [1]	ND	0.13	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:28	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		91.4	30-150					3/9/12 23:28	
Decachlorobiphenyl [2]		82.4	30-150					3/9/12 23:28	
Tetrachloro-m-xylene [1]		84.9	30-150					3/9/12 23:28	
Tetrachloro-m-xylene [2]		84.7	30-150					3/9/12 23:28	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-16A 0-4

Sample ID: 12C0199-31 Sample Matrix: Soil

Sample Description: Area 6

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		76.5		% Wt	1,		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-17A 0-4

Sample Description: Area 7

Sample ID: 12C0199-33

Sampled: 3/7/2012 00:00

Sample Matrix: Soil									
		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1232 [1]	ND	0,12	mg/Kg dry	5 .		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:40	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		98,0	30-150					3/9/12 23:40	
Decachlorobiphenyl [2]		89.2	30-150					3/9/12 23:40	
Tetrachloro-m-xylene [1]		87,6	30-150					3/9/12 23:40	
Tetrachloro-m-xylene [2]		85.9	30-150					3/9/12 23:40	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-17A 0-4

Sample ID: 12C0199-33 Sample Matrix: Soil

Sample Description: Area 7

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		79.7		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-18A 0-4

Sample ID: 12C0199-35

Sample Matrix: Soil

Sample Description:

Sampled: 3/7/2012 00:00

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	-5		SW-846 8082A	3/8/12	3/9/12 23:53	MJC
Surrogates		% Recovery	Recovery Limits	1 -	Flag				_
Decachlorobiphenyl [1]		105	30-150					3/9/12 23:53	
Decachlorobiphenyl [2]		99.8	30-150					3/9/12 23:53	
Tetrachloro-m-xylene [1]		94,5	30-150					3/9/12 23:53	
Tetrachloro-m-xylene [2]		92.1	30-150					3/9/12 23:53	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Sample Matrix: Soil

Field Sample #: 0307EMM-18A 0-4

Sample ID: 12C0199-35

Sample Description: Area 7

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		80.6		% W1	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-19A 0-4

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-37 Sample Matrix: Soil

Sample Description: Area 7

		Polychlor	inated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1260 [1]	ND	0,12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	.5		SW-846 8082A	3/8/12	3/10/12 0:05	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0,05	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		101	30-150					3/10/12 0:05	
Decachlorobiphenyl [2]		106	30-150					3/10/12 0:05	
Tetrachloro-m-xylene [1]		90.1	30-150					3/10/12 0:05	
Tetrachloro-m-xylene [2]		87.0	30-150					3/10/12 0:05	



Project Location: Plan HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-19A 0-4

Sample ID: 12C0199-37 Sample Matrix: Soil most bearingmost in the F

Sample Description: Area 7

Sampled: 3/7/2012 00:00

		Conv	entional Chemi	stry Parameters b	y EPA/APHA/S	W-846 Methods	(Total)			
	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		84.9		% Wt			SM 2540G	3/12/12	3/12/12 0:06	ren



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-20A 0-4

Sample Description: Area 7

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-39 Sample Matrix: Soil

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1242 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:17	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		93.9	30-150					3/10/12 0:17	
Decachlorobiphenyl [2]		93.5	30-150					3/10/12 0:17	
Tetrachloro-m-xylene [1]		86.0	30-150					3/10/12 0:17	
Tetrachloro-m-xylene [2]		83.3	30-150					3/10/12 0:17	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-20A 0-4

Sample ID: 12C0199-39 Sample Matrix: Soil

Sample Description: Area 7

Sampled: 3/7/2012 00:00

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total)

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		81.5		% Wt	1		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Plan HS Meriden CT

Sample Description: Area 7

Work Order: 12C0199

Date Received: 3/8/2012

Field Sample #: 0307EMM-21A 0-4

Sampled: 3/7/2012 00:00

Sample ID:	12C0199-41
Sample Matr	ix: Soil

		Polychlor	inated Biphenyls wit	th 3540 So	xhlet Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1221 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1232 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Atoclor-1242 [1]	ND	0,12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1248 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1254 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1260 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1262 [1]	ND	0.12	mg/Kg dry	5		SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Aroclor-1268 [1]	ND	0.12	mg/Kg dry	5	-	SW-846 8082A	3/8/12	3/10/12 0:30	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		71.1	30-150					3/10/12 0:30	
Decachlorobiphenyl [2]		65,5	30-150					3/10/12 0:30	
Tetrachloro-m-xylene [1]		65.8	30-150					3/10/12 0:30	
Tetrachloro-m-xylene [2]		65.7	30-150					3/10/12 0:30	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Field Sample #: 0307EMM-21A 0-4

Samule ID: 12C0199-41 Sample Matrix: Soil

Sample Description: Area 7

Sampled: 3/7/2012 00:00

Conventional Chemistry	Parameters by	EPA/APHA/SW-846	Methods (Total)
------------------------	---------------	-----------------	-----------------

	Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
% Solids		85.5		% Wt	1.		SM 2540G	3/12/12	3/12/12 0:06	ESH



Project Location: Platt HS Meriden CT

Sample Description:

92.2

Interior CMU Exp. Jt Caulk 1968

Work Order: 12C0199

3/13/12 1:30

Date Received: 3/8/2012 Field Sample #: 0307EMM-22

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-43 Sample Matrix: Caulk

Tetrachloro-m-xylene [2]

Sample Matrix: Caulk									
		Polychlori	nated Biphenyls wit	h 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12. 1:30	PJG
Aroclor-1221 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1232 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1242 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1248 [1]	16	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1254 [2]	5.7	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1260 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1262 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Aroclor-1268 [1]	ND	0,97	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:30	PJG
Surrogates		% Recovery	Recovery Limits	2	Flag				
Decachlorobiphenyl [1]		104	30-150					3/13/12 1:30	
Decachlorobiphenyl [2]		94.9	30-150					3/13/12 1:30	
Tetrachloro-m-xylene [1]		95.8	30-150					3/13/12 1:30	

30-150



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Sample Description: Skylight glaze Cmd 1956

Work Order: 12C0199

3/13/12 1:56

Field Sample #: 0307EMM-23 Sample 1D: 12C0199-44

Sample Matrix: Caulk

Tetrachloro-m-xylene [2]

Sampled: 3/7/2012 00:00

67.4

		Polychlor	inated Biphenyls wit	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1221 [1]	ND	0,98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1232 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1242 [1]	ND	0,98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1248 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1254 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1260 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1262 [1]	ND	0,98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Aroclor-1268 [1]	ND	0.98	mg/Kg	5		SW-846 8082A	3/8/12	3/13/12 1:56	PJG
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		97.2	30-150					3/13/12 1:56	
Decachlorobiphenyl [2]		84.4	30-150					3/13/12 1:56	
Tetrachloro-m-xylene [1]		70.2	30-150					3/13/12 1:56	

30-150



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012 Field Sample #: 0307EMM-24 Sample Description: Roof drain flashing 1956

Sampled: 3/7/2012 00:00

Samole ID: 12C0199-45 Samole Matrix: Caulk

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1221 [1]	ND	0,97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1232 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1242 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1248 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1254 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1260 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1262 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Aroclor-1268 [1]	ND	0.97	mg/Kg	5		SW-846 8082A	3/9/12	3/13/12 16:06	MJC
Surrogates		% Recovery	Recovery Limits	s	Flag				_
Decachlorobiphenyl [1]		90,2	30-150					3/13/12 16:06	
Decachlorobiphenyl [2]		84,0	30-150					3/13/12 16:06	
Tetrachloro-m-xylene [1]		80.1	30-150					3/13/12 16:06	
Tetrachloro-m-xylene [2]		81.9	30-150					3/13/12 16:06	



Sample Description:

Sampled: 3/7/2012 00:00

Date Received: 3/8/2012 Field Sample #: 0307EMM-25

Project Location: Platt HS Meriden CT

Tar & rolled sheet roof 1956

Work Order: 12C0199

Sample ID: 12C0199-46 Samole Matrix: Caulk

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	ЛМВ
Aroclor-1221 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1232 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1242 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1248 [1]	ND	0,96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1254 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1260 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1262 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Aroclor-1268 [1]	ND	0.96	mg/Kg	5		SW-846 8082A	3/9/12	3/14/12 19:22	JMB
Surrogates		% Recovery	Recovery Limits		Flag				7.000
Decachlorobiphenyl [1]		95.5	30-150					3/14/12 19:22	
Decachlorobiphenyl [2]		90.3	30-150					3/14/12 19:22	
Tetrachloro-m-xylene [1]		92.4	30-150					3/14/12 19:22	
Tetrachloro-m-xylene [2]		103	30-150					3/14/12 19:22	



Project Location: Platt HS Meriden CT

Date Received: 3/8/2012

Sample Description: Vent Flashing 1956

Work Order: 12C0199

Field Sample #: 0307EMM-26

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-47 Sample Matrix: Product/Solid

		Polychlor	inated Biphenyls wi	th 3540 Soxhl	et Extraction				
Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analys
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1248 [2]	0.61	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1254 [2]	0.95	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:26	MJC
Surrogates		% Recovery	Recovery Limits		Flag				
Decachlorobiphenyl [1]		89.2	30-150					3/9/12 21:26	
Decachlorobiphenyl [2]		75.3	30-150					3/9/12 21:26	
Tetrachloro-m-xylene [1]		88.6	30-150					3/9/12 21:26	
Tetrachloro-m-xylene [2]		86.0	30-150					3/9/12 21:26	



Project Location: Platt HS Meriden CT

Sample Description:

Vent flashing 1968

Work Order: 12C0199

Date Received: 3/8/2012 Field Sample #: 0307EMM-27

Sampled: 3/7/2012 00:00

Sample ID: 12C0199-48
Sample Matrix: Product/Solid

Polychlorinated Big	phenyls with 3	3540 Soxhlet	Extraction
---------------------	----------------	--------------	------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1221 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1232 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1242 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1248 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1254 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1260 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1262 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Aroclor-1268 [1]	ND	0.50	mg/Kg	5		SW-846 8082A	3/8/12	3/9/12 21:39	MJC
Surrogates		% Recovery	Recovery Limits		Flag				_
Decachlorobiphenyl [1]		90.2	30-150					3/9/12 21:39	_
Decachlorobiphenyl [2]		75.5	30-150					3/9/12 21:39	
Tetrachloro-m-xylene [1]		81.8	30-150					3/9/12 21:39	
Tetrachloro-m-xylene [2]		82.1	30-150					3/9/12 21:39	



Sample Extraction Data

Prep Method: % Solids-SM 2540G

Lab Number [Field ID]	Batch	Date
12C0199-01 [0307EMM-01A 0-4]	B047633	03/12/12
12C0199-03 [0307EMM-02A 0-4]	B047633	03/12/12
12C0199-05 [0307EMM-03A 0-4]	B047633	03/12/12
12C0199-07 [0307EMM-04A 0-4]	B047633	03/12/12
12C0199-09 [0307EMM-05A 0-4]	B047633	03/12/12
12C0199-11 [0307EMM-06A 0-4]	B047633	03/12/12
12C0199-13 [0307EMM-07A 0-4]	B047633	03/12/12
12C0199-15 [0307EMM-08A 0-4]	B047633	03/12/12
12C0199-17 [0307EMM-09A 0-4]	B047633	03/12/12
12C0199-19 [0307EMM-10A 0-4]	B047633	03/12/12
12C0199-21 [0307EMM-11A 0-4]	B047633	03/12/12
12C0199-23 [0307EMM-12A 0-4]	B047633	03/12/12
12C0199-25 [0307EMM-13A 0-4]	B047633	03/12/12
12C0199-27 [0307EMM-14A 0-4]	B047633	03/12/12
12C0199-29 [0307EMM-15A 0-4]	B047633	• 03/12/12
12C0199-31 [0307EMM-16A 0-4]	B047633	03/12/12
2C0199-33 [0307EMM-17A 0-4]	B047633	03/12/12
2C0199-35 [0307EMM-18A 0-4]	B047633	03/12/12
2C0199-37 [0307EMM-19A 0-4]	B047633	03/12/12
2C0199-39 [0307EMM-20A 0-4]	B047633	03/12/12
12C0199-41 [0307EMM-21A 0-4]	B047633	03/12/12

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-43 [0307EMM-22]	B047580	0.518	10.0	03/08/12	
12C0199-44 [0307EMM-23]	B047580	0.510	10.0	03/08/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-45 [0307EMM-24]	B047648	0.517	10,0	03/09/12	
12C0199-46 [0307EMM-25]	B047648	0.522	10,0	03/09/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-47 [0307EMM-26]	B047573	2.00	10.0	03/08/12	
12C0199-48 [0307EMM-27]	 B047573	2.00	10.0	03/08/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-25 [0307EMM-13A 0-4]	B047571	10.0	10.0	03/08/12	
12C0199-27 [0307EMM-14A 0-4]	B047571	10.1	10.0	03/08/12	
12C0199-29 [0307EMM-15A 0-4]	B047571	10.0	10.0	03/08/12	
12C0199-31 [0307EMM-16A 0-4]	B047571	10.0	10,0	03/08/12	
12C0199-33 [0307EMM-17A 0-4]	B047571	10.1	10.0	03/08/12	
12C0199-35 [0307EMM-18A 0-4]	B047571	10.0	10.0	03/08/12	
12C0199-37 [0307EMM-19A 0-4]	B047571	10.1	10.0	03/08/12	



Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-39 [0307EMM-20A 0-4]	B047571	10.0	10,0	03/08/12	
12C0199-41 [0307EMM-21A 0-4]	B047571	10.0	10.0	03/08/12	

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date	
12C0199-01 [0307EMM-01A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-03 [0307EMM-02A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-05 [0307EMM-03A 0-4]	B047581	10.1	10.0	03/08/12	
12C0199-07 [0307EMM-04A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-09 [0307EMM-05A 0-4]	B047581	10.2	10.0	03/08/12	
12C0199-11 [0307EMM-06A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-13 [0307EMM-07A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-15 [0307EMM-08A 0-4]	B047581	10.1	10.0	03/08/12	
12C0199-17 [0307EMM-09A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-19 [0307EMM-10A 0-4]	B047581	10.2	10.0	03/08/12	
12C0199-21 [0307EMM-11A 0-4]	B047581	10.0	10.0	03/08/12	
12C0199-23 [0307EMM-12A 0-4]	B047581	10.0	10.0	03/08/12	



8-20		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch B047571 - SW-846 3540C										
Blank (B047571-BLK1)				Prepared: 03	/08/12 Anal	yzed: 03/09/	12			
Aroclor-1016	ND	0.10	mg/Kg wet							
Aroclor-1016 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1221	ND	0.10	mg/Kg wet							
Aroclor-1221 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1232	ND	0.10	mg/Kg wet							
Aroclor-1232 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1242	ND	0.10	mg/Kg wet							
Aroclor-1242 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1248	ND	0.10	mg/Kg wet							
Aroclor-1248 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1254	ND	0.10	mg/Kg wet							
Aroclor-1254 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1260	ND	0.10	mg/Kg wet							
Aroclor-1260 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1262	ND	0.10	mg/Kg wet							
Aroclor-1262 [2C]	ND	0.10	mg/Kg wet							
Aroclor-1268	ND	0.10	mg/Kg wet							
Aroclor-1268 [2C]	ND	0.10	mg/Kg wet							
Surrogate: Decachlorobiphenyl	0.216		mg/Kg wet	0.200		108	30-150			
urrogate: Decachlorobiphenyl [2C]	0.193		mg/Kg wet	0.200		96.5	30-150			
urrogate: Tetrachloro-m-xylene	0.187		mg/Kg wet	0.200		93.4	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0.187		mg/Kg wet	0.200		93.5	30-150			
CS (B047571-BS1)			I	repared: 03/	08/12 Analy	zed: 03/09/1	2			
aroclor-1016	0.20	0.10	mg/Kg wet	0.200		102	40-140			
roclor-1016 [2C]	0.21	0.10	mg/Kg wet	0.200		105	40-140			
roclor-1260	0.20	0.10	mg/Kg wet	0,200		99.7	40-140			
roclor-1260 [2C]	0.21	0.10	mg/Kg wet	0.200		107	40-140			
urrogate: Decachlorobiphenyl	0.225		mg/Kg wet	0.200		112	30-150			
urrogate: Decachlorobiphenyl [2C]	0.200		mg/Kg wet	0.200		100	30-150			
urrogate: Tetrachloro-m-xylene	0.193		mg/Kg wet	0.200		96.7	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0.194		mg/Kg wet	0.200		97.0	30-150			
CS Dup (B047571-BSD1)			р	repared: 03/0	08/12 Analy:	zed: 03/09/11	,			
roclor-1016	0.20	0.10	mg/Kg wet	0.200	, Jan / Garage	102	40-140	0.149	30	
roclor-1016 [2C]	0.20	0.10	mg/Kg wet	0,200		104	40-140	0.977	30	
roclor-1260	0.20	0.10	mg/Kg wet	0,200		99.4	40-140			
roclor-1260 [2C]	0.21	0.10	mg/Kg wet	0.200		106	40-140	0.289	30 30	
urrogate: Decachlorobiphenyl	0.218		mg/Kg wet	0.200			- 4	0,040	30	
rrogate: Decachlorobiphenyl [2C]	0.195					109	30-150			
urrogate: Decacniorooipnenyi [2C]	0.186		mg/Kg wet	0.200		97,3	30-150			
irrogate: Tetrachloro-m-xylene [2C]	0.186		mg/Kg wet mg/Kg wet	0.200		93.0 93.1	30-150 30-150			



Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B047571 - SW-846 3540C										
Matrix Spike (B047571-MS1)	Sou	rce: 12C0199)-25	Prepared: 03	/08/12 Analy	zed: 03/10/	12			
Aroclor-1016	0,27	0.13	mg/Kg dry	0.253	0.0	105	40-140			
Aroclor-1016 [2C]	0.27	0.13	mg/Kg dry	0,253	0.0	106	40-140			
Aroclor-1260	0.27	0.13	mg/Kg dry	0.253	0.0	105	40-140			
Aroclor-1260 [2C]	0.29	0.13	mg/Kg dry	0,253	0.0	113	40-140			
Surrogate: Decachlorobiphenyl	0.260		mg/Kg dry	0.253		103	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.234		mg/Kg dry	0.253		92.7	30-150			
Surrogate: Tetrachloro-m-xylene	0.239		mg/Kg dry	0.253		94.4	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.237		mg/Kg dry	0.253		93.8	30-150			
Matrix Spike Dup (B047571-MSD1)	Sour	rce: 12C0199	-25	Prepared: 03	/08/12 Analyz	red: 03/10/1	12			
Aroclor-1016	0,27	0.13	mg/Kg dry	0.253	0.0	106	40-140	1.25	50	
Aroclor-1016 [2C]	0.27	0.13	mg/Kg dry	0.253	0.0	106	40-140	0.00472	50	
Aroclor-1260	0.28	0.13	mg/Kg dry	0.253	0.0	111	40-140	5.02	50	
Aroclor-1260 [2C]	0.30	0.13	mg/Kg dry	0.253	0.0	119	40-140	4.99	50	
Surrogate: Decachlorobiphenyl	0.279		mg/Kg dry	0.253		110	30-150			
urrogate: Decachlorobiphenyl [2C]	0.251		mg/Kg dry	0.253		99,3	30-150			
Surrogate: Tetrachloro-m-xylene	0.247		mg/Kg dry	0.253		97.8	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0,245		mg/Kg dry	0.253		96.8	30-150			
Batch B047573 - SW-846 3540C										
Blank (B047573-BLK1)				Prepared: 03/	08/12 Analyz	ed: 03/09/1	2			
aroclor-1016	ND	0.10	mg/Kg		7,710	,				
roclor-1016 [2C]	ND	0.10	mg/Kg							
roclor-1221	ND	0.10	mg/Kg							
roclor-1221 [2C]	ND	0.10	mg/Kg							
roclor-1232	ND	0.10	mg/Kg							
roclor-1232 [2C]	ND	0.10	mg/Kg							
roclor-1242	ND	0.10	mg/Kg							
roclor-1242 [2C]	ND	0.10	mg/Kg							
	LALL		-							
	ND		mg/Kg							
roclor-1248	ND ND	0.10	mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C]	ND	0.10 0.10	mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254	ND ND	0.10 0.10 0.10	mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C]	ND ND ND	0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260	ND ND ND ND	0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C]	ND ND ND ND	0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262	ND ND ND ND ND	0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262 roclor-1262	ND ND ND ND ND	0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262 roclor-1262 [2C]	ND ND ND ND ND ND	0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg							
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262 roclor-1262 [2C] roclor-1268 roclor-1268 [2C]	ND N	0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	1.00		88.4	30-150			
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262 roclor-1262 [2C] roclor-1268 roclor-1268 [2C] rrogate: Decachlorobiphenyl	ND N	0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	1.00		88.4 77.3	30-150 30-150			
roclor-1248 roclor-1248 [2C] roclor-1254 roclor-1254 [2C] roclor-1260 roclor-1260 [2C] roclor-1262 roclor-1262 [2C] roclor-1268 roclor-1268 [2C] urrogate: Decachlorobiphenyl urrogate: Decachloro-m-xylene:	ND N	0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	1.00 1.00 1.00		88.4 77.3 84.8	30-150 30-150 30-150			



Analyte	Result	Reporting Limit	Units	Spike	Source	N/DCC	%REC	DDD	RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch B047573 - SW-846 3540C										
LCS (B047573-BS1)				Prepared: 03	/08/12 Analy	yzed: 03/09/	12			
Aroclor-1016	0.23	0.10	mg/Kg	0.250		91.5	40-140			
Aroclor-1016 [2C]	0.24	0.10	mg/Kg	0.250		95,9	40-140			
Aroclor-1260	0.26	0.10	mg/Kg	0.250		104	40-140			
Aroclor-1260 [2C]	0.23	0.10	mg/Kg	0.250		90.5	40-140			
Surrogate: Decachlorobiphenyl	0.916		mg/Kg	1.00		91.6	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.783		mg/Kg	1,00		78.3	30-150			
Surrogate: Tetrachloro-m-xylene	0.861		mg/Kg	1.00		86.1	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.850		mg/Kg	1:00		85.0	30-150			
.CS Dup (B047573-BSD1)				Prepared: 03	/08/12 Analy	zed: 03/09/	12			
Aroclor-1016	0.23	0.10	mg/Kg	0.250		90.3	40-140	1.30	30	
Aroclor-1016 [2C]	0.24	0.10	mg/Kg	0.250		96.6	40-140	0.788	30	
Aroclor-1260	0,26	0.10	mg/Kg	0.250		104	40-140	0.355	30	
Aroclor-1260 [2C]	0.23	0.10	mg/Kg	0.250		90.2	40-140	0.350	.30	
Surrogate: Decachlorobiphenyl	0.932		mg/Kg	1.00		93.2	30-150			
surrogate: Decachlorobiphenyl [2C]	0.796		mg/Kg	1.00		79.6	30-150			
Surrogate: Tetrachloro-m-xylene	0.863		mg/Kg	1.00		86.3	30-150			
surrogate: Tetrachloro-m-xylene [2C]	0.851		mg/Kg	1.00		85.1	30-150			
Batch B047580 - SW-846 3540C										
Blank (B047580-BLK1)				Prepared: 03/	08/12 Analy	zed: 03/12/1	2			
troclor-1016	ND	0.20	mg/Kg							
roclor-1016 [2C]	ND	0.20	mg/Kg							
croclor-1221	ND	0,20	mg/Kg							
roclor-1221 [2C]	ND	0.20	mg/Kg							
aroclor-1232	ND	0.20	mg/Kg							
roclor-1232 [2C]	ND	0.20	mg/Kg							
roclor-1242	ND	0.20	mg/Kg							
roclor-1242 [2C]	ND	0.20	mg/Kg							
roclor-1248	ND	0.20	mg/Kg							
roclor-1248 [2C]	ND	0.20	mg/Kg							
roclor-1254	ND	0.20	mg/Kg							
roclor-1254 [2C]	ND	0.20	mg/Kg							
roclor-1260	ND	0.20	mg/Kg							
roclor-1260 [2C]	ND	0,20	mg/Kg							
roclor-1262	ND	0.20	mg/Kg							
roclor-1262 [2C]	ND	0.20	mg/Kg							
roclor-1268	ND	0.20	mg/Kg							
roclor-1268 [2C]	ND	0.20	mg/Kg							
rrogate: Decachlorobiphenyl	3.91		mg/Kg	4.00		97.7	30-150			
arrogate: Decachlorobiphenyl [2C]	3.43		mg/Kg	4.00		85.7	30-150			
irrogate: Tetrachloro-m-xylene	3.54		mg/Kg	4.00		88.5	30-150			
irrogate. Tetracinoro-in-xyrene										



Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B047580 - SW-846 3540C										
LCS (B047580-BS1)				Prepared: 03	/08/12 Anal	yzed: 03/12/	12			
Aroclor-1016	4.0	0,20	mg/Kg	4.00		99,4	40-140			
Aroclor-1016 [2C]	3,5	0.20	mg/Kg	4.00		87.1	40-140			
Aroclor-1260	4.0	0.20	mg/Kg	4.00		101	40-140			
Aroclor-1260 [2C]	3.4	0.20	mg/Kg	4.00		86.1	40-140			
Surrogate: Decachlorobiphenyl	4.08		mg/Kg	4.00		102	30-150			
Surrogate: Decachlorobiphenyl [2C]	3,58		mg/Kg	4.00		89.4	30-150			
Surrogate: Tetrachloro-m-xylene	3.66		mg/Kg	4.00		91.5	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	3.58		mg/Kg	4.00		89.5	30-150			
CS Dup (B047580-BSD1)				Prepared: 03	/08/12 Analy	zed: 03/12/	12			
Aroclor-1016	3.7	0.20	mg/Kg	4.00	N. 19 11103	93.3	40-140	6.27	30	
Aroclor-1016 [2C]	3.5	0.20	mg/Kg	4.00		86.4	40-140	0.789	30	
Aroclor-1260	4.0	0.20	mg/Kg	4.00		100	40-140	0.643	30	
Aroclor-1260 [2C]	3.4	0.20	mg/Kg	4.00		85.4	40-140	0.825	30	
urrogate: Decachlorobiphenyl	3.92	_	mg/Kg	4.00		98.1	30-150			
urrogate: Decachlorobiphenyl [2C]	3.44		mg/Kg	4.00		86.0	30-150			
urrogate: Tetrachloro-m-xylene	3.50		mg/Kg	4,00		87.4	30-150			
urrogate: Tetrachloro-m-xylene [2C]	3.42		mg/Kg	4.00		85.5	30-150			
Batch B047581 - SW-846 3540C										
Slank (B047581-BLK1)				Prepared: 03/	08/12 Analy	zed: 03/10/1	12			
roclor-1016	ND	0.10	mg/Kg wet	r repared, 657	oo iz rumy	200. 05/10/1	-			
roclor-1016 [2C]	ND	0.10	mg/Kg wet							
roclor-1221	ND	0.10	mg/Kg wet							
roclor-1221 [2C]	ND	0.10	mg/Kg wet							
roclor-1232	ND	0.10	mg/Kg wet							
roclor-1232 [2C]	ND	0.10	mg/Kg wet							
roclor-1242	ND	0.10	mg/Kg wet							
roclor-1242 [2C]	ND	0.10	mg/Kg wet							
roclor-1248	ND	0.10	mg/Kg wet							
roclor-1248 [2C]	ND	0.10	mg/Kg wet							
roclor-1254	ND	0.10	mg/Kg wet							
roclor-1254 [2C]	ND	0.10	mg/Kg wet							
roclor-1260		0.10	mg/Kg wet							
roclor-1260 [2C]	ND	0.10	mg/Kg wet							
roclor-1262	ND	0.10	mg/Kg wet							
roclor-1262 [2C]	ND	0.10	mg/Kg wet							
roclor-1268	ND									
	ND ND	0.10	mg/Kg wet mg/Kg wet							
		0.10	THE WAY							
roclor-1268 [2C]			ma/V a wat	0.200		107	20 150			
roclor-1268 [2C] urrogate: Decachlorobiphenyl	0.213		mg/Kg wet	0.200		107	30-150			
roclor-1268 [2C]			mg/Kg wet mg/Kg wet mg/Kg wet	0,200 0,200 0,200		107 93.6 102	30-150 30-150 30-150			



Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B047581 - SW-846 3540C										
LCS (B047581-BS1)				Prepared: 03	3/08/12 Analy	zed: 03/10/	12			
Aroclor-1016	0.21	0.10	mg/Kg wet	0.200		106	40-140			
Areclor-1016 [2C]	0,21	0.10	mg/Kg wet	0.200		107	40-140			
Aroclor-1260	0,24	0.10	mg/Kg wet	0.200		118	40-140			
Aroclor-1260 [2C]	0.20	0.10	mg/Kg wet	0.200		100	40-140			
Surrogate: Decachlorobiphenyl	0.212		mg/Kg wet	0.200		106	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.187		mg/Kg wet	0.200		93.6	30-150			
Surrogate: Tetrachloro-m-xylene	0.199		mg/Kg wet	0.200		99.6	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0.194		mg/Kg wet	0.200		97.1	30-150			
.CS Dup (B047581-BSD1)				Prepared: 03	/08/12 Analy	zed: 03/10/	12			
Aroclor-1016	0,22	0.10	mg/Kg wei	0.200	7.7.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	109	40-140	2.39	30	
roclor-1016 [2C]	0.22	0.10	mg/Kg wet	0.200		112	40-140	4.90	30	
Aroclor-1260	0.24	0.10	mg/Kg wet	0.200		122	40-140	3.01	30	
roclor-1260 [2C]	0.21	0.10	mg/Kg wet	0.200		105	40-140	4.33	30	
urrogate: Decachlorobiphenyl	0.213		mg/Kg wet	0.200						
urrogate: Decachlorobiphenyl [2C]	0.188		mg/Kg wet	0.200		94.2	30-150 30-150			
urrogate: Tetrachloro-m-xylene	0.197		mg/Kg wet	0.200		98.6	30-150			
urrogate: Tetrachloro-m-xylene [2C]	0.192		mg/Kg wet	0.200		96.1	30-150			
		1000			00/12 4					
Iatrix Spike (B047581-MS1) roclor-1016		e: 12C0199			/08/12 Analy					
roclor-1016 [2C]	0.30	0.13	mg/Kg dry	0.268	0.0	113	40-140			
roclor-1260	0.26		mg/Kg dry	0.268	0.0	97.8	40-140			
roclor-1260 [2C]	0.30	0.13	mg/Kg dry mg/Kg dry	0.268	0.0	111	40-140			
	0.27	70.15		0,268	0.0	102	40-140			
urrogate: Decachlorobiphenyl	0.259		mg/Kg dry	0.268		96.5	30-150			
urrogate: Decachlorobiphenyl [2C] urrogate: Tetrachloro-m-xylene	0.217		mg/Kg dry	0.268		80.8	30-150			
urrogate: Tetrachloro-m-xylene urrogate: Tetrachloro-m-xylene [2C]	0.227 0.214		mg/Kg dry mg/Kg dry	0.268		84.5	30-150			
				0,208		79.6	30-150			
latrix Spike Dup (B047581-MSD1)		e: 12C0199			08/12 Analy:		2			
roclor-1016	0,32	0.13	mg/Kg dry	0.268	0.0	118	40-140	4.09	50	
roclor-1016 [2C]	0.27	0.13	mg/Kg dry	0.268	0.0	100	40-140	2.58	50	
roclor-1260	0.33	0.13	mg/Kg dry	0.268	0.0	122	40-140	9.38	50	
roclor-1260 [2C]	0.29	0.13	mg/Kg dry	0.268	0.0	109	40-140	6.63	50	
urrogate: Decachlorobiphenyl	0.308		mg/Kg dry	0,268		115	30-150			
urrogate: Decachlorobiphenyl [2C]	0.246		mg/Kg dry	0.268		91.6	30-150			
irrogate: Tetrachloro-m-xylene	0.253		mg/Kg dry	0.268		94.1	30-150			
rrogate: Tetrachloro-m-xylene [2C]	0.238		mg/Kg dry	0.268		88.8	30-150			
atch B047648 - SW-846 3540C										
ank (B047648-BLK1)				Prepared: 03/0	09/12 Analyz	ed: 03/12/1	2			
roclor-1016	ND	0.20	mg/Kg							
oclor-1016 [2C]	ND	0.20	mg/Kg							
octor-1221	ND	0.20	mg/Kg							
oclor-1221 [2C]	ND	0.20	mg/Kg							
oclor-1232	ND	0.20	mg/Kg							
oclor-1232 [2C]	ND	0.20	mg/Kg							
oclor-1242	ND	0.20	mg/Kg							
oclor-1242 [2C]	ND	0.20	mg/Kg							
oclor-1248	ND	0.20	mg/Kg							
oclor-1248 [2C]	ND	0.20	mg/Kg							
oclor-1254	ND	0.20	mg/Kg							



Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B047648 - SW-846 3540C										
Blank (B047648-BLK1)				Prepared: 03	/09/12 Anal	yzed: 03/12/	12			
Aroclor-1254 [2C]	ND	0.20	mg/Kg							
Aroclor-1260	ND	0.20	mg/Kg							
Aroclor-1260 [2C]	ND	0,20	mg/Kg							
Aroclor-1262	ND	0,20	mg/Kg							
Aroclor-1262 [2C]	ND	0.20	mg/Kg							
Aroclor-1268	ND	0.20	mg/Kg							
Aroclor-1268 [2C]	ND	0.20	mg/Kg							
Surrogate: Decachlorobiphenyl	3.81		mg/Kg	4.00		95.3	30-150			
Surrogate: Decachlorobiphenyl [2C]	3.27		mg/Kg	4.00		81.8	30-150			
Surrogate: Tetrachloro-m-xylene	3.40		mg/Kg	4.00		84.9	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	3.28		mg/Kg	4.00		82.1	30-150			
LCS (B047648-BS1)				Prepared: 03	/09/12 Analy	zed: 03/12/	12			
Aroclor-1016	3,9	0.20	mg/Kg	4,00		97.8	40-140			
Aroclor-1016 [2C]	3,3	0.20	mg/Kg	4.00		83.3	40-140			
Aroclor-1260	3.8	0.20	mg/Kg	4.00		96,2	40-140			
Aroclor-1260 [2C]	3.2	0.20	mg/Kg	4.00		81.1	40-140			
Surrogate: Decachlorobiphenyl	4.10		mg/Kg	4.00		102	30-150			
Surrogate: Decachlorobiphenyl [2C]	3.49		mg/Kg	4.00		87.3	30-150			
Surrogate: Tetrachloro-m-xylene	3,61		mg/Kg	4.00		90.3	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	3.48		mg/Kg	4.00		87.1	30-150			
.CS Dup (B047648-BSD1)				Prepared: 03/	09/12 Analy	zed: 03/12/1	2			
Aroclor-1016	4.1	0.20	mg/Kg	4.00		102	40-140	4.26	30	
Aroclor-1016 [2C]	3.7	0.20	mg/Kg	4.00		92.2	40-140	10,1	30	
Aroclor-1260	4.2	0.20	mg/Kg	4.00		105	40-140	8.59	30	
Aroclor-1260 [2C]	3.6	0.20	mg/Kg	4.00		89.5	40-140	9.79	30	
urrogate: Decachlorobiphenyl	4.19		mg/Kg	4.00		105	30-150			
urrogate: Decachlorobiphenyl [2C]	3.57		mg/Kg	4.00		89.4	30-150			
urrogate: Tetrachloro-m-xylene	3.89		mg/Kg	4.00		97.3	30-150			
urrogate: Tetrachloro-m-xylene [2C]	3.75		mg/Kg	4.00		93,7	30-150			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Conventional Chemistry Parameters by EPA/APHA/SW-846 Methods (Total) - Quality Control

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch B047633 - % Solids										
Duplicate (B047633-DUP1)	Sourc	e: 12C0199-	01	Prepared &	Analyzed: 03	/12/12				
% Solids	77.1		% Wt		74.5			3.43	20	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
- * Wide recovery limits established for difficult compound.
- Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332


CERTIFICATIONS


Certified Analyses included in this Report


Analyte	Certifications	
SW-846 8082A in Product/Solid		
Aroclor-1016	CT,NH,NY,ME,NC	
Aroclor-1016 [2C]	CT,NH,NY,ME,NC	
Aroclor-1221	CT,NH,NY,ME,NC	
Aroclor-1221 [2C]	CT,NH,NY,ME,NC	
Aroclor-1232	CT,NH,NY,ME,NC	
Aroclor-1232 [2C]	CT,NH,NY,ME,NC	
Aroclor-1242	CT,NH,NY,ME,NC	
Aroclor-1242 [2C]	CT,NH,NY,ME,NC	
Aroclor-1248	CT,NH,NY,ME,NC	
Aroclor-1248 [2C]	CT,NH,NY,ME,NC	
Aroclor-1254	CT,NH,NY,ME,NC	
Aroclor-1254 [2C]	CT,NH,NY,ME,NC	
Aroclor-1260	CT,NH,NY,ME,NC	
Aroclor-1260 [2C]	CT,NH,NY,ME,NC	
SW-846 8082A in Soil		
Aroclor-1016	CT,NH,NY,ME,NC	
Aroclor-1016 [2C]	CT,NH,NY,ME,NC	
Aroclor-1221	CT,NH,NY,ME,NC	
Aroclor-1221 [2C]	CT,NHLNY,ME,NC	
Aroclor-1232	CT,NH.NY,ME,NC	
Aroclor-1232 [2C]	CT,NH,NY,ME,NC	
Aroclor-1242	CT,NH,NY,ME,NC	
Aroclor-1242 [2C]	CT,NH,NY,ME,NC	
Aroclor-1248	CT,NH,NY,ME,NC	
Aroclor-1248 [2C]	CT,NH.NY,ME,NC	
Aroclor-1254	CT,NH,NY,ME,NC	
Aroclor-1254 [2C]	CT.NH,NY,ME,NC	
Aroclor-1260	CT,NH,NY,ME,NC	
Aroclor-1260 [2C]	CT,NH,NY,ME,NC	
The CON-TEST Environmental Laboratory	operates under the following certifications and accreditations:	

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires	
AIHA	AIHA-LAP, LLC	100033	02/1/2014	
MA	Massachusetts DEP	M-MA100	06/30/2012	
OT.	Connecticut Department of Publilc Health	PH-0567	09/30/2013	
1A.	New York State Department of Health	10899 NELAP	04/1/2012	
n H	New Hampshire Environmental Lab	2516 NELAP	02/5/2013	
1	Rhode Island Department of Health	LAO00112	12/30/2012	
C	North Carolina Div. of Water Quality	652	12/31/2012	
J	New Jersey DEP	MA007 NELAP	06/30/2012	
L.	Florida Department of Health	E871027 NELAP	06/30/2012	
T	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012	
VA.	State of Washington Department of Ecology	C2065	02/23/2013	
Œ	State of Maine	2011028	06/9/2013	
A	Commonwealth of Virginia	1381	12/14/2012	







Transfer Number Relinquished By Accepted By Date 1 2 MAN 3 5 7 1 1 1 1 1 1 1 1 1 1 1 1	196 4-4 0-4" 196 4-4" 197 4-6"	33 34 170 14-17 36 36 171 171 171 171 171 171	ttem Transfer Check Sample Number Source Date Time Code Sampled SampleDamped Sam	Sampler's Signature: Source Codes: MW=Monitoring Well PW=Porable Water SW=Surface Water T=Treument Facility B=Sediment A=Air	REPORT TO: Kongram Reddied Menden, CT	CHAIN-OF-CUSTODY RECORD	Disciplines to Deliver (860) 646-2469 · www.FandO.com 1200 99
Reporting and Detection Limit Requirements: **RES** Additional Comments: **LE** Additional Comments:		Aren 7	Other VOA Vial / A	The throad line of the state of	2011/1127, AIE	0320 Diday* Diagramation Didays Control (Anys) Didays Conduct (Saws) Surcharge Applies	 ✓ 46 Harrford Road, Manchester, CT 06040 ☐ 50 Quarry Road, Trumbull, CT 06611 ☐ 1419 Richland Street, Columbia, SC 29201 ☐ 78 Interstate Drive, West Springfield, MA 01089 ☐ 50 Quarry Road, Trumbull, CT 06611 ☐ 275 Promenade Street, Suite 350, Providence, RI 02908 ☐ 30 Washington Street, Suire 301, Poughkeepsie, NY 12601 ☐ 60

Transfer Relinquished By Date 1 Harrison By Date 1 Harrison By Date 2 Maria Maria Maria By By Date 3 Maria By Date 5 8	REPORT TO: REPORT TO: REPORT TO: P.O. NO:: Sampler's Signature: Survey Codes: MW-Surface Water T=Treatment Facility N=Other No. 1 2 3 4 080 92 mm 42 2 3 4 080 92 mm 42 3 4 080 92 mm 42 3 4 080 92 mm 43 4 080 92 mm 44 2 3 4 080 92 mm 45 5 1 3 4 080 92 mm 46 5 1 5 3 4 080 92 mm 47 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	CHAIN-OF-CUSTODY RECORD	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com 12 CO 9
Time Reporting and Detection Limit Requirements: [K 815 Additional Comments: K 11 32 M Hadd all 18 N Samples	PROJECT NOMBER PROJECT NOMBER PROJECT NOMBER Analysis Request PROJECT NOMBER Analysis PROJECT NOMBER Analysis Request Analysis Containers Containers Containers Analysis Request Analysis Request Analysis Containers Containers Analysis Request Analysis Containers Containers Analysis Request Analysis Containers Analysis Request Analysis Containers Containers Analysis Request Analysis Containers Containers Analysis Request Analysis Containers Analysis Analysis Analysis Containers Analysis Containers Analysis Analysis Containers Analysis Analysis Containers Analysis Containers Analysis Analysis Containers Analysis Analysis Containers Analysis Containers Analysis Analysis Analysis Containers Analysis Analysis Analysis Analysis Analysis Containers Analysis Containers Analysis Analysis Containers Analysis Analysis Analysis Analysis Analysis Containers Analysis Analysis Analysis Analysis Analysis Containers Analysis Analysi	Tumarquind	146 Hartford Road, Manchester, CT 06040 D 50 Quarry Road, Trumbull, CT 06611 D 1419 Richland Street, Columbia, SC 29201 Redfield Street, Suite 100, Boston, MA 02122 70 D 1419 Richland Street, Columbia, SC 29201 D 78 Interstate Drive, West Springfield, MA 01089

Transfer Relinquished By Date Number Relinquished By Date 1 Man	Sampler's Signature: 4MM MM WE Date: 3-7-12 Source Codes: NW=Monitoring Well PW=Porable Water S=Soil SW=Surface Water T=Treatment Facility B=Sediment A=Air X=Other Dulk No. 1 2 3 4 030 3 EMM - Sample Number Code Sampled Sample	FUSS & O'NEILL ENVIROSCIENCE, LIC Disciplines to Deliver (800) 646-2469 · www.FandO.com CHAIN-OF-CUSTODY RECORD PROJECT NAME PROJECT NAME PROJECT NAME PROJECT NAME PROJECT LOCATION MEMORY PROJECT LOCATION PROJECT LOCATION PROJECT LOCATION PROJECT NAME PROJECT LOCATION MEMORY PROJECT NAME PROJECT LOCATION PROJECT LOCATION PROJECT LOCATION PROJECT NAME PROJECT LOCATION PROJECT NAME PROJECT LOCATION PROJECT NAME PROJECT LOCATION PROJECT NAME PROJECT LOCATION PROJECT LOCATI
Time Reporting and Detection Limit Requirements: [2] 815 Additional Comments: [2] 135 Sight # 23 - Reference to 0106 EMM - 010 A25 - 4 11 0106 EMM - 029	Clean Soll Con Vial International Chart Soll Container Or Raison Colass Amber 1 As is in the container of the chart of	Furni
# 20 " " COR # 2010 " " " 010 # 20 " " " 100 # 20 # 20 " " " 100 # 20 # 20 # 20 # 20 # 20 # 20 # 20	1956 1956 1956 1956 1956 1956 1956 1956	Boston, MA 02122 50, Providence, RI 02908 11, Poughkeepsie, NY 12601 12 Other (days) Surcharge Applies LABORATORY Containers Containers Containers

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com

Do all samples have the proper Base pH: Yes



Sample Receipt Checklist



Page 70 of 70

CLIENT NAME: +USSSONZ		RECEIVED	BY: CF	<u>C</u>	DATE:	3/8/12
1) Was the chain(s) of custody relinquis 2) Does the chain agree with the sampl If not, explain: 3) Are all the samples in good condition If not, explain: 4) How were the samples received: On Ice Direct from Sampling Were the samples received in Tempera	es? n?	Ambient [Yes Yes In Coo	No No No ler(s)	No Co	oC Included
Temperature °C by Temp blank	-	Temperatur	e °C by Temp	gun [3.0	
5) Are there Dissolved samples for the Who was notified 6) Are there any RUSH or SHORT HOLE Who was notified	Date DING TIME sam	ples?	Yes	(NO)		
7) Location where samples are stored:	Permission to subcontract samples? Yes No					·
	iners rec		it Con-Te	est		enterviewe de enterviewe de industries de la filipe de la
1 Liter Amber 500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit Other Laboratory Comments:	of containers		8 oz amber/c 4 oz amber/c 2 oz amber/c Air Casse Hg/Hopcalite Plastic Bag / PM 2.5 / Pl PUF Cartri SOC K TO-17 Tu Non-ConTest C Other glass	lear jar lear jar ette Tube Ziploc M 10 idge it bes Containe	r	# of containers
40 mL vials: # HCl# Bisulfate# Thiosulfate Do all samples have the proper Acid pl	_# DI Water _ _Unpreserved _	N/A				d Date Frozen: Doc# 277

N/A



Appendix D

Technical Specification Section

SECTION 020850 – PCB-CONTAINING MATERIAL

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 1 specification sections, apply to this section.
- B. Reference is made to the Self-Implementing On-Site Cleanup and Disposal Plan for PCB Caulking Removal as prepared by Fuss & O'Neill, EnviroScience, LLC.
- C. Related Specification sections include Asbestos Abatement section 028213 and drawings HM-01 thru HM-07.

1.2 CONSULTANT

A. The City of Meriden has retained Fuss & O'Neill EnviroScience, LLC (EnviroScience) as the Consultant for the purposes of construction administration and project monitoring during Hazardous Materials Abatement. The Consultant will represent the Owner in all phases of the abatement project at the discretion of the Owner. The Hazardous Materials Abatement Contractor shall regard the Consultant's direction as authoritative and binding as provided herein, in matters particularly but not limited to approval of work areas, review of monitoring results, completion of the various segments of work, final completion of the abatement, submission of data, and daily field punch list items.

1.3 USE OF THE CONTRACT DOCUMENTS

- A. It shall be incumbent upon the Hazardous Materials Abatement Contractor to visit the Site and determine what exists, its condition, and what will be required to accomplish the Work intended by the Contract Documents. No increase in the Contract Sum will be permitted as a result of the Hazardous Materials Abatement Contractor's failure to visit the site and understand the existing conditions.
- B. All work shall comply with applicable Codes, laws, regulations, and ordinances wherever applicable. The most stringent of all the foregoing shall govern.
- C. It is not intended that the Specifications show every detail of the Work, but the Hazardous Materials Abatement Contractor shall be required to furnish within the Contract Sum all material and labor necessary for the completion of the Work in accordance with the intent of the Specifications.
- D. In case of ambiguity among the Contract documents, the more stringent requirement as determined by the Consultant shall prevail.
- E. The Work of this Contract includes making modifications as necessary, subject to approval by Owner in consultation with the Consultant, to correct any conflicts.
- F. All items, not specifically mentioned in the Specifications but implied by trade practices to complete the work, shall be included.

1.4 EXAMINATION OF THE SITE

- A. It is understood that the Hazardous Materials Abatement Contractor has examined the Site and made his/her own estimates of the facilities and difficulties attending the execution of the Work, and has based his price thereon.
- B. Except for unforeseeable concealed conditions as determined by the Consultant, the Hazardous Materials Abatement Contractor shall make no claim for additional cost due to the existing conditions at the site.

1.5 CONTRACTOR QUALIFICATIONS

- A. All bidders shall submit a record of prior experience in hazardous materials abatement projects, specifically including removal of PCB-containing materials listing no less than three (3) completed jobs in the past year, with all projects being of similar size and scope. The Hazardous Materials Abatement Contractor shall list the experience and training of the project foremen and all on-site personnel. The information that should be included is as follows:
 - 1. Project Name and Address
 - 2. Owner's Name and Address
 - 3. Architect/Consultant
 - 4. Contract Amount
 - 5. Date of Completion
 - 6. Extras and Changes
- B. Submit a written statement regarding whether the Hazardous Materials Abatement Contractor has ever been found out-of-compliance with federal or state regulations pertaining to worker protection, removal, transport, or disposal.

1.6 TESTING LABORATORY SERVICES

A. The Hazardous Materials Abatement Contractor shall submit to the Consultant the name; address and qualifications of proposed laboratories intended to be utilized for sample analysis as required by this section.

1.7 ADDITIONAL GENERAL REQUIREMENTS

- A. The Hazardous Materials Abatement Contractor shall furnish all labor, materials, facilities, equipment, installation services, employee training, notifications, permits, licenses, certifications, agreements, and incidentals necessary to perform the specified work. Work shall be performed in accordance with the contract documents, the latest regulations from the Occupational Safety and Health Administration (OSHA), the United State Environmental Protection Agency (USEPA), and all other applicable federal, state, and local agencies. Whenever the requirements of the above references conflict or overlap, the more stringent provision shall apply.
- B. All project personnel engaged in the work covered under this section shall be trained in accordance with OSHA Regulations 29 CFR 1910.1000 and 29 CFR 1910.1200. It should also be noted that work associated with PCB removal may also involve exposure

- during demolition and removal activities specified herein and the Hazardous Materials Abatement Contractor shall perform required exposure assessment for PCBs.
- C. The Hazardous Materials Abatement Contractor shall provide a Project Health and Safety Officer having a minimum of eight (8) hours of supervisor training in hazardous waste site operations in accordance with the requirements of 29 CFR 1910. The supervisor must be on site at all times during abatement work.
- D. This section specifies the procedures for removal of existing materials containing polychlorinated biphenyls (PCBs) less than (<) 50 parts per million (ppm) in the form of exterior window caulk (1968), exterior door caulk (1968), Interior window caulk (1968), black sink basin caulk (1968/1956), Blind flashing (1956), Interior expansion joint (1956/1968), mastic associated with cork under gymnasium wood floors (1968), Black tar vapor barrier under gymnasium floor (1968), Black vapor barrier under gymnasium wood floor (1956), caulking associated with exhaust vent (1956/1968) and disposal of removed materials as PCB-Bulk Product Waste.
- E. This section specifies the procedures for removal of existing materials containing polychlorinated biphenyls (PCBs) ≥50 parts per million (ppm) in the form of Exterior window caulk- (1956), and Shellac/Varnish associated with the exercise gym wood floor (1968), and Interior slate window sill caulk (1968)
- F. Disturbance or removal of polychlorinated biphenyls (PCB) containing materials may cause a health hazard to workers and building occupants. The Hazardous Materials Abatement Contractor shall disclose to all of his workers, supervisory personnel, subcontractors, and consultants who will be at the job site of the seriousness of the hazard and of proper work procedures which must be followed.
- G. Where in the performance of the work, workers, supervisory personnel, subcontractors, or consultants may encounter, disturb, or otherwise function in the immediate vicinity of polychlorinated biphenyls (PCB) containing materials, appropriate, continuous measures as necessary to protect all workers from the hazard of exposure shall be taken. Such measures shall include the procedures and methods described herein, regulations of the U.S. Occupational Safety and Health Administration (OSHA), U.S. Environmental Protection Agency (USEPA), and local requirements as applicable.
- H. The Hazardous Materials Abatement Contractor shall employ a Competent Person (Supervisor) with at least three (3) years' experience on projects of similar scope and magnitude who shall be responsible for all work involving hazardous materials abatement as described in the specifications and defined in applicable regulations, and have full time daily supervision of the same. The Supervisor shall be the Competent Person as defined by OSHA regulations and have experience in the proper removal and disposal of PCB-containing materials.
- I. The Hazardous Materials Abatement Contractor shall allow the work of this contract to be inspected, if required, by local, state, federal, and any other authorities having jurisdiction over such work. The Hazardous Materials Abatement Contractor shall immediately notify the Owner and Consultant and shall maintain written evidence of such inspection for review by the Owner and Consultant.

- J. The Hazardous Materials Abatement Contractor shall incur the cost of all fines resulting from regulatory non-compliance as issued by federal, state, and local agencies. The Hazardous Materials Abatement Contractor shall incur the cost of all work requirements mandated by federal, state, and local agencies as a result of regulatory non-compliance or negligence.
- K. The Hazardous Materials Abatement Contractor shall immediately notify the Owner and Consultant of the delivery of all permits, licenses, certificates of inspection, of approval, or occupancy, etc., and any other such instruments required under codes by authorities having jurisdiction, regardless of who issued, and shall cause them to be displayed to the Owner and Consultant for verification and recording.
- L. The Hazardous Materials Abatement Contractor shall provide enough labor to guarantee completion of the work within the time frame given and within the normal operating vacation/Winter break hours of the school building.

1.8 SCOPE OF WORK

- A. <u>Project Scope Locations and Work Statement</u>: The project site is the located at the Orville H. Platt High School, 220 Coe Avenue, Meriden, CT. Locations of work are also detailed on drawings HM-01-HM-07. The proposed removal and disposal activities to be performed by Remediation Contractor shall include the following:
 - 1. Site preparation and controls to facilitate remediation of PCBs. Containment procedures referenced for the abatement zone must be utilized for PCB Bulk Product Waste removal.
 - 2. Additionally, work involving the removal of PCB contaminated soil for disposal as Bulk PCB Remediation Waste if applicable.
 - 3. Remove existing interior and exterior window caulking, exterior window glazing compound(s), at all masonry window openings, and shellac/varnish associated with exercise gym wood floor (includes wood) for disposal as PCB Bulk Product Waste ≥50 ppm.
 - 4. Removal and off-site disposal of non-porous metal window and door assemblies including glass, PCB containing glazing compounds, panels, insulation etc. from all locations identified as PCB Bulk Product Waste \geq 50 ppm. Non-porous surfaces (exterior steel beam/lintel) shall be cleaned to standard of \leq 1 μ g/100 cm².
 - 5. Removal of existing materials containing polychlorinated biphenyls (PCBs) less than (<) 50 parts per million (ppm) in the form of exterior window caulk (1968), exterior door caulk (1968), Interior window caulk (1968), Interior slate window sill caulk (1968), black sink basin caulk (1968/1956), Blind flashing (1956), Interior expansion joint (1956/1968), mastic associated with cork under gymnasium wood floors (1968), Black tar vapor barrier under gymnasium floor (1968), Black vapor barrier under gymnasium wood floor (1956), caulking associated with exhaust vent (1956/1968) and disposal of removed materials as PCB-Containing Waste <50 ppm.
 - 6. Health and Safety in accordance with Occupation Safety and Health Administration (OSHA) requirements.
 - 7. Recordkeeping and distribution as required in accordance with 40 CFR part 761.125 (c) (5).

- B. PCB concentrations in excess of 50 mg/Kg (parts-per-million) of PCBs were detected in the following materials/locations:
 - 1. Exterior window caulk (1956)
 - 2. Shellac associated with gymnasium (Auxiliary Gym) wood floor (1968)
 - 3. Interior slate window sill caulk (1968)
- C. The following materials/locations contained greater than 1 mg/kg PCBs but less that 50 mg/kg PCBs and will be impacted by the planned demolitions:
 - 1. Exterior window caulk at sash (1956)
 - 2. Exterior window glazing compound (1956)
 - 3. Exterior door caulk adj. garage (1968)
 - 4. Exterior window caulk Cafeteria wing (1968)
 - 5. Interior window caulk (1956)
 - 6. Interior window caulk (1968)
 - 7. Black sink basin caulk (1956)
 - 8. Black sink basin caulk (1968)
 - 9. Blind flashing -(1956)
 - 10. Blind flashing -(1968)
 - 11. Interior expansion CMU-Wall joint caulk (1956/1968)
 - 12. Mastic associated with cork under gymnasium wood floor (1968)
 - 13. Black tar vapor barrier under gymnasium wood/cork floor (1968)
 - 14. Black vapor barrier under gymnasium wood floor (1956)
 - 15. Roof-Caulk associated with exhaust vent (1956/1968)
- D. As a result, the Connecticut Department of Energy and Environmental Protection (DEEP) will require the waste to be handled as a PCB waste under State regulations (22a-463 through 22a-469. CTDEEP will also be notified via separate letter.

1.9 DEFINITIONS

- A. The following definitions as used within this technical specification as well as references to specific sections of the Code of Federal Regulation section 40 CFR Part 761 are provided. Definitions are extracted in part from 40 CFR Part 761.3; for full definitions refer to the specified section of the regulations:
 - 1. Bulk PCB Remediation Waste means waste containing PCBs as a results of a spill, release, or other unauthorized disposal, at the following concentrations: Materials disposed of prior to April 18, 2978 that are currently at concentrations of ≥ 50 ppm PCBs, regardless of the concentration of the original spill; materials which are currently at any volume or concentration where the original source was ≥ 500 ppm PCBs beginning on April 18, 1978, or ≥ 50 ppm PCBs beginning on July 2, 1979; and materials which are currently at any concentration if the PCBs are spilled or released from a source not authorized for use under this part. PCB remediation waste means soil, rags, and other debris generated as a results of any PCB spill clean-up, as further defined in 40 CFR §761.3.

- 2. CERCLA means the Comprehensive Environmental Response, Compensation, and Liability Act (42 U.S.C. 9601-9657).
- 3. Chemical waste landfill means a landfill at which protection against risk of injury to health or the environment from migration of PCBs to land, water, or the atmosphere is provided from PCBs and PCB items deposited therein by locating, engineering, and operating the landfill as specified in §761.75.
- 4. Cleanup Site means the areal extent of contamination and all suitable areas in very close proximity to the contamination necessary for implementation of a clean-up of PCB remediation waste, regardless of whether the site was intended for management of waste.
- 5. Containment means the enclosure within the building which establishes a contaminated area and surrounds the location where PCB and/or other toxic or hazardous substance removal is taking place and establishes a Control Work Area.
- 6. Designated Facility means the off-site disposer or commercial storer of PCB waste designated on the manifest as the facility that will receive a manifested shipment of PCB waste.
- 7. Disposals means intentionally or accidentally to discard, throw away, or otherwise complete or terminate the useful life of PCBs and PCB items; Disposal includes spills, leaks, and other uncontrolled discharges of PCBs as well as actions related to containing, transporting, destroying, degrading, decontaminating, or confining PCBs and PCB items.
- 8. DOT means the Unites States Department of Transportation.
- 9. EPA identification number means the 12-digit number assigned to a facility by the EPA upon notification of PCB waste activity under §761.205.
- 10. Excluded PCB products means PCB materials which appear at concentrations less than 50 ppm as defined in 40 CFR §761.3.
- 11. Fixed Object means mechanical equipment, electrical equipment, fire detection systems, alarms, and all other fixed equipment, fixtures, or other items which cannot be removed from the work area.
- 12. Generator of PCB waste means any person whose act or process produces PCBs that are regulated for disposal under subpart D of 40 CFR Part 761, or whose act first causes PCBs or PCB Items to become subject to the disposal requirements of subpart D, or who has physical control over the PCBs when a decision is made that the use of the PCBs has been terminated and therefore is subject to the disposal requirements of subpart D. Unless another provision of 40 CFR Part 761 specifically requires a site-specific meaning, "generator of PCB waste" includes all of the sites of PCB waste generation owned or operated by the person who generates PCB waste.
- 13. HEPA: High Efficiency Particulate Air filtration efficiency of 99.97 percent down to 0.3 microns. Filtration provided on specialized vacuums and air filtration devices to trap particles.
- 14. High occupancy area means any area where PCB remediation waste has been disposed of on-site and where occupancy for any individual not wearing dermal and respiratory protection for a calendar year is 840 hours or more (an average of 16.8 hours or more per week) for non-porous surfaces and 335 hours or more (an average of 6.7 hours or more per week) for bulk PCB remediation waste. Examples could include a residence, school, day care center, sleeping quarters, a single or multiple occupancy 40 hours per week work station, a school classroom, a cafeteria in an industrial facility, a control room, and a work station at an assembly line.

- 15. Incinerator means an engineered device using controlled flame combustion to thermally degrade PCBs and PCB Items. Examples of devices used for incineration include rotary kilns, liquid injection incinerators, cement kilns, and high temperature boilers.
- 16. Laboratory means a facility that analyzes samples for PCBs and is unaffiliated with any entity whose activities involve PCBs.
- 17. Liquid PCBs means a homogenous flowable material containing PCBs and no more than 0.5 percent by weight non-dissolved material.
- 18. Low occupancy area means any area where PCB remediation waste has been disposed of on-site and where occupancy for any individual not wearing dermal and respiratory protection for a calendar year is: less than 840 hours (an average of 16.8 hours per week) for non-porous surfaces and less than 335 hours (an average of 6.7 hours per week) for bulk PCB remediation waste. Examples could include an electrical substation or a location in an industrial facility where a worker spends small amounts of time per week (such as an unoccupied area outside a building, an electrical equipment vault, or in the non-office space in a warehouse where occupancy is transitory).
- 19. Manifest means the shipping document EPA form 8700–22 and any continuation sheet attached to EPA form 8700–22, originated and signed by the generator of PCB waste in accordance with the instructions included with the form and subpart K of this part.
- 20. Mark means the descriptive name, instructions, cautions, or other information applied to PCBs and PCB Items, or other objects subject to these regulations.
- 21. Marked means the marking of PCB Items and PCB storage areas and transport vehicles by means of applying a legible mark by painting, fixation of an adhesive label, or by any other method that meets the requirements of these regulations.
- 22. Municipal solid wastes means garbage, refuse, sludges, wastes, and other discarded materials resulting from residential and non-industrial operations and activities, such as household activities, office functions, and commercial housekeeping wastes.
- 23. Non-liquid PCBs means materials containing PCBs that by visual inspection do not flow at room temperature (25°C or 77°F) or from which no liquid passes when a 100 g or 100 ml representative sample is placed in a mesh number 60 ± 5 percent paint filter and allowed to drain at room temperature for 5 minutes.
- 24. Non-porous surface means a smooth, unpainted solid surface that limits penetration of liquid containing PCBs beyond the immediate surface. Examples are: smooth un-corroded metal; natural gas pipe with a thin porous coating originally applied to inhibit corrosion; smooth glass; smooth glazed ceramics; impermeable polished building stone such as marble or granite; and high density plastics, such as polycarbonates and melamines, which do not absorb organic solvents.
- 25. On site means within the boundaries of a contiguous property unit.
- 26. PCB and PCBs means any chemical substance that is limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of substances which contains such substance. Refer to §761.1(b) for applicable concentrations of PCBs. PCB and PCBs as contained in PCB items are defined in §761.3. For any purposes under this part, inadvertently generated non-Aroclor PCBs are defined as the total PCBs calculated following division of the quantity of mono-chlorinated biphenyls by 50 and di-chlorinated biphenyls by 5.
- 27. PCB Article means any manufactured article, other than a PCB Container, that contains PCBs and whose surface(s) has been in direct contact with PCBs. "PCB

- Article" includes capacitors, transformers, electric motors, pumps, pipes and any other manufactured item (1) which is formed to a specific shape or design during manufacture, (2) which has end use function(s) dependent in whole or in part upon its shape or design during end use, and (3) which has either no change of chemical composition during its end use or only those changes of composition which have no commercial purpose separate from that of the PCB Article.
- 28. PCB Article Container means any package, can, bottle, bag, barrel, drum, tank, or other device used to contain PCB Articles or PCB Equipment, and whose surface(s) has not been in direct contact with PCBs.
- 29. PCB Bulk Product Waste means waste derived from manufactured products containing PCBs in a non-liquid state, at any concentration where the concentration at the time of designation for disposal is ≥50 ppm PCBs. PCB bulk product waste does not include PCBs or PCB Items regulated for disposal under §761.60(a) through (c), §761.61, §761.63, or §761.64. PCB bulk product waste is further defined in 40 CFR §761.3.
- 30. PCB Capacitor means any capacitor that contains ≥500 ppm PCB. Concentration assumptions applicable to capacitors appear under §761.2.
- 31. PCB Container means any package, can, bottle, bag, barrel, drum, tank, or other device that contains PCBs or PCB Articles and whose surface(s) has been in direct contact with PCBs.
- 32. PCB-Contaminated means a non-liquid material containing PCBs at concentrations ≥50 ppm but < 500 ppm; a liquid material containing PCBs at concentrations ≥50 ppm but < 500 ppm or where insufficient liquid material is available for analysis, a non-porous surface having a surface concentration >10 μg/100 cm² but < 100 μg/100 cm², measured by a standard wipe test as defined in §761.123.
- 33. PCB Equipment means any manufactured item, other than a PCB Container or a PCB Article Container, which contains a PCB Article or other PCB Equipment, and includes microwave ovens, electronic equipment, and fluorescent light ballasts and fixtures.
- 34. PCB Item means any PCB Article, PCB Article Container, PCB Container, PCB Equipment, or anything that deliberately or unintentionally contains or has as a part of it any PCB or PCBs.
- 35. PCB waste(s) means those PCBs and PCB Items that are subject to the disposal requirements of subpart D in 40 CFR Part 761.
- 36. Porous surface means any surface that allows PCBs to penetrate or pass into itself including, but not limited to, paint or coating on metal; corroded metal; fibrous glass or glass wool; unglazed ceramics; ceramics with a porous glaze; porous building stone such as sandstone, travertine, limestone, or coral rock; low-density plastics such as Styrofoam and low-density polyethylene; coated (varnished or painted) or uncoated wood; concrete or cement; plaster; plasterboard; wallboard; rubber; fiberboard; chipboard; asphalt; or tar paper. For purposes of cleaning and disposing of PCB remediation waste, porous surfaces have different requirements than non-porous surfaces.
- 37. RCRA means the Resource Conservation and Recovery Act (40 U.S.C. 6901 et seq.).
- 38. Standard wipe sample means a sample collected for chemical extraction and analysis using the standard wipe test as defined in §761.123. Except as designated elsewhere in part 761, the minimum surface area to be sampled shall be 100 cm².

- 39. Storage for disposal means temporary storage of PCBs that have been designated for disposal.
- 40. SW-846 means the document having the title "SW-846, Test Methods for Evaluating Solid Waste,"
- 41. Totally enclosed manner means any manner that will ensure no exposure of human beings or the environment to any concentration of PCBs.
- 42. Transfer facility means any transportation-related facility including loading docks, parking areas, and other similar areas where shipments of PCB waste are held during the normal course of transportation. Transport vehicles are not transfer facilities under this definition, unless they are used for the storage of PCB waste, rather than for actual transport activities. Storage areas for PCB waste at transfer facilities are subject to the storage facility standards of §761.65, but such storage areas are exempt from the approval requirements of §761.65(d) and the recordkeeping requirements of §761.180, unless the same PCB waste is stored there for a period of more than 10 consecutive days between destinations.
- Transporter of PCB waste means, for the purposes of subpart K of 40 CFR Part 761, any person engaged in the transportation of regulated PCB waste by air, rail, highway, or water for purposes other than consolidation by a generator.
- Transport vehicle means a motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (e.g., trailer, railroad freight car) is a separate transport vehicle.
- 45. TSCA means the Toxic Substances Control Act (15 U.S.C. 2601 et seq.).

1.10 SUBMITTALS

- A. The following documents shall be submitted immediately upon project award to the Owner prior to commencement of PCB Removal work:
 - 1. Site Specific Health and Safety Plan (HASP): The Remediation Contractor shall prepare a site specific HASP plan for protection of workers and control of the work site in accordance with OSHA regulatory requirements. The HASP shall govern all work conducted at the site during the abatement of PCB Paint and related debris; waste handling, sampling, waste management; and waste transportation. At a minimum, the HASP shall address the requirements set forth in 29 CFR 1910.120, as further outlined below:
 - a. Health and Safety Organization
 - b. Site Description and Hazard Assessment
 - c. Training
 - d. Medical Surveillance
 - e. Work Areas
 - f. Personal Protective Equipment
 - g. Personal Hygiene and Decontamination
 - h. Standard Operating Procedures and Engineering Controls
 - i. Emergency Equipment and First Aid Provisions
 - j. Equipment Decontamination
 - k. Air Monitoring
 - l. Telephone List
 - m. Emergency Response and Evacuation Procedures and Routes
 - n. Site Control
 - o. Permit-Required Confined Space Procedures
 - p. Spill prevention and Containment Plan

- SDE PROJECT NO.: 080-0093 RNV/E
- q. Heat and Cold Stress
- r. Record Keeping
- s. Community Protection Plan
- 2. <u>Training Documentation</u>: Documentation of OSHA 40-Hour HAZWOPER Training for all employees and subcontractors to be used for the abatement work, and 8-Hour HAZWOPER Supervisor Training for the designated on-site Health and Safety Officer for the abatement work.
- 3. <u>PCB and or other Toxic or Hazardous Substances Disposal Plan</u>: A written plan that details the Remediation Contractor's plan for transportation and disposal of PCB-containing or other Toxic or Hazardous Substance wastes generated during the project. The Disposal Plan shall identify:
 - a. Waste packaging, labeling, placarding, and manifesting procedures.
 - b. The name, address, and 24-hour contact number for the proposed treatment or disposal facility or facilities to which waste generated during the project will be transported.
 - c. The name, address, contact person(s) and state-specific permit numbers for proposed waste transporters, and EPA identification number for firms that will transport waste.
 - d. The license plate numbers of vehicles to be used in transporting of the waste from the site to the disposal facility.
 - e. The route(s) by which the waste will be transported to the designated disposal facility, and states or territories through which the waste will pass.
- 4. <u>Material Safely Data Sheets</u>: Material Safety Data Sheets (OSHA Form 174 or equivalent) and manufacturer's information shall be provided for all chemicals and materials to be used during the project including but not limited to specialty cleaners and chemical stripping products.
- B. The following documents shall be submitted to the Owner within fifteen (15) work days following removal of waste from the site:
 - 1. Waste Profile Sheets
 - 2. Pre-Disposal Analysis Test Results (If required by disposal facility)
 - 3. Manifests signed by the disposal facility
 - 4. Tipping Receipts provided by the disposal facility
 - 5. Certification of Final Treatment/Disposal signed by the responsible disposal facility official.

C. PCB Work Closeout Submittals:

- 1. Disposal Site Receipts: Copy of waste shipment record and disposal site receipt showing the PCB-containing or other Toxic or Hazardous Substances materials have been properly disposed.
- D. Product Data: Catalog sheets, specifications, and application instructions for any removal products, if used.

1.11 REGULATIONS AND STANDARDS

A. The Hazardous Materials Abatement Contractor shall be solely responsible for conducting this project and supervising all work in a manner that will be in conformance

with all federal, state, and local regulations and guidelines pertaining to hazardous materials abatement. Specifically, The Hazardous Materials Abatement Contractor shall comply with the requirements of the following:

- 1. Toxic Substance Control Act (TSCA) (40 CFR Part 761).
- 2. Comprehensive Environmental Response, Compensation, and Liability Act (Superfund Law).
- 3. Department of Transportation (DOT) regulations DOT regulation HM-181 regulates transportation of hazardous materials, including PCBs.
- 4. Occupational Safety and Health Administration (OSHA) OSHA regulates workers' safety and exposure to a variety of chemicals including PCBs.
- 5. Connecticut Basic Building Code (BOCA) (including Connecticut Supplements);
- 6. Life Safety Code (NFPA); and
- 7. Local health and safety codes, ordinances or regulations pertaining to hazardous materials remediation and all national codes and standards including ASTM, ANSI, and Underwriter's Laboratories.

1.12 FINAL VISUAL CLEARANCE

A. Following the completion of the work, the Consultant shall perform a visual inspection inside the work area per guidelines and State of Connecticut DEEP regulations.

1.13 POSTING AND RECORD MAINTENANCE REQUIREMENTS

- A. The following items shall be conspicuously displayed proximate but outside of abatement work areas.
 - 1. Exit Routes Emergency exit procedures and routes
 - 2. Emergency Phone Numbers A list indicating the telephone numbers and locations of the local hospital(s); the local emergency squad; the local fire department; the local police department; the Poison Control Center; Chemical Emergency Advise (CHEMTREC); the local Department of Health's local office; the Remediation Contractor (on-site and after hours numbers); and the environmental consultant (on-site and after hours numbers).
 - 3. Warning Signs Warning signs shall be in English and the language of any workers onsite who do not speak English, and be of sufficient size to be clearly legible and display the following or similar language in accordance with 29 CFR 1910.1200:

WARNING HAZARDOUS WASTE WORK AREA PCBs-POISON NO SMOKING, EATING OR DRINKING AUTHORIZED PERSONNEL ONLY PROTECTIVE CLOTHING IS REQUIRED IN THIS AREA

- 4. In addition, all entrances to work areas shall be posted with a PCB ML marker.
- B. The Hazardous Materials Abatement Contractor shall maintain the following items onsite and available for review by all employees and authorized visitors:
 - 1. Contractor's Project Specific Health and Safety Plan

- SDE PROJECT NO.: 080-0093 RNV/E
- 2. Certificates of Training for all employees and the project Supervisor
- 3. Codes, Standards and Publications
- 4. Material Safety Data Sheets (MSDS/SDS) for all chemicals used during the project.
- 5. Copies of The Hazardous Materials Abatement Contractor's written hazard communication, respiratory protection, and confined space entry programs.
- C. Fees, Permits, and Licenses. The Hazardous Materials Abatement Contractor shall pay all licensing fees, royalties, and other costs necessary for the use of any copyrighted or patented product, design, invention, or processing in the performance of the work specified in this Section.
 - 1. The Hazardous Materials Abatement Contractor shall be solely responsible for costs, damages, or losses resulting from any infringement of these patent rights or copyrights. The Hazardous Materials Abatement Contractor shall hold the Owner and the Owner's Authorized Representative harmless from any costs, damages, and losses resulting from any infringement of these patent rights or copyrights.
 - 2. The Hazardous Materials Abatement Contractor shall be responsible for securing all necessary permits for work under this Section, including hauling, removal, and disposal, fire, and materials usage, or any other permits required to perform the specified work.

1.14 MINIMUM REQUIREMENTS FOR WORKER HEALTH AND SAFETY

- A. The Hazardous Materials Abatement Contractor is responsible and liable for the health and safety of all onsite personnel and the offsite community affected by the project. All onsite workers or other persons entering the abatement work areas, decontamination areas or waste handling and staging areas shall be knowledgeable of and comply with the requirements of the site specific Health and Safety Plan at all times. The Hazardous Materials Abatement Contractor's HASP shall comply with all applicable federal, state, and local regulations protecting human health and the environment from the hazards posed by the work to be performed under this project.
- B. Consistent disregard for the provisions of the HASP shall be deemed as sufficient cause for immediate stoppage of work and termination of the Contract or any Sub Contracts without compromise or prejudice to the rights of the Owner or the Owner's Authorized Representative.
- C. Any discrepancies between the Hazardous Materials Abatement Contractor's HASP and these specifications or federal and state regulations shall be resolved in favor of the more stringent requirements that provide the highest degree of protection to the project personnel and the surrounding community and environment
- D. In addition to exposure concerns relating to the presence of PCB's, other health and safety considerations will apply to the work. The Hazardous Materials Abatement Contractor shall be responsible for recognizing such hazards and shall be responsible for the health and safety of Contractor employees at all times. It is The Hazardous Materials Abatement Contractor's responsibility to comply with all applicable health and safety regulations.

E. The HASP shall be reviewed by all persons prior to entry into the abatement, decontamination, or waste staging areas, whether a representative of The Hazardous Materials Abatement Contractor, owner, architect/engineer, environmental consultant, subcontractor(s), waste transporter or federal, state or local regulatory agency. Such review shall be acknowledged and documented by the Hazardous Materials Abatement Contractor's Health and Safety Officer by obtaining the name, signature and affiliation of all persons reviewing the HASP.

SDE PROJECT NO.: 080-0093 RNV/E

- F. The HASP shall be maintained so as to be readily accessible and reviewable by all site personnel throughout the duration of the abatement project and until all waste materials are removed from the site and disposed of at the appropriate disposal facility.
- G. The Hazardous Materials Abatement Contractor's on-site Health and Safety Officer shall be responsible for ensuring that project personnel and site visitors are informed of and comply with the provisions of the HASP at all times during the project.

1.15 WORK AREAS AND ZONES

- A. The Hazardous Materials Abatement Contractor shall lay-out and clearly identify work areas in the field. Access by equipment, site personnel, and the public to the work areas shall be limited as follows:
 - 1. Abatement Zone: The Abatement Zone(s) shall consist of all interior areas where removal of PCBs and other Toxic or Hazardous Substances and waste handling and staging activities are on-going and the immediately surrounding locale or other areas where contamination could occur. Each Abatement Zone for purposes of interior removal of PCB materials or other Toxic or Hazardous Substances for disposal shall be performed within a containment (refer to section 3.2) to isolate work areas from non-work areas. The containment shall be visibly delineated with appropriate warning signs at all approaches to Abatement (including a PCB ML marker), and be restricted from access by all persons except those directly necessary for the completion of the respective abatement tasks. The Abatement Zones shall be relocated and delineated as necessary as work progresses from one portion of the project site to another, to limit access to each abatement area and to minimize risk of exposure to site workers and the general public. Access shall be controlled at the periphery of the Abatement Zones to regulate the flow of personnel and equipment into and out of each zone and to help verify that proper procedures for entering and exiting are followed. All persons within the Abatement Zones shall wear the appropriate level of protection established in the HASP.
 - 2. <u>Decontamination Zone</u>: The Decontamination Zone is the transition zone between the abatement area and the clean support zone of the project site, and is intended to reduce the potential for contaminants from being dispersed from the Abatement Zone to clean areas of the site. The Decontamination Zone shall consist of a buffer area surrounding each Abatement Zone through which the transfer of equipment, materials, personnel, and containerized waste products will occur and in which decontamination of equipment, personnel, and clothing will occur. The Decontamination Zones shall be constructed as a three chamber decontamination unit for workers and a two chamber equipment room for waste load out as detailed in Section 3.3. All emergency response and first aid equipment shall be readily maintained in these Zones. All protective equipment

- and clothing shall be removed or decontaminated in the Decontamination Zone prior to exiting to the Support Zone.
- 3. Support Zone: The Support Zone will consist of the area outside the Decontamination Zones and the remainder of the project site. Administrative and other support functions and any activities that by nature need not be conducted in the Abatement or Decontamination Zone related to the project shall occur in the Support Zone, Access to the Abatement and Decontamination Zones shall be controlled by the Health and Safety Officer and limited to those persons necessary to complete the abatement work and which have reviewed and signed the HASP.

1.16 PERSONNEL PROTECTIVE EQUIPMENT

- A. The Hazardous Materials Abatement Contractor shall be responsible to determine and provide the appropriate level of personal protective equipment in accordance with applicable regulations and standards necessary to protect the Hazardous Materials Abatement Contractor's employees from all hazards present.
- B. The Hazardous Materials Abatement Contractor shall provide all employees with the appropriate safety equipment and protective clothing to ensure an appropriate level of protection for each task, taking into consideration the chemical, physical, ergonomic and biological hazards posed by the site and work activities.
- C. The Hazardous Materials Abatement Contractor shall establish in the HASP criteria for the selection and use of personal protective equipment (PPE).
- D. The PPE to be utilized for the project shall be selected based upon the potential hazards associated with the project site and the work to be performed. Appropriate protective clothing shall be worn at all times within the Abatement Zone.
- E. The Hazardous Materials Abatement Contractor shall provide the appropriate level of respiratory protection to all field personnel engaged in activities where respiratory hazards exist or there is a potential for such hazard to exit.
- F. The Hazardous Materials Abatement Contractor shall provide, as necessary, protective coveralls, disposable gloves and other protective clothing for all personnel that will be actively involved in abatement activities or waste handling activities or otherwise present in the Abatement Zones. Coveralls shall be of Tyvek or equivalent material. Should the potential for exposure to liquids exist, splash resistant disposable suits shall be provided and utilized.
- G. Protective coveralls, and other protective clothing shall be donned and removed within the Decontamination Zone and shall be disposed of at the end of each day. Ripped coveralls shall be immediately replaced after appropriate decontamination has been completed to the satisfaction of the Health and Safety Officer. Protective clothing shall not be worn outside of the Decontamination Zone.
- H. Hard Hats, protective eyewear, rubber boots, and or other non-skid footwear shall be provided by The Hazardous Materials Abatement Contractor as required for workers and authorized visitors.

I. All contaminated protective clothing, respirator cartridges and disposable protective items shall be placed into proper containers to be provided by the Hazardous Materials Abatement Contractor for transport and proper disposal in accordance with 40 CFR 262.

1.17 EMERGENCY EQUIPMENT AND FIRST AID REQUIREMENTS

- A. The Hazardous Materials Abatement Contractor shall provide and maintain at the site, at a minimum, the following Emergency and First Aid Equipment:
 - 1. <u>Fire Extinguishers</u>: A minimum one (1) fire extinguisher shall be supplied and maintained at the site by the Hazardous Materials Abatement Contractor throughout the duration of the project. Each extinguisher shall be a minimum of a 20 pound Class ABC dry fire extinguisher with Underwriters Laboratory approval per 29 CFR 1910.157.
 - 2. <u>First Aid Kit</u>: A minimum 01 one (1) first aid kit meeting the requirements of 29 CFR 1910,151 shall be supplied and maintained at the site by The Hazardous Materials Abatement Contractor throughout the duration of the project.
 - 3. <u>Communications</u>: Telephone communications (either cellular or land line) shall be provided by the Hazardous Materials Abatement Contractor for use by site personnel at all times during the project.
- B. The Health and Safely Officer shall be notified immediately in the event of personal injury, potential exposure to contaminants, or other emergency. The Health and Safety Officer shall then immediately notify the Owner's Authorized Representative.

1.18 STANDARD SAFETY AND HEALTH PROCEDURES AND ENGINEERING CONTROLS

- A. The following provisions shall be employed to promote overall safety, personnel hygiene and personnel decontamination:
 - 1. Each Contractor or Subcontractor shall ensure that all safety equipment and protective clothing to be utilized by its personnel is maintained in a clean and readily accessible manner at the site.
 - 2. All prescription eyeglasses in use on this project shall be safety glasses conforming to ANSI Standard Z87.1. No contact lenses shall be allowed on the site.
 - 3. Prior to exiting the delineated Decontamination Zone(s), all personnel shall remove protective clothing, and place disposable items in appropriate disposal containers to be dedicated to that purpose. Following removal of PPE, personnel shall thoroughly wash and rinse their face, hands, arms and other exposed areas with soap and tap water wash and subsequent tap water rinse. A fresh supply of tap water shall be provided at the site on each work day by the Remediation Contractor for this purpose.
 - 4. All PPE used on site shall be decontaminated or disposed of at the end of each work day. Discarded PPE shall be placed in sealed DOT approved 55-gallon barrels for off-site disposal.
 - 5. Respirators, if necessary due to an upgrade to Level C PPE, shall be dedicated to each employee, and not interchanged between workers without cleaning and sanitizing.
 - 6. Eating, drinking, chewing gum or tobacco, smoking, and any other practice that increases the likelihood of hand to mouth contact shall be prohibited within the

- delineated abatement and decontamination work zones. Prior to performing these activities, each employee shall thoroughly cleanse their face, hands, arms and other exposed areas.
- 7. All personnel shall thoroughly cleanse their face hands, arms and other exposed areas prior to using toilet facilities.
- 8. No alcohol, tobacco, illicit drugs or firearms will be allowed on the site at any time.
- 9. Contact with potentially contaminated surfaces should be avoided, if possible. Field personnel should minimize walking through standing water/puddles, mud or other wet or discolored surfaces; kneeling on ground; and placing equipment, materials or food on ground or other potentially contaminated surface.
- 10. The use of the "Buddy System shall be employed at all times while conducting work at the site. Each employee shall frequently monitor other workers for signs of heat stress or chemical exposure or fatigue: periodically examine others PPE for signs of wear or damage; routinely communicate with others; and notify the Health and Safety Officer in the case of an emergency.
- B. Workers must wear protective suits, protective gloves, eye protection and a minimum of half-face respirator with HEPA filter cartridge for all projects. Respiratory protection shall be in accordance with OSHA regulation 1910.134 and ANSI Z88.2.
- C. Workers must be trained as per OSHA and USEPA requirements, have medical clearance and must have recently received pulmonary function test (PFT) and respirator fit tested by a trained professional.
 - 1. A personal air sampling program shall be in place as required by OSHA.
 - 2. The use of respirators must also follow a complete respiratory protection program as specified by OSHA.

1.19 INDEPENDENT INSPECTION AND MONITORING

- A. This section describes independent visual inspection and monitoring work being performed on behalf of the Owner. This work is not in the Contract Sum. This section describes monitoring carried out by the Owner's Consultant (EnviroScience) to verify that the building beyond the work area and the outside environment remains uncontaminated.
- B. The purpose of the Owner's Consultant's monitoring is to detect faults in the work area isolation such as:
 - 1. Contamination of the building outside of the work area by PCB dust.
 - 2. Failure of filtration or rupture in the differential pressure system
 - 3. Contamination of the outside of the containment.

Should any of the above occur, the Hazardous Materials Abatement Contractor shall immediately cease abatement activities until the fault is corrected. Do not recommence work until authorized by the Owner's Consultant.

C. The Owner's Consultant may monitor the Work Area. The purpose of this monitoring will be to detect dust outside containment, which may challenge the ability of the Work

Area isolation procedures to protect the balance of the building or outside of the building from contamination.

- D. The Owner's Consultant will perform on-site monitoring throughout the course of the project, as follows:
 - 1. All work procedures shall be continuously monitored by the Consultant to assure that areas outside the designated work locations in the buildings will not be contaminated.
 - 2. Prior to work on any given day, the Hazardous Materials Abatement Contractor's designated "competent person" shall discuss the day's work schedule with the Consultant to evaluate job tasks with respect to safety procedures and requirements specified to prevent contamination of the building or the employees. This includes a visual survey of the work area and the decontamination of the building or the employees. This includes a visual survey of the work area and the decontamination enclosure systems.

PART 2 – PRODUCTS

2.1 MATERIALS

- A. Deliver all materials in the original packages, containers, or bundles bearing the name of the manufacturer and the brand name and product technical description.
- B. Damaged or deteriorating materials shall not be used and shall be removed from the premises. Material that becomes contaminated with PCBs shall be decontaminated or disposed of as PCB waste.
- C. Polyethylene sheet in a roll size to minimize the frequency of joints shall be delivered to the job site with factory label indicating 6 mil.
- D. Polyethylene disposable bags shall be six (6) mil with pertinent pre-printed label. Tie wraps for bags shall be plastic, five (5) inches long (minimum), pointed and looped to secure filled plastic bags.
- E. Tape or adhesive spray will be capable of sealing joints in adjacent polyethylene sheets and for attachment of polyethylene sheet to finished or unfinished surfaces of dissimilar materials and capable of adhering under both dry and wet conditions, including use of amended water.
- F. Cleaning Products: Contractor shall at their discretion utilize specialty cleaning products such as Capsur, TechXtract or other cleaners for use in decontaminating porous and non-porous surfaces to remain. All such products shall be utilized in accordance with manufacturer's specifications as intended. Remediation Contractor shall ensure appropriate use and disposal associated with use in accordance with the MSDS/SDS sheets for each product utilized.
- G. The Hazardous Materials Abatement Contractor shall have available spray equipment capable of mixing wetting agent with water and capable of generating sufficient pressure and volume and having sufficient hose length to reach all areas with PCBs.

H. HEPA filtered local exhaust ventilation shall be utilized during the installation of enclosures and supports where PCB-containing materials may be disturbed.

2.2 TOOLS AND EQUIPMENT

- A. The Hazardous Materials Abatement Contractor shall provide all tools and equipment necessary for PCB removal.
- B. The Hazardous Materials Abatement Contractor's air monitoring professional shall have air-monitoring equipment of type and quantity to monitor operations and conduct personnel exposure surveillance per OSHA requirements.
- C. The Hazardous Materials Abatement Contractor shall have available sufficient inventory or dated purchase orders for materials necessary for the job including protective clothing, respirators, filter cartridges, polyethylene sheeting of proper size and thickness, tape and air filters.
- D. The Hazardous Materials Abatement Contractor shall provide (as needed) temporary electrical power panels, electrical power cables, and electrical power sources (such as generators). Any electrical connection work affecting the building electrical power system shall be performed by a State of Connecticut licensed electrician.
- E. The Hazardous Materials Abatement Contractor shall have available shower stalls and plumbing to support same to include sufficient hose length and drain system or an acceptable alternate.
- F. Exhaust air filtration system units shall contain HEPA filter(s) capable of sufficient air exhaust to create negative pressure of -0.02 inches of water within enclosure with respect to outside area. Equipment shall be checked for proper operation by smoke tubes or differential pressure gauge before the start of each shift and at least twice during the shift. Adequate exhaust air shall be provided for a minimum of four (4) air changes per hour within the enclosure. No air movement system or air filtering equipment shall discharge unfiltered air outside.
- H. Vacuum units, of suitable size and capacities for the project, shall have HEPA filter(s) capable of trapping and retaining at least 99.97 percent of all mono-dispersed particles of 0.3 micrometers in diameter or larger.

PART 3 - EXECUTION

3.1 PRE-ABATEMENT MEETING

- A. At least one week prior to the start of work a Pre-Construction Meeting will be scheduled and must be attended by the Hazardous Materials Abatement Contractor and any Sub-Contractors. The assigned Contractor Site Supervisor is also required to attend this meeting.
- B. The Hazardous Materials Abatement Contractor shall present a detailed project schedule and project submittals at the Pre-Construction Meeting. Variations, amendments, and corrections to the presented schedule will be discussed, and the Owner and Consultant

- SDE PROJECT NO.: 080-0093 RNV/E
- will inform the Hazardous Materials Abatement Contractor of any scheduling adjustments for this project.
- C. Following the Pre-Construction Meeting, the Hazardous Materials Abatement Contractor shall submit a revised schedule (if needed) no later than three days after the meeting.

3.1 WORK AREA PROTECTION – ABATEMENT ZONE

- A. Protection of Existing Construction: Perform PCB Containing Materials removal work without damage or contamination of adjacent areas, soil, and existing construction.
- B. Prior to commencement of PCB abatement activities at each work area, a containment system shall be constructed by the Hazardous Materials Abatement Contractor to capture and contain all materials removed during the abatement. Containment procedures referenced for the abatement zone must be utilized for PCB Removal.
- C. During all remediation activities, Contractor shall maintain control of all entrances and exits to the project site to ensure only authorized personnel enter the work areas and are afforded proper personal protective equipment and as required respiratory protection. All approaches to work areas shall be demarcated with appropriately worded warning signs.
- D. Work zones shall be established in accordance with this section to include abatement zone, decontamination zone and support zone.
- E. Ground protection to prevent debris from escaping the abatement zone and to protect areas outside of abatement zone from PCB contamination shall be utilized. Protection shall include the use of water impervious membrane covering which shall be secured to the ground surface. Edges shall be raised to prevent water run-off used for dust control during removal of window systems from the building exterior. The membrane shall be covered with a single layer of 6-mil polyethylene sheeting securely fastened to foundation.
- F. All other openings to the building interior, such as unit ventilation, ducts, and grilles, shall be securely sealed with a single layer of 6-mil polyethylene sheeting from the building exterior. Refer to technical specification section for requirements.
- G. For interior removal of PCB Containing Materials a full containment shall be established with isolation barriers at all openings to the work area, floor covering and wall covering to the extent required to conduct removal of windows from inside the building. The containment area shall be placed under negative pressure as described below.
- H. Negative Pressure: Air is to be drawn into the exterior enclosure under all anticipated conditions and exhausted through a HEPA filter during daily operations when dust generating methods for removing PCB Containing Material for the duration of the activity and for a period of not less than 1 hour after The design parameters for static pressure differentials between the inside and outside of enclosures shall be in a range from 0.02 to 0.10 inches of water gauge, depending on conditions. All zones inside the enclosure must have less pressure than the ambient pressure outside of the enclosure (-0.02 inches water gauge differential).

- 1. Ground protection and isolation barriers shall remain in place throughout work to collect dust and debris resulting from PCB removal All debris generated during operations including but not limited to visible caulking, dust and debris shall be HEPA vacuumed continuously throughout the work shift and at the end of a work shift to avoid accumulation. Any tears or rips that occur in protections shall be repaired or removed and replaced with new protections.
- 2. Warning Signage: Post warning signs in accordance with 29 CFR 1910.1200 at all approaches to the work area. Signs shall be conspicuously posted to permit a person to read signs and take precautionary measures to avoid exposure to PCBs or other Toxic or Hazardous Substances. These signs should include the PCB ML markers at each entrance to the work area.
- 3. Waste Containers for PCB Bulk Product Waste: Appropriate PCB waste containers shall be placed adjacent to abatement zones. Containers shall be lined covered and secured. The PCB waste containers shall be properly marked as described in 40 CFR part 761.40 and 45. Marking shall include a PCB ML marker.

3.3 DECONTAMINATION SYSTEM

- A. The Hazardous Materials Abatement Contractor shall establish contiguous to the work area, a decontamination enclosure consisting of equipment room, shower room, and clean room in series. The only access between contaminated and uncontaminated areas shall be through this decontamination enclosure. If it is not feasible to set-up a contiguous decontamination unit, the Hazardous Materials Abatement Contractor shall establish a remote decontamination unit.
- B. Access between rooms in the decontamination system shall be through double flap curtain openings. The clean room, shower and equipment room within the decontamination enclosure, shall be completely sealed ensuring that the sole source of airflow through this area originates from uncontaminated areas outside the work area.
- C. The Hazardous Materials Abatement Contractor shall establish contiguous with the work area an equipment decontamination enclosure consisting of two (2) totally enclosed chambers divided by double flap curtained opening. This enclosure must be constructed so as to ensure no personnel enter or exit through this unit.
- D. Occupied areas and/or building space not within the work areas shall be separated from PCB abatement work areas by means of airtight barriers.
- E. Construct the decontamination system with wood or metal framing, 3/8" sheathing and cover both sides with a double layer of six (6) mil polyethylene sheeting, spray glued or taped at the joints. Caulk joints watertight at floor, walls, and ceiling.
- F. The Hazardous Materials Abatement Contractor and the Consultant shall visually inspect barrier several times daily to assure effective seal and the Hazardous Materials Abatement Contractor shall repair defects immediately.

3.4 BULK PRODUCT WASTE REMOVAL – PCB ≥ 50 PPM

- A. PCB Bulk Product Waste Materials including exterior window caulking (1956), Shellac/Varnish associated with the exercise (small) gym wood floor, and the interior slate window sill caulk (1968), including slate sill shall be handled and removed from specified locations for proper disposal
- B. Materials shall be removed in a manner which does not breakdown the materials into fine dust or powder to the extent feasible. Equipment and tools to be utilized shall include hand tools and mechanical equipment such as demolition hammers. Mechanical removal equipment shall as appropriate be fitted with dust collection systems.
- C. Any dry or brittle caulking materials or other Bulk Product waste containing PCB ≥50 ppm shall be removed with additional engineering controls such as use of a HEPA vacuum to remove accumulated dust or debris during removal.
- D. Once removed, materials shall be placed in lined containers or into appropriate temporary containers such as 6-mil polyethylene disposal bags for controlled transport to PCB waste containers at the end of each work shift. PCB Bulk Product Waste shall be stored for disposal in accordance with 40 CFR Part §761.65 and marked in accordance with 40 CFR Part §761.40 and §761.45.
- E. The use of minimal quantities of water to moisten the generated dust prior to collection shall be utilized. Under no circumstances shall the PCB waste show evidence of free liquid water, pooling, or ponding within the waste stream. Any liquid used to wet the dust and debris to control fugitive emissions shall be properly containerized and decontaminated in accordance with 40 CFR Part §761.79 (b)(1) or disposed of in accordance with40 CFR Part §761.60 (a).

3.5 CLEANING AND DECONTAMINATION

- A. The Hazardous Materials Abatement Contractor shall be responsible for complete cleaning and decontamination of the Abatement Zone upon completion of work. The Abatement Zone will be required to meet proposed final visual inspection requirements.
- B. The Hazardous Materials Abatement Contractor shall utilize HEPA vacuum and wet cleaning products to remove all visible dust and debris from all surfaces within the work area. If specialty products are utilized the Hazardous Materials Abatement Contractor shall utilize in accordance with manufacturer's specifications including any additional safety and disposal requirements for such use.
- C. Cleaning of containment barriers shall be performed prior to removal leaving critical barriers at openings, decontamination units and negative air filtration devices in place until results of post verification sampling indicate acceptable limits. Cleaning shall be performed from ceiling to floors.
- D. Any liquid used to wet the dust and debris to control fugitive emissions shall be collected and decontaminated in accordance with 40 CFR Part §761.79 (b) (1) or disposed of in accordance with §761.60 (a).

- E. All rags and other cleaning materials used to clean shall also be properly disposed as PCB Remediation Waste. All PCB Remediation Waste shall be disposed of in accordance with 40 CFR Part § 761.61(a)(5)(i)(B)(2)(iii). All waste containers shall comply with 40 CFR § 761.65 and shall be appropriately labeled in accordance with 40 CFR Part § 761.40 and § 761.45.
- F. Equipment to be utilized in connection with the removal of PCB Containing Materials including waste collection or that will or may come in direct contact with the site contaminants shall be decontaminated prior to leaving the site to prevent migration of the contaminated residues from the project site. Decontamination shall be in accordance with 40 CFR Part §761.79 and Sub-part S procedures.
- G. All non-disposable equipment and tools employed in the course of the project will be decontaminated at the conclusion of each work day through the following sequence:
 - 1. Initial tap water rinse, to remove gross soil
 - 2. Tap water and hexane or equivalent wash
 - 3. Tap water rinse
 - 4. Second tap water and hexane or equivalent wash
 - 5. Second tap water rinse
- H. The wash water and decontamination liquids shall be captured and containerized in DOT approved 55-gallon barrels for off-site disposal.

3.6 CONSULTANT'S RESPONSIBILITIES

- A. Air sampling shall be conducted by the Consultant to ascertain the integrity of controls that protect the building from PCB contamination. Independently, the Hazardous Materials Abatement Contractor shall monitor air quality within the work area to ascertain the protection of employees and to comply with OSHA regulations.
- B. The Consultant's project monitor shall provide continual evaluation of the condition of the building during removal, using his/her best professional judgments in respect to the State of Connecticut Department of Environmental Protection guidelines.

3.7 CONSULTANT'S INSPECTION RESPONSIBILITIES

- A. Consultant shall conduct inspection throughout the progress of the abatement project. Inspections shall be conducted in order to document the progress of the abatement work as well as the procedures and practices employed by the Hazardous Materials Abatement Contractor.
- B. The Consultant shall perform the following inspections during the course of abatement activities:
 - 1. Pre-commencement Inspection. Pre-commencement inspections shall be performed at the time requested by the abatement Contractor. The Consultant shall be informed 12 hours prior to the time the inspection is needed. If, during the course of the pre-commencement inspection, deficiencies are found, the Hazardous Materials Abatement Contractor shall perform the necessary adjustments in order to obtain compliance.

2. Work Area Inspections. Work area inspections shall be conducted on a daily basis at the discretion of the Consultant. During the course of the work inspections, the Consultant shall observe the Hazardous Materials Abatement Contractor's removal procedures, verify barrier integrity, monitor negative air filtration devices, assess project progress, and inform the abatement Contractor of specific remedial activities if deficiencies are noted.

SDE PROJECT NO.: 080-0093 RNV/E

3. Final Visual Inspection. The Consultant, upon the request of the abatement Contractor, shall conduct final visual inspection. The final visual inspection shall be conducted after completion of the final cleaning procedures. The final visual inspection shall verify that all PCB Containing Material and residual debris have been removed from the work area. If, during the course of the inspection, the Consultant identifies residual dust or debris, the Hazardous Materials Abatement Contractor shall comply with the request of the Consultant in order to render the area "dust free".

3.8 MARKING OF WASTE CONTAINERS

- A. All waste containers must be marked with the name of the waste contained; the date in which the first material was placed in the vessel; and the last date at which addition of waste occurred. All waste containers must be marked with a PCB ML marker.
- B. All waste containers containing PCB Waste and contaminated debris, containment system components, used personnel protective equipment, personal and equipment wash water and decontamination fluids, or other wastes generated during the abatement work shall be labeled as follows:

DOT Class 9 UN3432 (solid) Or UN2315 (liquid) PCB Waste RQ

Waste for Disposal

Federal law prohibits improper disposal.

If found, contact the nearest police or public safety authority or the U.S. Environmental Protection Agency.

	0	_
a. Generator's Information:		
b. Manifest Tracking No.:		
c. Accumulation Start Date:		
d. EPA ID No.:		
e. EPA Waste No.:		
f. Total Weight:		
g. Container No.:		

HANDLE WITH CARE!

In addition, these containers must be marked with a PCB M_L marker.

- C. Such marking must be durable, in English and printed on or affixed to the surface of the package or on a label, tag or sign; displayed on a background of sharply contrasting color; un-obscured by labels or attachments and located away from any other marking (such as advertising) that could substantially reduce its effectiveness.
- 3.9 ON-SITE WASTE MANAGEMENT AND DISPOSAL OF SOLID HAZARDOUS WASTES

- A. All solid waste material, containment system components, used personnel protective equipment, and other solid wastes generated during the work, shall be placed directly in appropriate waste receptacles immediately upon removal from its in-situ position. Suitable waste receptacles may consist of roll-off containers or DOT-approved 55-gallon barrels.
- B. The Hazardous Materials Abatement Contractor shall be responsible for all packaging, labeling, transport, disposal, and record-keeping associated with PCB or PCB contaminated waste in accordance with all federal, state, and local regulations.
- C. The Hazardous Materials Abatement Contractor shall ensure that the person transporting the waste holds a valid permit issued in accordance with appropriate federal, state, and local regulations.
- D. The Hazardous Materials Abatement Contractor shall provide to the transporter at the time of transfer appropriate shipping records or uniform waste manifests as required by the federal, state, and local regulations with a copy to the Owner and Owner's Authorized Representative.
- E. The Hazardous Materials Abatement Contractor shall maintain proper follow up procedures to assure that waste materials have been received by the designated waste site in a timely manner and in accordance with all federal, state, and local regulations.
- F. The Hazardous Materials Abatement Contractor shall assure that disposal of polychlorinated biphenyls (PCB) containing waste material is at a facility approved to accept such waste and shall provide a tracking/manifest form signed by the landfill's authorized representative.
- G. If roll-off containers are to be utilized for containerization of the abatement wastes the following shall apply:
 - 1. All roll-off containers or other similar vessels utilized shall be watertight and lined with 6-mil polyethylene sheeting or equivalent impermeable lining, and equipped with a secured and impermeable cover.
 - 2. The impermeable cover shall remain securely in place at all times when material is not being actively placed in the vessels. The Remediation Contractor shall be responsible for ensuring that the cover remains securely intact until the container is removed from the site.
- H. If 55-Gallon barrels are to be utilized for waste containerization, the barrels shall consists of suitable DOT-approved 55-gallon barrels that are watertight and free of corrosion, perforations, punctures, or other damage. All barrels shall be securely covered and sealed at the conclusion of each work day.
- I. The waste containers shall remain staged at the site with a secure impermeable cover in place until the materials are transported from the site to be delivered to the designated disposal facility.
- J. A waste roll-off and barrel staging area shall be designated prior to initiation of the abatement work, and approved by the Owner's Authorized Representative.

- SDE PROJECT NO.: 080-0093 RNV/E
- K. Materials containing <50 ppm will be transported to one of the following facilities:
 - 1. A facility permitted, licensed, or registered by a State to manage municipal solid waste subject to part 40 CFR Part §761.258.
 - 2. A facility permitted, licensed, or registered by a State to manage non-municipal non-hazardous waste subject to 40 CFR Part §761. 257.5 through 257.30, as applicable.
 - 3. A hazardous waste landfill permitted by EPA under section 3004 of RCRA, or by a State authorized under section 3006 of RCRA.
 - 4. Waste manifests must show chain of custody. Provide required copies of the waste shipment records for wastes to the Owner as required.
- L. Any PCB Liquid Water Waste shall be properly containerized and decontaminated in accordance with 40 CFR Part §761.79 (b)(1) or disposed of in accordance with 40 CFR Part §761.60 (a).
- M. Any chemicals, solvents or other products used during decontamination shall be properly containerized as PCB Liquid Waste. Waste must be properly decontaminated or disposed in accordance with 40 CFR Part §761.60 (a) or 40 CFR Part §761.79 (g). PCB Liquid Waste shall be transported by a licensed hauler and shipped for treatment or disposal. Provide required copies of the uniform waste manifests for hazardous wastes to the Owner, waste generation State and waste destination State as required.
- N. All contaminated waste shall be carefully loaded on trucks or other appropriate vehicles for transport. Before and during transport, care shall be exercised to insure that no unauthorized persons have access to the material.
- O. Transporters of the waste are prohibited from "back hauling" any freight after the disposition of the Owner's waste stream until decontamination of the vehicle and/or trailer is assured.

END OF SECTION 020850

ATTACHMENT A HAZARDOUS MATERIALS SURVEY REPORT

ATTACHMENT B

AIR AND WIPE SAMPLE AND ANALYSIS FOR POLYCHLORINATED BIPHENYLS (PCBS) REPORT

ATTACHMENT C

SELF-IMPLEMENTING ON-SITE CLEAN-UP AND DISPOSAL PLAN (NOT INCLUDED UNTIL APPROVED BY EPA)

DRAWINGS



Appendix E

Air and Wipe Sampling for Polychlorinated Biphenyls



May 3, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt High School Mendon, CT

Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12D0940

Lua Watchington

Enclosed are results of analyses for samples received by the laboratory on April 26, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa A. Worthington Project Manager



Fuss & O'Neill EnviroScience, LLC - CT

146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield

REPORT DATE: 5/3/2012

PURCHASE ORDER NUMBER:

PROJECT NUMBER:

20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 12D0940

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION:

Platt High School Mendon, CT

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0425EMM-01A	12D0940-01	Air	Cafeteria	TO-10A/EPA 680	
				Modified	
0425EMM-02A	12D0940-02	Air	Kitchen - Serving Area	TO-10A/EPA 680	
				Modified	
0425EMM-03A	12D0940-03	Air	Nurse	TO-10A/EPA 680	
				Modified	
0425EMM-04A	12D0940-04	Air	Rm. 26	TO-10A/EPA 680	
				Modified	
0425EMM-05A	12D0940-05	Air	Rm. 18 (Home Ec.)	TO-10A/EPA 680	
				Modified	
0425EMM-05D	12D0940-06	Air	Rm. 18 (Duplicate)	TO-10A/EPA 680	
				Modified	
0425EMM-06	12D0940-07	Air	Library (Reference)	TO-10A/EPA 680	
				Modified	
0425EMM-07	12D0940-08	Air	Rm. 130	TO-10A/EPA 680	
				Modified	
0425EMM-08	12D0940-09	Air	Rm. 105	TO-10A/EPA 680	
				Modified	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

TO-10A/EPA 680 Modified

Qualifications:

Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.

Analyte & Samples(s) Qualified:

Tetrachloro-m-xylene

B050536-BLK1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing. I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Daren J. Damboragian Laboratory Manager



ANALYTICAL RESULTS

Work Order: 12D0940

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-01A

Sample ID: 12D0940-01

Sample Matrix; Air Sampled: 4/25/2012 00:00 Sample Description/Location: Cafeteria

Sub Description/Location:

Flow Controller ID: Sample Type:

Air Volume L: 1018.4

	Tot	al µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0.00098	1	5/2/12 2:55	CJM
Dichlorobiphenyls	ND	0.0010		ND	0.00098	1	5/2/12 2:55	СЛМ
Trichlorobiphenyls	0.0057	0.0010		0.0056	0.00098	ĵ.	5/2/12 2:55	CJM
Tetrachlorobiphenyls	0,0033	0.0020		0.0032	0.002	1	5/2/12 2:55	CJM
Pentachlorobiphenyls	ND	0.0020		ND	0.002	1.	5/2/12 2:55	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 2:55	CJM
Heptachlorobiphenyls	ND	0.0030		ND	0.0029	1	5/2/12 2:55	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.0029	1	5/2/12 2:55	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.0049	1	5/2/12 2:55	CJM
Decachlorobiphenyl	ND	0.0050		ND	0.0049	Ĭ	5/2/12 2:55	CJM
Total Polychlorinated hiphenyls	0,0090			0.0088		i	5/2/12 2:55	CJM
Surrogates	% Recov	/ery		% RE	C Limits			
Tetrachloro-m-xylene		100		50	-125		5/2/12 2:55	_



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-02A

Sample ID: 12D0940-02

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Kitchen - Serving Area

Sub Description/Location:

Flow Controller ID:

Sample Type: Air Volume L: 1014.6 Work Order: 12D0940

	Total	al µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND.	0.00099	1	5/2/12 3:29	СЛМ
Dichlorobiphenyls	0,0032	0.0010		0.0032	0.00099	ĵ	5/2/12 3:29	CJM
Trichlorobiphenyls	0.0076	0.0010		0.0075	0.00099	1	5/2/12 3:29	CJM
Tetrachlorobiphenyls	0.0059	0.0020		0.0058	0.002	1	5/2/12 3:29	CJM
Pentachlorobiphenyls	0.0024	0,0020		0.0024	0.002	1	5/2/12 3:29	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 3:29	CJM
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 3:29	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 3:29	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.0049	1	5/2/12 3:29	CJM
Decachlorobiphenyl	ND	0.0050		ND	0.0049	1	5/2/12 3:29	CJM
Total Polychlorinated biphenyls	0.019			0.019		i i	5/2/12 3:29	CJM
Surrogates	% Recov	very		% RE	C Limits			
Tetrachloro-m-xylene		80.9		50	-125		5/2/12 3:29	



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012

Field Sample #: 0425EMM-03A Sample ID: 12D0940-03

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Nurse

Sub Description/Location:

Flow Controller ID:

Sample Type: Air Volume L: 1018.4

Work Order: 12D0940

	Tota	а ру		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0,00098	1	5/2/12 4:02	СЈМ
Dichlorobiphenyls	0.0041	0.0010		0.004	0.00098	1	5/2/12 4:02	СЈМ
Trichlorobiphenyls	0.028	0.0010		0.027	0.00098	-1	5/2/12 4:02	CJM
Tetrachlorobiphenyls	0.011	0.0020		0.010	0.002	1	5/2/12 4:02	CJM
Pentachlorobiphenyls	0.0025	0.0020		0.0024	0.002	i	5/2/12 4:02	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 4:02	CJM
Heptachlorobiphenyls	ND	0.0030		ND	0.0029	1	5/2/12 4:02	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.0029	1	5/2/12 4:02	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.0049	Ī	5/2/12 4:02	CJM
Decachlorobiphenyl	ND	0.0050		ND	0,0049	1	5/2/12 4:02	CJM
Total Polychlorinated biphenyls	0.045			0.044		i	5/2/12 4:02	СЈМ
Surrogates	% Recov	very		% RE	C Limits			
Tetrachloro-m-xylene		95,9		50	-125		5/2/12 4:02	



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-04A Sample ID: 12D0940-04

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Rm. 26

Sub Description/Location:

Flow Controller ID: Sample Type: Air Volume L: 1014.6 Work Order: 12D0940

	Total	nl µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0.00099	1.	5/2/12 4;36	CJM
Dichlorobiphenyls	ND	0,0010		ND	0.00099	1	5/2/12 4:36	CJM
Trichlorobiphenyls	0.0048	0.0010		0.0047	0.00099	1	5/2/12 4:36	CJM
Tetrachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 4:36	СЛМ
Pentachlorobiphenyls	ND	0.0020		ND	0.002	3	5/2/12 4:36	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 4:36	СЛМ
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 4:36	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	i	5/2/12 4:36	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0,0049	1	5/2/12 4.36	СЛМ
Decachlorobiphenyl	ND	0.0050		ND	0.0049	1	5/2/12 4:36	CJM
Total Polychlorinated biphenyls	0,0048			0.0047		1	5/2/12 4:36	CJM
Surrogates	% Recov	very		% RE	C Limits			
Tetrachloro-m-xylene		103	_	50	-125		5/2/12 4:36	



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012

Field Sample #: 0425EMM-05A Sample ID: 12D0940-05

Sample Matrix: Air Sampled: 4/25/2012 00:00 CT

Sample Description/Location: Rm. 18 (Home Ec.)

Sub Description/Location:

Work Order: 12D0940

Flow Controller ID: Sample Type:

Air Volume L: 1003.2

	Tota	il µg		ug/	m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0.001	1	5/2/12 5:10	CJM
Dichlorobiphenyls	0.0034	0.0010		0.0033	0.001	ī	5/2/12 5:10	CJM
Trichlorobiphenyls	0.0073	0.0010		0.0073	0.001	1	5/2/12 5:10	CJM
Tetrachlorobiphenyls	0.0031	0.0020		0.0031	0.002	1	5/2/12 5:10	CJM
Pentachlorobiphenyls	ND	0.0020		ND	0.002	I.	5/2/12 5:10	СЈМ
Hexachlorobiphenyls	ND	0.0020		ND	0,002	1	5/2/12 5:10	CJM
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 5:10	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	0	5/2/12 5:10	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0,005	3	5/2/12 5:10	СЈМ
Decachlorobiphenyl	ND	0.0050		ND	0.005	51	5/2/12 5:10	СЈМ
Total Polychlorinated biphenyls	0.014			0.014		1	5/2/12 5:10	CJM
Surrogates	% Recov	ery		% REC	2 Limits			
Tetrachloro-m-xylene		99.1		50-	125		5/2/12 5:10	_



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-05D Sample ID: 12D0940-06

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Rm. 18 (Duplicate)

Sub Description/Location:

Flow Controller ID: Sample Type: Air Volume L: 1007 Work Order: 12D0940

	Tota	ıl µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0.00099	1)	5/2/12 5:43	CJM
Dichlorobiphenyls	0.0018	0.0010		0.0018	0.00099	1	5/2/12 5:43	CJM
Trichlorobiphenyls	0.0048	0.0010		0.0048	0.00099	1	5/2/12 5:43	CJM
Tetrachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 5;43	CJM
Pentachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 5:43	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0.002	Ĭ	5/2/12 5:43	СЈМ
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 5:43	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 5:43	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.005	1	5/2/12 5:43	CJM
Decachlorobiphenyl	ND	0.0050		ND	0.005	I.	5/2/12 5:43	CJM
Fotal Polychlorinated biphenyls	0.0066			0.0065		1	5/2/12 5:43	CJM
Surrogates	% Recov	/ery		% RE	C Límits			
Fetrachloro-m-xylene		107		50	-125		5/2/12 5:43	



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-06 Sample ID: 12D0940-07

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Library (Reference)

Sub Description/Location:

Flow Controller ID: Sample Type: Air Volume L: 1007 Work Order: 12D0940

TO-10A/EPA 680 Modified

	Tot	al μg		ug	/m3		Date/Time		
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst	
Monochlorobiphenyls	ND	0.0010		ND	0.00099	45	5/2/12 6:17	СЛМ	
Dichlorobiphenyls	0.0016	0.0010		0.0015	0.00099	1	5/2/12 6:17	CJM	
Trichlorobiphenyls	0.0049	0.0010		0.0048	0.00099	1:	5/2/12 6:17	CJM	
Tetrachlorobiphenyls	0.0073	0,0020		0.0072	0.002	1	5/2/12 6:17	CJM	
Pentachlorobiphenyls	0.0040	0.0020		0.004	0,002	· · · · · · · · · · · · · · · · · · ·	5/2/12 6:17	CJM	
Hexachlorobiphenyls	ND	0.0020		ND	0,002	1:	5/2/12 6:17	CJM	
Heptachlorobiphenyls	ND	0.0030		ND	0.003	0	5/2/12 6:17	СЈМ	
Octachlorobiphenyls	ND	0.0030		ND	0.003	1.3	5/2/12 6;17	СЈМ	
Nonachlorobiphenyls	ND	0.0050		ND	0.005	1	5/2/12 6:17	CJM	
Decachlorobiphenyl	ND	0.0050		ND	0.005	1	5/2/12 6:17	CJM	
Total Polychlorinated biphenyls	0.018			0.018		1	5/2/12 6:17	CJM	
Surrogates	% Reco	very		% RE	C Limits				
Tetrachloro-m-xylene		98.9	_	50	-125		5/2/12 6:17		



ANALYTICAL RESULTS

Project Location: Platt High School Mendon, CT

Date Received: 4/26/2012 Field Sample #: 0425EMM-07 Sample ID: 12D0940-08

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Rm. 130

Sub Description/Location:

Flow Controller ID: Sample Type: Air Volume L. 1007 Work Order: 12D0940

	Tot	al µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0.00099	Î	5/2/12 11:37	СЈМ
Dichlorobiphenyls	0.0072	0.0010		0.0071	0.00099	t	5/2/12 11:37	СЈМ
Trichlorobiphenyls	0.016	0.0010		0.016	0.00099	T.	5/2/12 11:37	CJM
Tetrachlorobiphenyls	0.0041	0.0020		0.0041	0.002	ì	5/2/12 11:37	CJM
Pentachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 11:37	СЛМ
Hexachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 11:37	CJM
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 11:37	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 11:37	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.005	1	5/2/12 11:37	CJM
Decachlorobiphenyl	ND	0.0050		ND	0.005	1	5/2/12 11:37	CJM
Total Polychlorinated biphenyls	0,028			0,027		1	5/2/12 11:37	CJM
Surrogates	% Reco	very		% RE	C Limits			
Tetrachloro-m-xylene		90.6		50	-125		5/2/12 11:37	_



ANALYTICAL RESULTS

Project Location; Platt High School Mendon, CT

Date Received: 4/26/2012

Field Sample #: 0425EMM-08 Sample ID: 12D0940-09

Sample Matrix: Air Sampled: 4/25/2012 00:00 Sample Description/Location: Rm. 105

Sub Description/Location:

Work Order: 12D0940

Flow Controller ID:

Sample Type:

Air Volume L: 1014.6

	Tota	al µg		ug	/m3		Date/Time	
Analyte	Results	RL	Flag	Results	RL	Dilution	Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010		ND	0,00099	1	5/2/12 12:11	СЈМ
Dichlorobiphenyls	0.015	0.0010		0.015	0.00099	1	5/2/12 12:11	CJM
Trichlorobiphenyls	0,034	0.0010		0.034	0.00099	1	5/2/12 12:11	CJM
Tetrachlorobiphenyls	0.014	0.0020		0.013	0.002	1	5/2/12 12:11	CJM
Pentachlorobiphenyls	ND	0.0020		ND	0.002	1	5/2/12 12:11	CJM
Hexachlorobiphenyls	ND	0.0020		ND	0,002	1	5/2/12 12:11	СЈМ
Heptachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 12:11	CJM
Octachlorobiphenyls	ND	0.0030		ND	0.003	1	5/2/12 12:11	CJM
Nonachlorobiphenyls	ND	0.0050		ND	0.0049	1	5/2/12 12:11	СЛМ
Decachlorobíphenyl	ND	0,0050		ND	0.0049	1	5/2/12 12:11	CJM
Total Polychlorinated biphenyls	0.063			0.062		i —	5/2/12 12:11	СЈМ
Surrogates	% Recov	very		% RE	C Limits			
Tetrachloro-m-xylene		104		50	-125		5/2/12 12:11	



Sample Extraction Data

Prep Method: SW-846 3540C-TO-10A/EPA 680 Modified

Lab Number [Field ID]	Batch	Initial [Cartridge	Final [mL]	Date	
12D0940-01 [0425EMM-01A]	B050536	1.00	1.00	04/27/12	
12D0940-02 [0425EMM-02A]	B050536	1.00	1.00	04/27/12	
12D0940-03 [0425EMM-03A]	B050536	1.00	1.00	04/27/12	
12D0940-04 [0425EMM-04A]	B050536	1.00	1.00	04/27/12	
[2D0940-05 [0425EMM-05A]	B050536	1.00	1.00	04/27/12	
12D0940-06 [0425EMM-05D]	B050536	1.00	1.00	04/27/12	
12D0940-07 [0425EMM-06]	B050536	1.00	1.00	04/27/12	
12D0940-08 [0425EMM-07]	B050536	1.00	1.00	04/27/12	
12D0940-09 [0425EMM-08]	B050536	1.00	1.00	04/27/12	



QUALITY CONTROL

PCB Homologues by GC/MS with Soxhlet Extraction - Quality Control

Analyte	Tot Results	al μg RL	ug/n Results	RL	Spike Level Total µg	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch B050536 - SW-846 3540C											
Blank (B050536-BLK1)					Prepared: 04/	27/12 Analy	yzed: 05/02/	12			
Monochlorobiphenyls	ND	0.0010									
Dichlorobiphenyls	ND	0.0010									
Trichlorobiphenyls	ND	0.0010									
Tetrachlorobiphenyls	ND	0.0020									
Pentachlorobiphenyls	ND	0.0020									
Hexachlorobiphenyls	ND	0.0020									
Heptachlorobiphenyls	ND	0,0030									
Octachlorobiphenyls	ND	0.0030									
Nonachlorobiphenyls	ND	0.0050									
Decachlorobiphenyl	ND	0.0050									
Total Polychlorinated biphenyls	0.0										
Surrogate: Tetrachloro-m-xylene	0.0935				0.200		46.7 *	50-125			8-20
CS (B050536-BS1)					Prepared: 04/	27/12 Analy	zed; 05/02/1	2			
Monochlorobiphenyls	0.18	0.0010			0.200		88.1	40-140			
Dichlorobiphenyls	0.19	0.0010			0.200		95.9	40-140			
richlorobiphenyls	0.19	0.0010			0.200		95.8	40-140			
etrachlorobiphenyls	0.40	0.0020			0.400		99,3	40-140			
Pentachlorobiphenyls	0.41	0.0020			0.400		102	40-140			
lexachlorobiphenyls	0,40	0.0020			0.400		101	40-140			
leptachlorobiphenyls	0.63	0.0030			0.600		104	40-140			
Octachlorobiphenyls	0.62	0.0030			0.600		103	40-140			
Vonachlorobiphenyls	1.1	0.0050			1.00		110	40-140			
Decachlorobiphenyl	1.1	0.0050			1.00		110	40-140			
urrogate: Tetrachloro-m-xylene	0.211				0.200		106	50-125			
CS Dup (B050536-BSD1)					Prepared: 04/2	27/12 Analy:	zed: 05/02/1	2			
fonochlorobiphenyls	0.21	0,0010			0.200		104	40-140	16.2	50	
ichlorobiphenyls	0.22	0.0010			0.200		111	40-140	14.9	50	
richlorobiphenyls	0.22	0.0010			0.200		111	40-140	14.6	50	
etrachlorobiphenyls	0.46	0.0020			0.400		116	40-140	15.4	50	
entachlorobiphenyls	0.46	0.0020			0.400		115	40-140	11,7	50	
exachlorobiphenyls	0.45	0,0020			0.400		114	40-140	11.6	50	
eptachlorobiphenyls	0.70	0.0030			0.600		116	40-140	10.7	50	
ctachlorobiphenyls	0.68	0.0030			0.600		113	40-140	9.05	50	
onachlorobiphenyls	1.2	0.0050			1.00		119	40-140	7.72	50	
ecachlorobiphenyl	1.2	0.0050			1.00		116	40-140	5.41	50	
urrogate: Tetrachloro-m-xylene	0.231				0.200		115	50-125			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
*	Wide recovery limits established for difficult compound.
*	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
S-20	Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.



CERTIFICATIONS

Certified Analyses included in this Report

Analyte Certifications

TO-10A/EPA 680 Modified in Air

Total Polychlorinated biphenyls

AIHA


The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Publile Health	PH-0567	09/30/2013
YY	New York State Department of Health	10899 NELAP	04/1/2013
NH	New Hampshire Environmental Lab	2516 NELAP	.02/5/2013
ET .	Rhode Island Department of Health	LAO00112	12/30/2012
IC .	North Carolina Div. of Water Quality	652	12/31/2012
Ü	New Jersey DEP	MA007 NELAP	06/30/2012
r	Florida Department of Health	E871027 NELAP	06/30/2012
T	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
VA	State of Washington Department of Ecology	C2065	02/23/2013
TE.	State of Maine	2011028	06/9/2013
'A	Commonwealth of Virginia	1381	12/14/2012

Number Relinquished By 1 1 2 Market State St	08 km.105	Librar	05A	03 03A Norse J 04 O4A Rm. 26	01 OIA Cafeteria 02 OAA Kitchen-serving area	ttem Transfer Check Sample Number No. r 2 3 4 0 Hasenma -	Source Codes: MW=Monitoring Well PW=Porable Water S=Soil SW=Surface Water T=Treatment Facility B=Sediment C	Sampler's Signature:	INVOICE TO: Kardyn Red Held	PROJECT NAME PLANT HIGH SCHOOL	CITATIN-OF-COSTODY KECOKD	CHAIN DE CHETCH	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (800) 646-2469 · www.FandO.com 12D094
Accepted By Date Time Reporting and Detection Limit Requirements: USEPA action concentration. 10 us 11 Additional Comments: Refer to field notes to	A A A A A A A A A A A A A A A A A A A				A18 4-25-13 p.m. V	Source Date Time COde Sampled	Andred Miles	Date: 4-25-12	Analysis Request	Mendan CT PROJECT NUMBER	DI KECOKO USIZ		SCIENCE, LLC 2 146 Hantford Road, Manchester, CT 06040 56 Quarry Road, Trumbull, CT 06011 51 1419 Richland Street, Columbia, SC 29201 78 Interstate Drive, West Springfield, MA 01089
notes for start (5thp Sorphing time		74001	1003,2 L 1007,1	7 4.3101		Chass Soil Cone Other Water VOA Vie Plass Amber	methanol safer	I A SA SO OF SO ON TOO ON THE SO OF SO ON THE SO ON THE SO OF SO ON THE SO OF SO ON THE SO ON THE SO OF SO ON THE SO	Containers		□ 1 Days* □ 3 Days* □ Other(days) □ 2 Days* □ Standard (Turnaround D.	☐ 50 Redfield Street, Suite 100, Boston, MA 02122 ☐ 275 Promenade Street, Suite 350, Providence, RI 02908 ☐ 80 Washington Street, Suite 301, Poughkeepsie, NY 12601 ☐ 90

39 Spruce St. East Longmeadow, MA. 01028 P: 413-525-2332 F: 413-525-6405 www.contestlabs.com







CLIENT NAME: FUSS +	1/res/10	RECEIVED BY:	<u>SD</u> dat	E: 4/2/0/12
1) Was the chain(s) of custody	relinguished and sid	aned?	es No No	CoC Indicate I
2) Does the chain agree with the If not, explain:	_	y (Y	es) No	CoC Included
3) Are all the samples in good of frot, explain:	condition?	(A	es No	
4) How were the samples recei	ved:			
On Ice Direct from		Ambient In	Continues TA	
Were the samples received in]			Cooler(s)	
	omperature compile		es No N/A	
Temperature °C by Temp blank		_Temperature °C by Te	emp gun <u>4, i</u>	<u> </u>
5) Are there Dissolved samples	for the lab to filter?	v	es (No	•
Who was notified			es (Mg	
6) Are there any RUSH or SHOF	T HOLDING TIME 65	emplos?		
Who was notified			es (No)	
Annual Control of the	Date			
7) Logation where		_		samples? Yes No
7) Location where samples are sto	red:	(Walk-in c	lients only) if not	already approved
		Client Sigr	nature:	
3) Do all samples have the prop	er Acid pH: Yes N	lo (N / A		
9) Do all samples have the prop	er Base pH: Yes	No (N/A)		
C	ontainers re	ceived at Con-	Test	Andrew Mark & Land Land Andrew Mark &
	# of containers			# of containers
1 Liter Amber		8 oz ambe	er/clear jar	333444
500 mL Amber		4 oz ambe	er/clear jar	
250 mL Amber (8oz amber)		2 oz ambe		
1 Liter Plastic		Air Ca	ssette	
500 mL Plastic		Hg/Hopca	ılite Tube	
250 mL plastic		Plastic Ba	g / Ziploc	
40 mL Vial - type listed below		Plastic Ba PM 2.5 / PUF Ca	PM 10	
Colisure / bacteria bottle		PUF Ca	rtridge	9
Dissolved Oxygen bottle		soc	Kit	/
Encore		TO-17		
Flashpoint bottle		Non-ConTes		
Perchlorate Kit		Other gl	ass jar	
Other		Oth Oth	er	
aboratory Comments:				
				•
40 mL vials: # HCI	# Meth	anal	Time ar	nd Date Frozen:
oc# 277 # Bisulfate	# Meti # DI W		_	
ev. 2 Sept 2011 # Thiosulfate				Page 18
eviziaenozurio alataria # I RIOSHIIAIA :	Unpres	CORION	1	. 490 10

Unpreserved



May 4, 2012

Karron Redfield Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040

Project Location: Platt High School, Meriden, CT

Client Job Number:

Project Number: 20111127.A1E

Laboratory Work Order Number: 12D0938

Lua Watthington

Enclosed are results of analyses for samples received by the laboratory on April 26, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa A. Worthington Project Manager



Fuss & O'Neill EnviroScience, LLC - CT 146 Hartford Road Manchester, CT 06040 ATTN: Karron Redfield REPORT DATE: 5/4/2012

PURCHASE ORDER NUMBER: 20111127.A1E

PROJECT NUMBER: 20111127.A1E

ANALYTICAL SUMMARY

WORK ORDER NUMBER:

12D0938

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report,

PROJECT LOCATION: Platt High School, Meriden, CT

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
0425EMM-01W	12D0938-01	Wipe	w. sill (metal rad. cover)	EPA 680 Modified	
0425EMM-02W	12D0938-02	Wipe	floor-adj window	EPA 680 Modified	
0425EMM-03W	12D0938-03	Wipe	desk-opp window	EPA 680 Modified	
0425EMM-04W	12D0938-04	Wipe	floor-opp window	EPA 680 Modified	
0425EMM-05W	12D0938-05	Wipe	w. sill (metal rad. cover)	EPA 680 Modified	
0425EMM-06W	12D0938-06	Wipe	floor-adj window	EPA 680 Modified	
0425EMM-07W	12D0938-07	Wipe	desk-opp window	EPA 680 Modified	
0425EMM-08W	12D0938-08	Wipe	floor-opp window	EPA 680 Modified	
0425EMM-09W	12D0938-09	Wipe	w. sill (metal rad, cover)	EPA 680 Modified	
0425EMM-10W	12D0938-10	Wipe	w. sill (metal grate)	EPA 680 Modified	
0425EMM-11W	12D0938-11	Wipe	floor (middle)	EPA 680 Modified	
0425EMM-12W	12D0938-12	Wipe	stove (left)	EPA 680 Modified	
0425EMM-13W	12D0938-13	Wipe	counter (middle)	EPA 680 Modified	
0425EMM-14W	12D0938-14	Wipe	floor (middle)-duplicate.	EPA 680 Modified	100
0425EMM-15W	12D0938-15	Wipe	wood sill	EPA 680 Modified	
0425EMM-16W	12D0938-16	Wipe	floor adj window	EPA 680 Modified	
0425EMM-17W	12D0938-17	Wipe	assignment table-opp window	EPA 680 Modified	
0425EMM-18W	12D0938-18	Wipe	floor-opp window	EPA 680 Modified	
0425EMM-19W	12D0938-19	Wipe	wood sill	EPA 680 Modified	
0425EMM-20W	12D0938-20	Wipe	floor- adj window	EPA 680 Modified	
0425EMM-21W	12D0938-21	Wipe	computer desk-opp window	EPA 680 Modified	
0425EMM-22W	12D0938-22	Wipe	floor-opp window	EPA 680 Modified	
0425EMM-23W	12D0938-23	Wipe	w. sill (slate)	EPA 680 Modified	
0425EMM-24W	12D0938-24	Wipe	floor-adj window	EPA 680 Modified	
0425EMM-25W	12D0938-25	Wipe	table-opp. window	EPA 680 Modified	
0425EMM-26W	12D0938-26	Wipe	floor-opp window	EPA 680 Modified	
0425EMM-27W	12D0938-27	Wipe -	wood counter	EPA 680 Modified	
0425EMM-28W	12D0938-28	Wipe	metal counter	EPA 680 Modified	
0425EMM-29W	12D0938-29	Wipe	floor middle	EPA 680 Modified	
0425EMM-30W	12D0938-30	Wipe	floor-adj window	EPA 680 Modified	
0425EMM-31W	12D0938-31	Wipe	desk-opp, window	EPA 680 Modified	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report-

Revised Report on 5/4/2012 with wipe units reported in ug/100 cm2.

EPA 680 Modified

Qualifications:

Analyte is found in the associated blank as well as in the sample.

Analyte & Samples(s) Qualified:

Hexachlorobiphenyls, Pentachlorobiphenyls, Tetrachlorobiphenyls, Total Polychlorinated biphenyls

12D0938-12[0425EMM-12W], 12D0938-13[0425EMM-13W], 12D0938-14[0425EMM-14W], 12D0938-29[0425EMM-29W], B050564-BS1, B050564-BSD1, 12D0938-15[0425EMM-15W], 12D0938-16[0425EMM-16W], 12D0938-17[0425EMM-17W], 12D0938-19[0425EMM-19W], 12D0938-20[0425EMM-20W], 12D0938-25[0425EMM-25W], 12D0938-27[0425EMM-27W], 12D0938-18[0425EMM-18W]

Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.

Analyte & Samples(s) Qualified:

Tetrachloro-m-xylene

B050532-BLK1

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Dichlorobiphenyls, Monochlorobiphenyls, Trichlorobiphenyls

B050532-BS1, B050532-BSD1, 12D0938-07[0425EMM-07W]

Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

Analyte & Samples(s) Qualified:

Decachlorobiphenyl, Dichlorobiphenyls, Monochlorobiphenyls, Trichlorobiphenyls

. L. Holson

12D0938-12[0425EMM-12W], 12D0938-13[0425EMM-13W], 12D0938-21[0425EMM-21W], 12D0938-22[0425EMM-22W], 12D0938-23[0425EMM-23W], 12D0938-24[0425EMM-24W], 12D0938-25[0425EMM-25W], 12D0938-26[0425EMM-26W], 12D0938-27[0425EMM-27W], 12D0938-28[0425EMM-28W], 12D0938-29[0425EMM-29W], 12D0938-30[0425EMM-30W], 12D0938-31[0425EMM-31W], 12D0938-01[0425EMM-01W], 12D0938-02[0425EMM-02W], 12D0938-03[0425EMM-03W], 12D0938-04[0425EMM-04W], 12D0938-05[0425EMM-05W], 12D0938-06[0425EMM-06W], 12D0938-07[0425EMM-07W], 12D0938-08[0425EMM-08W], 12D0938-09[0425EMM-09W], 12D0938-01[0425EMM-09W], 12D0938-01[0425EMM-11W], 12D0938-01[0425EMM-

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Holly L. Folsom Reporting Specialist



Project Location: Platt High School, Meriden, CT

Sample Description:

w. sill (metal rad. cover)

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-01W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-01 Sample Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analysi
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	Φ	V-20	EPA 680 Modified	4/27/12	4/30/12 21:05	СЈМ
Dichlorobiphenyls	ND	0.0010	µg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 21:05	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	T	V-20	EPA 680 Modified	4/27/12	4/30/12 21:05	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:05	СЈМ
Pentachlorobiphenyls	0.0066	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Hexachlorobiphenyls	0.0054	0.0020	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	Y		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	T		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	Υ.		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Total Polychlorinated biphenyls	0.012		µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:05	CJM
Surrogates		% Recovery	Recovery Limits		Flag				_
The control of the co		0=0	San alask						

87.8 50-125

Tetrachloro-m-xylene

4/30/12 21:05



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-adj window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-02W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-02 Sample Matrix: Wipe

PCB Homologues by GC/MS	(Wipe) with Soxblet Extraction
-------------------------	--------------------------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	Γ.	V-20	EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 21:43	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	Ì		EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	T.		EPA 680 Modified	4/27/12	4/30/12 21:43	СЛМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	J.		EPA 680 Modified	4/27/12	4/30/12 21:43	СЈМ
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2			EPA 680 Modified	4/27/12	4/30/12 21:43	СЛМ
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:43	СЈМ
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 21:43	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		106	50-125					4/30/12 21:43	



Project Location: Platt High School, Meriden, CT

Sample Description:

desk-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-03W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-03 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	. fr.	V-20	EPA 680 Modified	4/27/12	4/30/12 22:21	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	T	V-20	EPA 680 Modified	4/27/12	4/30/12 22:21	СЛМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Tetrachlorobiphenyls	ND	0.0020	µg/100 cm2	1:		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Pentachlorobiphenyls	0.0084	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	СЈМ
Hexachlorobiphenyls	0.0042	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Total Polychlorinated biphenyls	0.013		μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:21	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		119	50-125					4/30/12 22:21	



floor-opp window

Project Location: Platt High School, Meriden, CT

Sample Description:

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-04W

Sampled: 4/25/2012 00:00

Samule ID: 12D0938-04 Samule Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	4	V-20	EPA 680 Modified	4/27/12	4/30/12 22:58	СЛМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 22:58	СЛМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 22:58	СЛМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	CJM
Pentachlorobiphenyls	0.0091	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	СЈМ
Hexachlorobiphenyls	0.0044	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	0		EPA 680 Modified	4/27/12	4/30/12 22:58	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1.		EPA 680 Modified	4/27/12	4/30/12 22:58	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	СЈМ
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	CJM
Total Polychlorinated biphenyls	0.014		μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 22:58	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		121	50-125					4/30/12 22:58	



Project Location: Platt High School, Meriden, CT

Sample Description:

w. sill (metal rad. cover)

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-05W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-05

Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxblet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 23:36	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 23:36	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	4/30/12 23:36	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	10		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	Y		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	3		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	ſ		EPA 680 Modified	4/27/12	4/30/12 23:36	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		119	50-125					4/30/12 23:36	



floor-adj window

Project Location: Platt High School, Meriden, CT

Sample Description:

Date Received: 4/26/2012

Field Sample #: 0425EMM-06W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-06 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL.	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	T	V-20	EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	T	V-20	EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	T.	V-20	EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Tetrachlorobiphenyls	ND	0.0020	µg/100 cm2	ĵ.		EPA 680 Modified	4/27/12	5/1/12 0:14	СЈМ
Pentachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2).		EPA 680 Modified	4/27/12	5/1/12: 0:14	CIM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12: 0:14	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2)		EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:14	СЈМ
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	i		EPA 680 Modified	4/27/12	5/1/12 0:14	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:14	СЈМ
Surrogates		% Recovery	Recovery Limits	1 10	Flag				
Tetrachloro-m-xylene		114	50-125					5/1/12 0:14	_

Work Order: 12D0938



Project Location: Platt High School, Meriden, CT

Sample Description:

desk-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-07W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-07 Sample Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Fime Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Trichlorobiphenyls	0.0045	0.0010	μg/100 cm2	D	V-06	EPA 680 Modified	4/27/12	5/1/12 0:51	СЛМ
Tetrachlorobiphenyls	0.0022	0.0020	µg/100 cm2	D		EPA 680 Modified	4/27/12	5/1/12 0:51	СЛМ
Pentachlorobiphenyls	0.0023	0.0020	μg/100 cm2	t.		EPA 680 Modified	4/27/12	5/1/12 0:51	СЈМ
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:51	СЈМ
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1-		EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Total Polychlorinated biphenyls	0.0090		μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 0:51	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		109	50-125					5/1/12 0;51	



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-08W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-08 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL.	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	- 1	V-20	EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	T	V-20	EPA 680 Modified	4/27/12	5/1/12 1:29	СЛМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	T.	V-20	EPA 680 Modified	4/27/12	5/1/12 1:29	СЛМ
Tetrachlorobiphenyls	ND	0.0020	µg/100 cm2	T		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Pentachlorobiphenyls	0.0020	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Hexachlorobiphenyls	ND .	0.0020	µg/100 cm2	4		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	10		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12, 1:29	СЈМ
Total Polychlorinated biphenyls	0.0020		μg/100 cm2)		EPA 680 Modified	4/27/12	5/1/12 1:29	CJM
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		125	50-125					5/1/12 1:29	



Project Location: Platt High School, Meriden, CT

Sample Description: w. sill (metal rad. cover)

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-09W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-09 Sample Matrix: Wipe

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 2:06	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 2:06	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	30	V-20	EPA 680 Modified	4/27/12	5/1/12 2:06	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	СЛМ
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	СЛМ
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	СЛМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	СЈМ
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	T.		EPA 680 Modified	4/27/12	5/1/12 2:06	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:06	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	i.		EPA 680 Modified	4/27/12	5/1/12 2:06	CJM
Surrogates	×	% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		122	50-125					5/1/12 2:06	



Project Location: Platt High School, Meriden, CT

Sample Description:

w. sill (metal grate)

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-10W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-10
Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1.	V-20	EPA 680 Modified	4/27/12	5/1/12 2:44	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 2:44	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 2:44	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2.	T		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	Í		EPA 680 Modified	4/27/12	5/1/12 2:44	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	12		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1.		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Total Polychlorinated biphenyls	0.0		µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 2:44	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		112	50-125					5/1/12 2:44	



floor (middle)

Project Location: Platt High School, Meriden, CT

Sample Description:

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-11W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-11 Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	İ		EPA 680 Modified	4/27/12	5/1/12 3:21	СЈМ
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1-		EPA 680 Modified	4/27/12	5/1/12 3:21	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	i i		EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	L		EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	A.		EPA 680 Modified	4/27/12	5/1/12 3:21	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/27/12	5/1/12 3:21	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		113	50-125					5/1/12 3:21	_



stove (left)

Project Location: Platt High School, Meriden, CT

Sample Description:

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-12W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-12 Sample Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1,	V-20	EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	į.	V-20	EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	10		EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Tetrachlorobiphenyls	0.0039	0.0020	μg/100 cm2	Í.	В	EPA 680 Modified	4/28/12	5/3/12 1:49	СЈМ
Pentachlorobiphenyls	0.0031	0,0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 1:49	СЈМ
Hexachlorobiphenyls	0.0021	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 1:49	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	Ĩ		EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 em2	j.		EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Nonachlorobiphenyls	ND	0,0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Total Polychlorinated biphenyls	0.0091		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 1:49	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		86.7	50-125					5/3/12 1:49	_

Page 15 of 44



Project Location: Platt High School, Meriden, CT

Sample Description:

counter (middle)

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-13W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-13
Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1.	V-20	EPA 680 Modified	4/28/12	5/3/12 2:22	СЛМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 2:22	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Tetrachlorobiphenyls	0,0029	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 2:22	СЈМ
Pentachlorobiphenyls	0.0025	0.0020	μg/100 cm2	Ť.	В	EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Hexachlorobiphenyls	0.0024	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	3		EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	0.1	V-20	EPA 680 Modified	4/28/12	5/3/12 2:22	CJM
Total Polychlorinated biphenyls	0.0077		μg/100 cm2	Ī	В	EPA 680 Modified	4/28/12	5/3/12 2:22	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		114	50-125					5/3/12 2:22	



Project Location: Platt High School, Meriden, CT

Sample Description:

floor (middle)-duplicate

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-14W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-14 Sample Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 12:45	CJM.
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	i		EPA 680 Modified	4/28/12	5/2/12 12:45	СЛМ
Trichlorobiphenyls	0.0048	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 12:45	СЈМ
Tetrachlorobiphenyls	0.0076	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Pentachlorobiphenyls	0.0067	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Hexachlorobiphenyls	0.0028	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2.	1		EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 12:45	СЈМ
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Total Polychlorinated biphenyls	0.022		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 12:45	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		93.3	50-125					5/2/12 12:45	_

5/2/12 12:45



Project Location: Platt High School, Meriden, CT

Sample Description: wood sill

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-15W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-15 Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:19	CJM
Trichlorobiphenyls	ND	0.0010	µg/100 cm2	(T)		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Tetrachlorobiphenyls	0.0030	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 13:19	CJM
Pentachlorobiphenyls	0.0029	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 13:19	CJM
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	1.		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Heptachlorobiphenyls	ND	0,0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:19	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	11		EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Total Polychlorinated biphenyls	0.0059		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 13:19	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		92.5	50-125					5/2/12 13:19	



Project Location: Platt High School, Meriden, CT Sample Description: floor adj window

Sampled: 4/25/2012 00:00

Date Received: 4/26/2012

Field Sample #: 0425EMM-16W

Sample ID: 12D0938-16 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1:		EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Tetrachlorobiphenyls	0.0035	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Pentachlorobiphenyls	0.0022	0.0020	μg/100 cm2	£	В	EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	11		EPA 680 Modified	4/28/12	5/2/12 13:53	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:53	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:53	СЈМ
Nonachlorobiphenyls	ND	0,0050	μg/100 cm2	(EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 13:53	CJM
Total Polychlorinated biphenyls	0.0057		µg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 13:53	СЛМ
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		82.1	50-125					5/2/12 13:53	

Work Order: 12D0938



Project Location: Platt High School, Meriden, CT

Sample Description: assignment table-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-17W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-17 Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Tetrachlorobiphenyls	0.0042	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Pentachlorobiphenyls	0.0025	0.0020	μg/100 cm2	10	В	EPA 680 Modified	4/28/12	5/2/12 14:27	СЈМ
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	Í		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	12		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 14:27	CJM
Total Polychlorinated biphenyls	0.0067		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 14:27	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		84.9	50-125					5/2/12 14:27	-



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-18W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-18 Sample Matrix: Wipe

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	CJM
Dichlorobiphenyls	ND	0,0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	10		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Tetrachlorobiphenyls	0.0037	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	£		EPA 680 Modified	4/28/12	5/2/12 15:00	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1:		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:00	CJM
Total Polychlorinated biphenyls	0.0037		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 15:00	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		87.8	50-125	240				E/2/12 15:00	



Project Location: Platt High School, Meriden, CT Sample Description: wood sill Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-19W

Sample ID: 12D0938-19
Sample Matrix: Wine

Sampled: 4/25/2012 00:00

PCB Homologues by GC/N	S (Wipe) with Soxhlet Extraction
------------------------	----------------------------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:34	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:34	СЛМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:34	СЛМ
Tetrachlorobiphenyls	0.0041	0.0020	µg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 15:34	СЈМ
Pentachlorobiphenyls	0.0040	0.0020	µg/100 cm2	4	В	EPA 680 Modified	4/28/12	5/2/12 15:34	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:34	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1:		EPA 680 Modified	4/28/12	5/2/12 15:34	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 15:34	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1:		EPA 680 Modified	4/28/12	5/2/12 15:34	CJM
Decachlorobiphenyl	ND.	0.0050	µg/100 cm2	D		EPA 680 Modified	4/28/12	5/2/12 15:34	СЈМ
Total Polychlorinated biphenyls	0.0081		μg/100 cm2	-1:	В	EPA 680 Modified	4/28/12	5/2/12 15;34	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		93.2	50-125					5/2/12 15:34	



Project Location: Platt High School, Meriden, CT

Sample Description: floor- adj window

Date Received: 4/26/2012

Field Sample #: 0425EMM-20W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-20 Samole Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 19:37	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Tetrachlorobiphenyls	0.0046	0.0020	μg/100 cm2	T	В	EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Pentachlorobiphenyls	0.0032	0.0020	μg/100 cm2	Ľ	В	EPA 680 Modified	4/28/12	5/2/12 19:37	СЛМ
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	- 1		EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Octachlorobiphenyls	ND	0.0030	µg/100 cm2	J.		EPA 680 Modified	4/28/12	5/2/12 19:37	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 19:37	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 19:37	ĊJM
Total Polychlorinated biphenyls	0.0078		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 19:37	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		92,1	50-125					5/2/12 19:37	

Work Order: 12D0938



Project Location: Platt High School, Meriden, CT

Sample Description: computer desk-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-21W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-21 Sample Matrix: Wine

PCR Homologues by GC/MS	(Wipe) with Soxhlet Extraction

Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:11	СЈМ
ND	0.0010	μg/100 cm2	- 1		EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
ND	0.0020	μg/100 cm2	Ť		EPA 680 Modified	4/28/12	5/2/12 20:11	СЈМ
ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:11	СЈМ
ND	0.0020	μg/100 cm2	11		EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
ND	0.0030	µg/100 cm2	(1)		EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:11	СЈМ
ND	0.0050	µg/100 cm2	Ĭ		EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:11	CJM
0,0		μg/100 cm2	Ť		EPA 680 Modified	4/28/12	5/2/12 20:11	СЈМ
	% Recovery	Recovery Limits		Flag			-1	_
	99,5	50-125					5/2/12 20:11	
	ND	ND 0.0010 ND 0.0010 ND 0.0020 ND 0.0020 ND 0.0020 ND 0.0030 ND 0.0030 ND 0.0050 ND 0.0050 O.00 **Recovery**	ND 0.0010 μg/100 cm2 ND 0.0010 μg/100 cm2 ND 0.0010 μg/100 cm2 ND 0.0020 μg/100 cm2 ND 0.0020 μg/100 cm2 ND 0.0020 μg/100 cm2 ND 0.0030 μg/100 cm2 ND 0.0030 μg/100 cm2 ND 0.0050 μg/100 cm2	ND 0.0010 μg/100 cm2 1 ND 0.0010 μg/100 cm2 1 ND 0.0010 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0050 μg/100 cm2 1	ND 0.0010 μg/100 cm2 1 V-20 ND 0.0010 μg/100 cm2 1 V-20 ND 0.0010 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0050 μg/100 cm2 1 ND Flag	ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0010 μg/100 cm2 1 EPA 680 Modified ND 0.0020 μg/100 cm2 1 EPA 680 Modified ND 0.0020 μg/100 cm2 1 EPA 680 Modified ND 0.0020 μg/100 cm2 1 EPA 680 Modified ND 0.0030 μg/100 cm2 1 EPA 680 Modified ND 0.0050 μg/100 cm2 1 EPA 680 Modified ND 0.0050 μg/100 cm2 1 EPA 680 Modified ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0050 μg/100 cm2 1 FPA 680 Modified	Results RL Units Dilution Flag Method Prepared ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 ND 0.0010 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0020 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0020 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 ND 0.0050 μg/100 cm2	Results RL Units Dilution Flag Method Prepared Analyzed ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0010 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0020 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0020 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0050 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 20:11 ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 5/2



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-opp window

Work Order: 12D0938

5/2/12 20:45

Date Received: 4/26/2012

Field Sample #: 0425EMM-22W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-22 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	(T)		EPA 680 Modified	4/28/12	5/2/12 20:45	СЈМ
Tetrachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:45	СЈМ
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:45	СЈМ
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:45	СЛМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Octachlorobiphenyls	ND	0,0030	μg/100 cm2	Í		EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	ř.		EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 20:45	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		97.4	50-125					5/2/12 20:45	_

Page 25 of 44



Project Location: Platt High School, Meriden, CT

Sample Description:

w. sill (slate)

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-23W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-23 Sample Matrix: Wipe

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1.	V-20	EPA 680 Modified	4/28/12	5/2/12 21:19	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 21:19	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/2/12 21:19	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	į.		EPA 680 Modified	4/28/12	5/2/12 21:19	СЈМ
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	I		EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	Î		EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:19	СЈМ
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:19	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		101	50-125					5/2/12 21:19	-



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-adj window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-24W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-24 Sample Matrix: Wine

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction	PCB Homologues	by GC/MS (Wine) with	Soxblet Extraction
--	----------------	------------	------------	--------------------

Analyte	Results	RL	Units	Dilution	Flag	Method	Date	Date/Time	4556.3
Monochlorobiphenyls				Diminon		1178-117	Prepared	Analyzed	Analyst
	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	h		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2	Y		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	Y		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Total Polychlorinated biphenyls	0.0		µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 21:52	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		93.1	50-125					5/2/12 21:52	



Project Location: Platt High School, Meriden, CT

Sample Description:

table-opp, window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-25W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-25 Sample Matrix: Wipe

Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
0.017	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
0.0044	0.0020	μg/100 cm2	T	В	EPA 680 Modified	4/28/12	5/2/12 22:26	CJM
ND	0.0020	μg/100 cm2	11		EPA 680 Modified	4/28/12	5/2/12 22:26	CJM
ND	0.0030	µg/100 cm2	F		EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
ND	0.0050	μg/100 cm2	E		EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
0.021		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/2/12 22:26	СЈМ
	% Recovery	Recovery Limits		Flag				_
	102	50-125					5/2/12 22:26	
	ND ND ND 0.017 0.0044 ND ND ND ND	ND 0.0010 ND 0.0010 ND 0.0010 0.017 0.0020 0.0044 0.0020 ND 0.0020 ND 0.0030 ND 0.0030 ND 0.0050 ND 0.0050 0.021 % Recovery	ND 0.0010 μg/100 cm2 ND 0.0010 μg/100 cm2 ND 0.0010 μg/100 cm2 0.017 0.0020 μg/100 cm2 0.0044 0.0020 μg/100 cm2 ND 0.0020 μg/100 cm2 ND 0.0030 μg/100 cm2 ND 0.0030 μg/100 cm2 ND 0.0050 μg/100 cm2	ND 0.0010 μg/100 cm2 1 ND 0.0010 μg/100 cm2 1 ND 0.0010 μg/100 cm2 1 0.017 0.0020 μg/100 cm2 1 0.0044 0.0020 μg/100 cm2 1 ND 0.0020 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0050 μg/100 cm2 1	ND 0.0010 μg/100 cm2 1 V-20 ND 0.0010 μg/100 cm2 1 V-20 ND 0.0010 μg/100 cm2 1 0.017 0.0020 μg/100 cm2 1 B 0.0044 0.0020 μg/100 cm2 1 B ND 0.0020 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0030 μg/100 cm2 1 ND 0.0050 μg/100 cm2 1 ND Flag	ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0010 μg/100 cm2 1 EPA 680 Modified 0.017 0.0020 μg/100 cm2 1 B EPA 680 Modified 0.0044 0.0020 μg/100 cm2 1 B EPA 680 Modified ND 0.0020 μg/100 cm2 1 EPA 680 Modified ND 0.0030 μg/100 cm2 1 EPA 680 Modified ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified ND 0.0050 μg/100 cm2 1 V-20 EPA 680 Modified 0.021 μg/100 cm2 1 B EPA 680 Modified	Results RL Units Dilution Flag Method Prepared ND 0.0010 µg/100 cm2 I V-20 EPA 680 Modified 4/28/12 ND 0.0010 µg/100 cm2 I V-20 EPA 680 Modified 4/28/12 ND 0.0010 µg/100 cm2 I EPA 680 Modified 4/28/12 0.017 0.0020 µg/100 cm2 I B EPA 680 Modified 4/28/12 0.0044 0.0020 µg/100 cm2 I B EPA 680 Modified 4/28/12 ND 0.0030 µg/100 cm2 I EPA 680 Modified 4/28/12 ND 0.0030 µg/100 cm2 I EPA 680 Modified 4/28/12 ND 0.0050 µg/100 cm2 I EPA 680 Modified 4/28/12 ND 0.0050 µg/100 cm2 I V-20 EPA 680 Modified 4/28/12 ND 0.0050 µg/100 cm2 I V-20 EPA 680 Modified 4/28/12 ND	Results RL Units Dilution Flag Method Prepared Analyzed ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0010 μg/100 cm2 1 V-20 EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0010 μg/100 cm2 1 B EPA 680 Modified 4/28/12 5/2/12 22:26 0.017 0.0020 μg/100 cm2 1 B EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0020 μg/100 cm2 1 B EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0030 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0050 μg/100 cm2 1 EPA 680 Modified 4/28/12 5/2/12 22:26 ND 0.0050 μg/100 cm2 1 V-20 EP



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-opp window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-26W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-26
Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 23:00	СЛМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:00	СЈМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 23:00	СЈМ
Hexachlorobiphenyls	ND	0,0020	µg/100 cm2	T		EPA 680 Modified	4/28/12	5/2/12 23:00	СЛМ
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	P		EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	τ	V-20	EPA 680 Modified	4/28/12	5/2/12 23:00	СЈМ
Total Polychlorinated biphenyls	0.0		μg/100 cm2	i		EPA 680 Modified	4/28/12	5/2/12 23:00	CJM
Surrogates		% Recovery	Recovery Limits	1	Flag				
Tetrachloro-m-xylene		99.5	50-125					5/2/12 23:00	



wood counter

Project Location: Platt High School, Meriden, CT

Sample Description:

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-27W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-27 Sample Matrix: Wipe

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	µg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 2:56	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Tetrachlorobiphenyls	0.0042	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 2:56	СЈМ
Pentachlorobiphenyls	0.0020	0.0020	µg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 2:56	СЈМ
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	fr:		EPA 680 Modified	4/28/12	5/3/12 2:56	СЈМ
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2	T		EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 2:56	CJM
Total Polychlorinated biphenyls	0.0062		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 2:56	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				



metal counter

Project Location: Platt High School, Meriden, CT

Sample Description:

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-28W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-28

Sample Matrix: Wipe

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 23:34	CJM
Dichlorobiphenyls	ND	0.0010	µg/100 cm2	i	V-20	EPA 680 Modified	4/28/12	5/2/12 23:34	CJM
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Tetrachlorobiphenyls	ND	0.0020	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Hexachlorobiphenyls	ND	0.0020	µg/100-cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	r		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	Ť		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Decachlorobiphenyl	ND	0.0050	µg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/2/12 23:34	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/28/12	5/2/12 23:34	СЈМ
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		111	50-125					5/2/12 23:34	



floor middle

Project Location: Platt High School, Meriden, CT

Sample Description:

Date Received: 4/26/2012 Field Sample #: 0425EMM-29W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-29

Sample Matrix: Wipe

PCB Homologues	by GC/MS	(Wine) with	Soxhlet	Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	T.	V-20	EPA 680 Modified	4/28/12	5/3/12 0:07	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:07	СЈМ
Tetrachlorobiphenyls	0.0043	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Pentachlorobiphenyls	0.0046	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Hexachlorobiphenyls	0.0021	0.0020	μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	T		EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:07	СЈМ
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12: 0:07	CJM
Total Polychlorinated biphenyls	0.011		μg/100 cm2	1	В	EPA 680 Modified	4/28/12	5/3/12 0:07	CJM
Surrogates		% Recovery	Recovery Limits		Flag				
Tetrachloro-m-xylene		93.4	50-125					5/3/12 0:07	

Work Order: 12D0938



Project Location: Platt High School, Meriden, CT

Sample Description:

floor-adj window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-30W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-30 Sample Matrix: Wine

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 0;41	СЈМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 0:41	СЈМ
Trichlorobiphenyls	ND	0.0010	μg/100 cm2	1.		EPA 680 Modified	4/28/12	5/3/12 0:41	СЛМ
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	Ť.		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Heptachlorobiphenyls	ND	0.0030	μg/100 cm2	T.		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1.	V-20	EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 0:41	CJM
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		94.8	50-125					5/3/12 0:41	



Project Location: Platt High School, Meriden, CT

Sample Description:

desk-opp, window

Work Order: 12D0938

Date Received: 4/26/2012

Field Sample #: 0425EMM-31W

Sampled: 4/25/2012 00:00

Sample ID: 12D0938-31 Sample Matrix: Wipe

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag	Method	Date Prepared	Date/Time Analyzed	Analyst
Monochlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 1:15	СЛМ
Dichlorobiphenyls	ND	0.0010	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Trichlorobiphenyls	ND	0.0010	µg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Pentachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Hexachlorobiphenyls	ND	0.0020	μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:15	СЛМ
Heptachlorobiphenyls	ND	0,0030	μg/100 cm2	t		EPA 680 Modified	4/28/12	5/3/12 1:15	СЈМ
Octachlorobiphenyls	ND	0.0030	μg/100 cm2	Ē.		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Nonachlorobiphenyls	ND	0.0050	μg/100 cm2	L		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Decachlorobiphenyl	ND	0.0050	μg/100 cm2	1	V-20	EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Total Polychlorinated biphenyls	0.0		μg/100 cm2	1		EPA 680 Modified	4/28/12	5/3/12 1:15	CJM
Surrogates		% Recovery	Recovery Limits		Flag				_
Tetrachloro-m-xylene		121	50-125					5/3/12 1:15	

5/3/12 1:15



Sample Extraction Data

Prep Method: SW-846 3540C-EPA 680 Modified

Lab Number [Field ID]	Batch	Initial [Wipe]	Final [mL]	Date	
12D0938-01 [0425EMM-01W]	B050532	1.00	1.00	04/27/12	
12D0938-02 [0425EMM-02W]	B050532	1.00	1.00	04/27/12	
12D0938-03 [0425EMM-03W]	B050532	1.00	1.00	04/27/12	
12D0938-04 [0425EMM-04W]	B050532	1.00	1.00	04/27/12	
12D0938-05 [0425EMM-05W]	B050532	1.00	1.00	04/27/12	
12D0938-06 [0425EMM-06W]	B050532	1.00	1.00	04/27/12	
12D0938-07 [0425EMM-07W]	B050532	1.00	1.00	04/27/12	
12D0938-08 [0425EMM-08W]	B050532	1.00	1.00	04/27/12	
12D0938-09 [0425EMM-09W]	B050532	1.00	1.00	04/27/12	
12D0938-10 [0425EMM-10W]	B050532	1.00	1.00	04/27/12	
12D0938-11 [0425EMM-11W]	B050532	1.00	1.00	04/27/12	

Prep Method: SW-846 3540C-EPA 680 Modified

Lab Number [Field ID]	Batch	Initial [Wipe]	Final [mL]	Date	
12D0938-12 [0425EMM-12W]	B050564	1.00	1.00	04/28/12	
12D0938-13 [0425EMM-13W]	B050564	1.00	1.00	04/28/12	
12D0938-14 [0425EMM-14W]	B050564	1.00	1.00	04/28/12	
12D0938-15 [0425EMM-15W]	B050564	1.00	1.00	04/28/12	
12D0938-16 [0425EMM-16W]	B050564	1.00	1.00	04/28/12	
12D0938-17 [0425EMM-17W]	B050564	1.00	1.00	04/28/12	
12D0938-18 [0425EMM-18W]	B050564	1.00	1.00	04/28/12	
12D0938-19 [0425EMM-19W]	B050564	1.00	L00	04/28/12	
12D0938-20 [0425EMM-20W]	B050564	1.00	1.00	04/28/12	
12D0938-21 [0425EMM-21W]	B050564	1.00	1.00	04/28/12	
12D0938-22 [0425EMM-22W]	B050564	1.00	1.00	04/28/12	
12D0938-23 [0425EMM-23W]	B050564	1.00	1.00	04/28/12	
12D0938-24 [0425EMM-24W]	B050564	1.00	1,00	04/28/12	
12D0938-25 [0425EMM-25W]	B050564	1.00	1.00	04/28/12	
12D0938-26 [0425EMM-26W]	B050564	1.00	1,00	04/28/12	
12D0938-27 [0425EMM-27W]	B050564	1.00	1.00	04/28/12	
12D0938-28 [0425EMM-28W]	B050564	1.00	1.00	04/28/12	
12D0938-29 [0425EMM-29W]	B050564	1.00	1.00	04/28/12	
12D0938-30 [0425EMM-30W]	B050564	1.00	1.00	04/28/12	
12D0938-31 [0425EMM-31W]	B050564	1.00	1.00	04/28/12	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC	RPD	RPD Limit	Notes
Batch B050532 - SW-846 3540C		2.00%	4.77				2,1,1113	,	-mill	140103
Blank (B050532-BLK1)				Prepared: 04	/27/12 Analy	vzed: 04/30/	12			
Monochlorobiphenyls	ND	0.0010	μg/100 cm2			711777,000				V-20
Dichlorobiphenyls	ND	0.0010	μg/100 cm2							V-20
Trichlorobiphenyls	ND	0.0010	μg/100 cm2							V-20
Tetrachlorobiphenyls	ND	0.0020	μg/100 cm2							
Pentachlorobiphenyls	ND	0.0020	µg/100 cm2							
Hexachlorobiphenyls	ND	0.0020	µg/100 cm2							
Heptachlorobiphenyls	ND	0.0030	µg/100 cm2							
Octachlorobiphenyls	ND	0.0030	μg/100 cm2							
Nonachlorobiphenyls	ND	0.0050	µg/100 cm2							
Decachlorobiphenyl	ND	0.0050	μg/100 cm2							
Total Polychlorinated biphenyls	0.0		μg/100 cm2							
Surrogate: Tetrachloro-m-xylene	0.399		μg/100 cm2	0.200		199 *	50-125			S-20
LCS (B050532-BS1)				Prepared 04	/27/12 Analy	zed: 04/30/	12			
Monochlorobiphenyls .	0,19	0.0010	µg/100 cm2	0.200		95.4	40-140		50	V-06
Dichlorobiphenyls	0.19	0100.0	μg/100 cm2	0.200		95.9	40-140		50	V-06
Crichlorobiphenyls	0.19	0,0010	μg/100 cm2	0.200		93.5	40-140		50	V-06
letrachlorobiphenyls	0.38	0.0020	μg/100 cm2	0.400		95.1	40-140		50	
Pentachlorobiphenyls	0.38	0.0020	μg/100 cm2	0.400		93.8	40-140		50	
Hexachlorobiphenyls	0.36	0.0020	μg/100 cm2	0.400		90,1	40-140		50	
Heptachlorobiphenyls	0.55	0.0030	μg/100 cm2	0.600		92.4	40-140		50	
Octachlorobiphenyls	0.54	0.0030	µg/100 cm2	0.600		89.7	40-140		50	
Vonachlorobiphenyls	0.89	0.0050	μg/100 cm2	1.00		89.4	40-140		50	
Decachlorobiphenyl	0.88	0.0050	μg/100 cm2	1.00	8	87.5	40-140		50	
urrogate: Tetrachloro-m-xylene	0.229		μg/100 cm2	0.200		115	50-125			
.CS Dup (B050532-BSD1)			1	repared: 04/	27/12 Analyz	zed: 04/30/1	2			
Monochlorobiphenyls	0.21	0.0010	$\mu g/100~cm2$	0.200		107	40-140	11.8	50	V-06
Dichlorobiphenyls	0.22	0.0010	μg/100 cm2	0.200		108	40-140	11.9	50	V-06
richlorobiphenyls	0.21	0.0010	μg/100 cm2	0,200		105	40-140	12.0	50	V-06
etrachlorobiphenyls	0.43	0.0020	μg/100 cm2	0,400		107	40-140	11.9	50	
entachlorobiphenyls	0.44	0.0020	μg/100 cm2	0.400		109	40-140	15.0	50	
lexachlorobiphenyls	0.42	0,0020	μg/100 cm2	0.400		105	40-140	15.6	50	
leptachlorobiphenyls	0.65	0.0030	μg/100 cm2	0.600		109	40-140	16.6	50	
octachlorobiphenyls	0.64	0.0030	μg/100 cm2	0.600		107	40-140	17.8	50	
fonachlorobiphenyls	1.1	0.0050	μg/100 cm2	1.00		107	40-140	17.6	50	
ecachlorobiphenyl	1.0	0.0050	μg/100 cm2	1.00		104	40-140	17.0	50	
urrogate: Tetrachloro-m-xylene	0.209		цg/100 cm2	0.200		105	50-125			
atch B050564 - SW-846 3540C										
lank (B050564-BLK1)			P	repared: 04/2	28/12 Analyz	ed: 05/02/1:	2			
Ionochlorobiphenyls	ND	0.0010	μg/100 cm2							
ichlorobiphenyls	ND	0.0010	μg/100 cm2							
richlorobiphenyls	ND	0.0010	μg/100 cm2							
etrachlorobiphenyls	0.0057	0.0020	μg/100 cm2							В
entachlorobiphenyls	0.0055	0.0020	μg/100 cm2							В
exachlorobiphenyls	0.0024	0.0020	μg/100 cm2							В
eptachlorobiphenyls	ND	0.0030	μg/100 cm2							
ctachlorobiphenyls	ND		μg/100 cm2							
onachlorobiphenyls	ND		μg/100 cm2							
ecachlorobiphenyl	ND		μg/100 cm2							
tal Polychlorinated biphenyls	0.014		μg/100 cm2							В
			the second second							



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

PCB Homologues by GC/MS (Wipe) with Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit		Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B050564 - SW-846 3540C										
Blank (B050564-BLK1)				Prepared: 04	/28/12 Anal	yzed: 05/02/	12			
Surrogate: Tetrachloro-m-xylene	0.169		μg/100 cm2	0.200		84.3	50-125			
LCS (B050564-BS1)				Prepared: 04	/28/12 Analy	yzed: 05/02/	12			
Monochlorobiphenyls	0.17	0.0010	μg/100 cm2	0.200		84.8	40-140		50	
Dichlorobiphenyls	0.19	0.0010	μg/100 cm2	0.200		93,1	40-140		50	
Trichlorobiphenyls	0.18	0.0010	µg/100 cm2	0.200		91.5	40-140		50	
Tetrachlorobiphenyls	0.38	0.0020	µg/100 cm2	0.400		94.7	40-140		50	В
Pentachlorobiphenyls	0.39	0.0020	μg/100 cm2	0.400		98.3	40-140		50	В
Hexachlorobiphenyls	0.39	0.0020	μg/100 cm2	0.400		96.7	40-140		50	В
Heptachlorobiphenyls	0.59	0.0030	μg/100 cm2	0.600		98.4	40-140		50	
Octachlorobiphenyls	0.57	0.0030	μg/100 cm2	0.600		94.8	40-140		50	
Nonachlorobiphenyls	1.0	0.0050	μg/100 cm2	1.00		103	40-140		50	
Decachlorobiphenyl	1.0	0,0050	μg/100 cm2	00.1		104	40-140		50	
Surrogate: Tetrachloro-m-xylene	0.205		μg/100 cm2	0.200		102	50-125			
CS Dup (B050564-BSD1)				repared: 04	28/12 Analy	zed: 05/02/1	12			
Monochlorobiphenyls	0.20	0.0010	μg/100 cm2	0.200		97.9	40-140	14.3	50	
Dichlorobiphenyls	0.21	0.0010	μg/100 cm2	0.200		103	40-140	10.4	50	
Frichlorobiphenyls	0.20	0.0010	μg/100 cm2	0,200		100	40-140	9.14	50	
Cetrachlorobiphenyls	0.41	0,0020	μg/100 cm2	0.400		104	40-140	9.07	50	В
Pentachlorobiphenyls	0.42	0.0020	µg/100 cm2	0.400		104	40-140	5.84	50	В
Hexachlorobiphenyls	0.41	0.0020	μg/100 cm2	0.400		102	40-140	5.04	50	В
feptachlorobiphenyls	0.62	0.0030	μg/100 cm2	0.600		104	40-140	5,05	50	
Octachlorobiphenyls	0.61	0.0030	μg/100 cm2	0.600		101	40-140	6.16	50	
lonachlorobíphenyls	1.1	0.0050	µg/100 cm2	1.00		110	40-140	6.65	50	
Decachlorobiphenyl	1.1	0.0050	$\mu g/100~\text{cm}2$	1.00		109	40-140	5.29	50	
urrogate: Tetrachloro-m-xylene	0.222		μg/100 cm2	0.200		111	50-125			



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 FLAG/QUALIFIER SUMMARY

4	OC result is outside of established limits.
*	Wide recovery limits established for difficult compound.
*	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
В	Analyte is found in the associated blank as well as in the sample.
5-20	Surrogate recovery is outside of control limits. Sample media does not allow for re-extraction.
7-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.
/-20	Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.



CERTIFICATIONS

Certified Analyses included in this Report

Analyte

Certifications

No certified Analyses included in this Report

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
Alha	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Publile Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2013
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2013
RI	Rhode Island Department of Health	LAO00112	12/30/2012.
NC.	North Carolina Div. of Water Quality	652	12/31/2012
NJ	New Jersey DEP	MA007 NELAP	06/30/2012
FL	Florida Department of Health	E871027 NELAP	06/30/2012
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
WA	State of Washington Department of Ecology	C2065	02/23/2013
ME	State of Maine	2011028	06/9/2013
VA.	Commonwealth of Virginia	1381	12/14/2012

Number Relinquished By Date 1 4 My Manual WA Accepted By Date 2 My Manual WA Manual W 126 2 My Manual WA Manual W 126 4 4	2 2	03W dest - opp winder 03W thour - opp winder 05W w.s.W (protect radiations)	OIN w. SIII (metal radge) Wipe 4-25-12	tility B=	P.O. NO: Andrew High Room Sampler's Signature: AMM MM MM Date: 4-25-12 Source Codes:	INVOICE TO:	Plot Han School PROJECT LOCATION PROJECT LOCATION	CHAIN-OF-CUSTODY RECORD	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com [20]
Reporting and Detection Limit Requirements: 172	V Rm. 18 - Home E	Km. 120	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C. B. Holder	No Copy		PROJECT NUMBER LABORATORY 2011/127. A2E CAN-Test	1 Day* U3 Days* U Other (days) 1 Days V Standard (S days) Surcharge Applies	☐ 56 Quarry Road, Trumbull, CT 06040 ☐ 50 Redfield Street, Suite 100, Boston, MA 02122 ☐ 56 Quarry Road, Trumbull, CT 06611 ☐ 275 Promenade Street, Suite 350, Providence, RI 02908 ☐ 1419 Richland Street, Columbia, SC 29201 ☐ 80 Washington Street, Suite 301, Poughkeepsie, NY 12601 ☐ 78 Interstate Drive, West Springfield, MA 01089 ☐ 90 ☐ 78 Interstate Drive, West Springfield, MA 01089 ☐ 90 ☐ 90 ☐ 90 ☐ 90 ☐ 90 ☐ 90 ☐ 90 ☐


Transfer Relinquished By Accepted By Date Number 1 2 4 Accepted By Date Accepted By Date Accepted By Date 4	1512 15 15 15 15	Sampler's Signature: **MMM*** MW Date: 4-25-10. Source Codes: **NW=Monitoring Well PW=Potable Water S=Soil W=Waste SW=Surface Water T=Treatment Facility B=Sediment A=Air X=Other	PROJECT NAME ACM PROJECT LOCATION REPORT TO: Kennon Redoct INVOICE TO: P.O. NO.: The Resident of the Control of	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646-2469 · www.FandO.com CHAIN-OF-CUSTODY RECORD
Time Reporting and Detection Limit Requirements: 1 15 Additional Comments: While Area MOCM	Com. 18-16-16.	Soil VOA Vial Inechanos Naise Naise Soil VOA Vial Inechanos Naise Naise	PROJECT NUMBER 2011 112 7. A 2 E	Redfield Street, Suite 100, Bo 5 Promenade Street, Suite 350 Washington Street, Suite 301, Turnaroun

Transfer Relinquished By Accepted By Date Number 1 MM About	metall floor	23W M. SIII (Slate) 24W floor - adjuntum 25W floor - opp window 25W floor - opp window	Masero .	-	REPORT TO: KANDY RELECTION INVOICE TO: P.O. NO: Sampler's Signature: MM MM MM Date: W-25-12	PROJECT NAME How School PROJECT LOCATION C	CHAIN-OF-CUSTODY RECORD	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliver (860) 646 2469 · www.fandO.com }) 0938
Upe Time Reporting and Detection Limit Requirements: 4 26 12 2 3 Additional Comments: S4 126 12 4 5 We Area When Area When Area	Rm. 85- referen	Cate trace Cate t		Soil VOA Vial medianol Glass Soil Container	Aison	PROJECT NUMBER ADDITIONS LABORATORY Con-Test	1 Day* 1 Days* 2 Days* 1 Other (days) 1 Days 2 Days* 2 Days 3 Days 4 Surchage Applies	146 Hartford Road, Manchester, CT 06040

Transfer Relinquished By Accepted By Date Number 1 AMM MAN Amount 1926 172 2 M S Washing Man	3/W - desle - opp. WIMON W/pe 4-25-12 p.m.	Transfer Check	Sampler's Signature: 2000 11 10 Date: 4-25-12 Source Codes: NW=Monitoring Well PW=Potable Water S=Soil W=Waste SW=Surface Water T=Treatment Facility B=Sediment A=Air X=Other M12C	of the factor	Karrier Dedtield	PROJECT NAME PROJECT LOCATION PROJECT LOCATION (NEWSLEY), CY	CHAIN-OF-COSLODY RECORD	CHAINI OF CHECOM PECCAP	FUSS & O'NEILL ENVIROSCIENCE, LLC Disciplines to Deliner (860) 646-2469 · www.FandO.com [3] 0938
Time Reporting and Detection Limit Requirements: 132 Additional Comments: 1432 Wize Area 188 cma		Oler Conain Water VOA Vial I Plastic A	To the second se	o con la constant de		PROJECT NUMBER 2011/1129, AZE LABORATORY Con-Test	US 10	Turnaround	Y 146 Hartford Road, Manchester, CT 06040 □ 56 Quarty Road, Trumbull, CT 06611 □ 1419 Richland Street, Columbia, SC 29201 □ 78 Interstate Drive, West Springfield, MA 01089

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com







	D'neill	RECEIVED BY:	<u> </u>	DATE: 4126/1
1) Was the chain(s) of custody re	elinquished and sign	ed?	Vas No	
2) Does the chain agree with the	samples?	Su.	Yes No	No CoC Included
If not, explain:			Yes No	
3) Are all the samples in good co	endition?		(Yes) No	
If not, explain:			(les) NO	
4) How were the samples receive	ed:			
On Ice Direct from Sa	ampling	Ambient	In Cooler(s)	(
Were the samples received in Ter	mperature Compliand	e of (2-6°C)2		} ************************************
Temperature °C by Temp blank				N/A
•		remperature °C by	Temp gun	1.0
Are there Dissolved samples for	or the lab to filter?		Yes (No)	_
Who was notified	Date	Time	763 (140)	
6) Are there any RUSH or SHORT	HOLDING TIME same	nlee?	Yes (No)	
Who was notified	Date	Time	Yes (No)	
			•	
7) Location where samples are stored				act samples? Yes No
, we store samples are stored	¹	(Walk-i	n clients only) if	not already approved
B) Do all samples have the proper		Client S	Signature:	
) Do all samples have the proper		(N/A)		
Co	ntainers rece	ived at Co	า-Test	The second secon
		* up		
	# of containers			# Of containers
1 Liter Amber	# of containers	8 oz an		# of containers
500 mL Amber	# of containers		nber/clear jar	# of containers
500 mL Amber 250 mL Amber (8oz amber)	# of containers	4 oz am		
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic	# of containers	4 oz am 2 oz am	nber/clear jar nber/clear jar	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic	# of containers	4 oz am 2 oz am Air	nber/clear jar nber/clear jar nber/clear jar	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic	# of containers	4 oz an 2 oz an Air Hg/Hop	nber/clear jar nber/clear jar nber/clear jar Cassette	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below	# of containers	4 oz am 2 oz am Air o Hg/Hop Plastic PM 2	nber/clear jar nber/clear jar nber/clear jar Cassette ocalite Tube Bag / Ziploc 5 / PM 10	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle	# of containers	4 oz am 2 oz am Air o Hg/Hop Plastic PM 2	nber/clear jar nber/clear jar nber/clear jar Cassette ocalite Tube Bag / Ziploc	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle	# of containers	4 oz am 2 oz am Air e Hg/Hop Plastic PM 2 PUF	aber/clear jar aber/clear jar aber/clear jar Cassette ocalite Tube Bag / Ziploc 5 / PM 10 Cartridge	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore	# of containers	4 oz am 2 oz am Air o Hg/Hop Plastic PM 2 PUF	nber/clear jar nber/clear jar nber/clear jar Cassette Dealite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle	# of containers	4 oz am 2 oz am Air o Hg/Hop Plastic PM 2 PUF	aber/clear jar aber/clear jar aber/clear jar Cassette ocalite Tube Bag / Ziploc 5 / PM 10 Cartridge	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit		4 oz am 2 oz am Air e Hg/Hop Plastic PM 2 PUF S0 TO-1 Non-ConT Other	nber/clear jar nber/clear jar nber/clear jar Classette Dicalite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes Test Container glass jar	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit Other	# of containers	4 oz am 2 oz am Air e Hg/Hop Plastic PM 2 PUF S0 TO-1 Non-ConT Other	nber/clear jar nber/clear jar nber/clear jar Dassette Dealite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes Test Container	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit Other		4 oz am 2 oz am Air e Hg/Hop Plastic PM 2 PUF S0 TO-1 Non-ConT Other	nber/clear jar nber/clear jar nber/clear jar Classette Dicalite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes Test Container glass jar	
500 mL Amber 250 mL Amber (80z amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit Other aboratory Comments:		4 oz am 2 oz am Air o Hg/Hop Plastic PM 2 PUF S0 TO-1 Non-ConT Other	nber/clear jar nber/clear jar nber/clear jar Classette Dealite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes Test Container glass jar	
500 mL Amber 250 mL Amber (8oz amber) 1 Liter Plastic 500 mL Plastic 250 mL plastic 40 mL Vial - type listed below Colisure / bacteria bottle Dissolved Oxygen bottle Encore Flashpoint bottle Perchlorate Kit Other		4 oz am 2 oz am Air o Hg/Hop Plastic PM 2 PUF S0 TO-1 Non-ConT Other	nber/clear jar nber/clear jar nber/clear jar Classette Dealite Tube Bag / Ziploc 5 / PM 10 Cartridge DC Kit 7 Tubes Test Container glass jar	31



Appendix B

Notification Approval Letter



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION I 5 POST OFFICE SQUARE, SUITE 100 BOSTON, MA 02109-3912

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

MAR 1 8 2013

Mr. Michael Grove Assistant Superintendent for the Meriden Public Schools 22 Liberty Street Meriden, Connecticut 06450

Re: PCB Cleanup and Disposal Approval under 40 CFR §§ 761.61(a) and (c)

and § 761.79(h)

Orville H. Platt High School Meriden, Connecticut

Dear Mr. Grove:

This is in response to the Meriden Public School (MPS) Notification¹ for approval to clean up and dispose of PCB-contaminated building materials located in the building known as the Orville H. Platt High School (the Site) located at 220 Coe Avenue, Meriden, Connecticut. The Site contains PCB-contaminated materials that exceed the allowable PCB levels under the federal PCB regulations at 40 CFR § 761.20(a), § 761.61 and § 761.62.

In its Notification, MPS has proposed the following PCB cleanup and disposal plan:

- Remove PCB bulk product waste (i.e., exterior/interior window caulk (1956 and 1968 sections), slate window sill caulk and sill (1968 section), and 1968 gym floor, including the shellac, mastic, and vapor barrier, and dispose of the PCB waste in a TSCA-approved or RCRA hazardous waste landfill;
- Remove window assemblies in contact with the PCB caulk, including transite panels and insulation, and dispose of as *PCB remediation waste* greater than or equal to (≥) 50 parts per million (ppm) in accordance with § 761.61 (a)(5)(i)(B)(2)(iii);

¹ The Notification was prepared by Fuss & O'Neill on behalf of Meriden Public Schools to satisfy the notification requirement under 40 CFR § 761.61(a)(3). Information was submitted dated October 2, 2012 (Self-Implementing On-Site Cleanup and Disposal Plan (SIDP)); February 19, 2013 (Revised SIDP and Response to Comments); March 4, 2013 (2nd Revised SIDP and Response to Comments); March 5, 2013 (3nd Revised SIDP and Response to Comments); March 6, 2013 (email response to questions); March 13, 2013 (email response to questions); and March 14, 2013 (email clarification of verification sampling). These submittals shall be referred to as the "Notification".

- Remove caulk and black tar with less than (<) 50 ppm PCBs, and adjacent *porous* surface (i.e., 16 inches concrete block) from the interior expansion joint in the corridor of the 1956/1968 sections of the building and dispose of as < 50 ppm PCB remediation waste in accordance with § 761.61(a)(5)(i)(B)(2)(ii);
- Remove caulk with < 50 ppm PCBs from the exhaust vents and dispose of as < 50 ppm PCB remediation waste in accordance with § 761.61(a)(5)(i)(B)(2)(ii);
- Decontaminate steel lintels and the exhaust vents that will remain to a standard of $\leq 1 \mu g / 100 \text{ cm}^2$; and,
- Conduct verification sampling to confirm that the PCB cleanup standards have been met.

MPS has determined that certain PCB-contaminated building products, which have a PCB concentration at < 50 ppm, meet the criteria for an *Excluded PCB Product* under § 761.3. Under the PCB regulations, *Excluded PCB Products* are authorized for use and thus there is no requirement for removal of the caulk or decontamination of surfaces that are in contact with the < 50 ppm PCB-contaminated building products. While these building products are not addressed in the Approval, the MPS is in discussion with Connecticut Department of Energy and Environmental Protection (CTDEEP) concerning its requirements for management of these materials.

With the exception of the proposed verification sampling frequency for decontaminated *porous surfaces* (i.e., interior corridor expansion joints and window openings), the Notification meets the requirements and standards established under §§ 761.61(a), 761.62, and 761.79(h) for cleanup and disposal of *PCB remediation waste* and *PCB bulk product waste*.

With respect to the verification sampling frequency, based on the results of the PCB sampling todate and the proposed cleanup and disposal approach, EPA has determined that the sampling plan and verification sampling frequency are adequate to confirm that PCB cleanup standard has been met. EPA finds that the activities proposed by MPS will not create an unreasonable risk to public health or the environment when conducted in accordance with the Notification and this Approval. EPA may approve the sampling under § 761.61(c).

MPS may proceed with its cleanup in accordance with 40 CFR §§ 761.61(a) and (c); § 761.62; § 761.79(h); its Notification; and this Approval, subject to the conditions of Attachment 1.

This Approval does not release MPS from any applicable requirements of federal, state or local law, including the requirements related to cleanup and disposal of PCBs or other contaminants under the CTDEEP regulations.

Correspondence and questions regarding this Approval should be directed to:

Kimberly N. Tisa, PCB Coordinator (OSRR07-2) United States Environmental Protection Agency 5 Post Office Square, Suite 100 Boston, Massachusetts 02109-3912

Telephone: (617) 918-1527 Facsimile: (617) 918-0527

EPA shall not consider this project complete until it has received all submittals required under this Approval. Please be aware that upon EPA receipt and review of the submittals, EPA may request any additional information necessary to establish that the work has been completed in accordance with 40 CFR Part 761, the Notification, and this Approval.

Sincerely,

James T. Owens III, Director

Office of Site Remediation & Restoration

cc: Carlos Texidor, Fuss & O'Neill

Meriden Board of Health Brian Toal, CTDPH Gary Trombly, CTDEEP

File

Attachment 1- Approval Conditions

ATTACHMENT 1

PCB CLEANUP AND DISPOSAL APPROVAL CONDITIONS ORVILLE H.PLATT HIGH SCHOOL ("the Site") 220 COE AVENUE, MERIDEN, CONNECTICUT

GENERAL CONDITIONS

- 1. This Approval is granted under the authority of Section 6(e) of the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2605(e), and the PCB regulations at 40 CFR Part 761, and applies solely to the PCB bulk product waste and the PCB remediation waste located at the Site and identified in the Notification.
- 2. The Meriden Public Schools (MPS) shall conduct on-site activities in accordance with the conditions of this Approval and with the Notification.
- 3. In the event that the cleanup plan described in the Notification differs from the conditions specified in this Approval, the conditions of this Approval shall govern.
- 4. The terms and abbreviations used herein shall have the meanings as defined in 40 CFR § 761.3 unless otherwise defined within this Approval.
- MPS must comply with all applicable federal, state and local regulations in the storage, handling, and disposal of all PCB wastes, including PCBs, PCB Items and decontamination wastes generated under this Approval. In the event of a new spill during response actions, MPS shall contact EPA within 24 hours for direction on PCB cleanup and sampling requirements.
- MPS is responsible for the actions of all officers, employees, agents, contractors, subcontractors, and others who are involved in activities conducted under this Approval. If at any time MPS has or receives information indicating that MPS or any other person has failed, or may have failed, to comply with any provision of this Approval, it must report the information to EPA in writing within 24 hours of having or receiving the information.
- 7. This Approval does not constitute a determination by EPA that the transporters or disposal facilities selected by MPS are authorized to conduct the activities set forth in the Notification. MPS is responsible for ensuring that its selected transporters and disposal facilities are authorized to conduct these activities in accordance with all applicable federal, state and local statutes and regulations.
- 8. This Approval does not: 1) waive or compromise EPA's enforcement and regulatory authority; 2) release MPS from compliance with any applicable requirements of federal, state or local law; or 3) release MPS from liability for, or otherwise resolve any violations of federal, state or local law.

9. Failure to comply with the Approval conditions specified herein shall constitute a violation of the requirement in § 761.50(a) to store or dispose of PCB waste in accordance with 40 CFR Part 761 Subpart D.

NOTIFICATION AND CERTIFICATION CONDITIONS

- 10. This Approval may be revoked if the EPA does not receive written notification from MPS of its acceptance of the conditions of this Approval within 10 business days of receipt.
- 11. MPS shall submit the following information for EPA review and/or approval:
 - a. a certification signed by its selected contractor, stating that the contractor(s) has read and understands the Notification, and agrees to abide by the conditions specified in this Approval;
 - b. a contractor work plan, prepared and submitted by the selected demolition or abatement contractor(s) describing the containment and air monitoring that will be employed during abatement activities. This work plan should also include information on how and where wastes will be stored, and disposed of, and on how field equipment will be decontaminated; and,
 - c. a certification signed by the selected analytical laboratory, stating that the laboratory has read and understands the extraction and analytical methods and quality assurance requirements specified in the Notification and in this Approval.

REMEDIAL AND DISPOSAL CONDITIONS

- 12. To the maximum extent practical, engineering controls, such as barriers, and removal techniques, such as the use of HEPA ventilated tools, shall be utilized during removal processes. In addition, to the maximum extent possible, disposable equipment and materials, including PPE, will be used to reduce the amount of decontamination necessary.
- 13. PCB-contaminated materials shall be decontaminated and confirmatory sampling and analysis shall be conducted as described below:
 - a. All visible residues of *PCB bulk product waste* (i.e., exterior/interior window caulk, slate window sill caulk, and 1968 gym floor including shellac, mastic, and vapor barrier) shall be removed as described in the Notification.
 - b. The decontamination standard for building porous surfaces (i.e., concrete block and brick) shall be less than or equal to (\leq) 1 ppm.

- i) Sampling for porous surfaces shall be performed on a bulk basis (i.e., mg/kg) and reported on a dry weight analysis. Sampling for porous surfaces shall be conducted in accordance with the EPA Region 1 Standard Operating Procedure for Sampling Porous Surfaces for Polychlorinated Biphenyls (PCBs) Revision 4, May 5, 2011, at a maximum depth interval of 0.5 inches.
- ii) Verification samples collected from *porous surfaces* (i.e., window openings, interior corridor expansion joints, and the 1968 gymnasium concrete floor) shall be collected at the following frequency:
 - (1) Window openings- 1 sample every 10 linear feet (lf) for the for a total of 223 samples
 - (2) Interior corridor expansion joints- 1 sample every 10 linear feet (lf) for the for a total of 4 samples
 - (3) 1968 gymnasium concrete floor- In accordance with the provisions of 40 CFR 761 Subpart O
- iii) Chemical extraction for PCBs shall be conducted using Methods 3500B/3540C of SW-846 for solid matrices and Method 3500B/3510C of SW-846 for aqueous matrices; and, chemical analysis for PCBs shall be conducted using Method 8082 of SW-846, unless another extraction or analytical method(s) is validated according to Subpart Q.
- c. The decontamination standard for building *non-porous surfaces* (i.e., steel lintels and exhaust vents that will remain) shall be less than or equal to (\le) 1 μ g/100 cm².
 - i) Sampling of non-porous surfaces shall be performed on a surface area basis by the standard wipe test as specified in 40 CFR § 761.123 (i.e., μg/100 cm²) and in accordance with the frequency requirements at Subpart P, as described in the Notification.
 - ii) Chemical extraction for PCBs shall be conducted using Methods 3500B/3540C of SW-846 for solid matrices and Method 3500B/3510C of SW-846 for aqueous matrices; and, chemical analysis for PCBs shall be conducted using Method 8082 of SW-846, unless another extraction or analytical method(s) is validated according to Subpart Q.
- 14. All PCB waste (regardless of concentration) generated as a result of the activities described in the Notification, excluding any decontaminated materials, shall be marked in accordance with § 761.40; stored in a manner prescribed in § 761.65; and, disposed of in accordance with 40 CFR § 761.61(a)(5) or § 761.62, unless otherwise specified below:

- a. Decontamination wastes and residues shall be disposed of in accordance with 40 CFR § 761.79(g).
- b. Moveable equipment, tools, and sampling equipment shall be decontaminated in accordance with either 40 CFR § 761.79(b)(3)(i)(A), § 761.79(b)(3)(ii)(A), or § 761.79(c)(2).
- c. PCB-contaminated water generated during decontamination shall be decontaminated in accordance with 40 CFR § 761.79(b)(1) or disposed of under § 761.60.

INSPECTION, MODIFICATION AND REVOCATION CONDITIONS

- 15. MPS shall allow any authorized representative of the Administrator of the EPA to inspect the Site and to inspect records and take samples as may be necessary to determine compliance with the PCB regulations and this Approval. Any refusal by MPS to allow such an inspection (as authorized by Section 11 of TSCA) shall be grounds for revocation of this Approval.
- 16. Any proposed modification(s) in the plan, specifications, or information in the Notification must be submitted to EPA no less than 14 calendar days prior to the proposed implementation of the change. Such proposed modifications will be subject to the procedures of 40 CFR § 761.61(a)(3)(ii).
- 17. Any departure from the conditions of this Approval without prior, written authorization from the EPA may result in the revocation, suspension and/or modification of the Approval, in addition to any other legal or equitable relief or remedy the EPA may choose to pursue.
- 18. Any misrepresentation or omission of any material fact in the Notification or in any records or reports may result in the EPA's revocation, suspension and/or modification of the Approval, in addition to any other legal or equitable relief or remedy the EPA may choose to pursue.

RECORDKEEPING AND REPORTING CONDITIONS

MPS shall prepare and maintain all records and documents required by 40 CFR Part 761, including but not limited to the records required under Subparts J and K. A written record of the decontamination and the analytical sampling shall be established and maintained by MPS in one centralized location, until such time as EPA approves in writing a request for an alternative disposition of such records. All records shall be made available for inspection to authorized representatives of EPA.

- 20. MPS shall submit a final report in electronic and hard copy, to the EPA within 60 days of completion of the activities authorized under this Approval. At a minimum, this final report shall include: a short narrative of the project activities with photographic documentation; characterization and confirmation sampling analytical results; copies of the accompanying analytical chains of custody; field and laboratory quality control/quality assurance checks; an estimate of the quantity of PCB waste disposed of; copies of manifests and bills of lading; and, copies of certificates of disposal or similar certifications issued by the disposer.
- 21. Required submittals shall be mailed to:

Kimberly N. Tisa, PCB Coordinator (OSRR07-2) United States Environmental Protection Agency 5 Post Office Square, Suite 100 Boston, Massachusetts 02109-3912

Telephone: (617) 918-1527 Facsimile: (617) 918-0527

22. No record, report or communication required under this Approval shall qualify as a self-audit or voluntary disclosure under EPA audit, self-disclosure or penalty policies.



Appendix C

Approval Conditions



Appendix C

1) Town Notification Acceptance Letter

Administrative Offices 22 Liberty Street P.O. Box 848 Meriden, Connecticut 06450-0848 Fax: 203-630-0110

www.meridenk12.org

BOARD OF EDUCATION

Pamela S. Bahre Kim A. Carbone-Pandiani Michael P. Cardona Scott R. Hozebin Mark A. Hughes Robert E. Kosienski, Jr. John D. Lineen, Jr. Dr. Steven J. O'Donnell Irene E. Parisi

Mark D. Benigni, Ed.D. Superintendent of Schools 203-630-4171

Robert J. Angeli Associate Superintendent for Instruction 203-630-4185

Michael S. Grove Assistant Superintendent for Finance/Administration 203-630-4173

Thomas W. Giard III Assistant Superintendent for Personnel/Staff Development 203-630-4209

Donna Adduci Mik Director of Pupil Personnel **Programs** 203-630-4177

Alvin F. Larson, Ph.D. Research and Evaluation Specialist 203-630-4122

Lois B. Lehman Director of Curriculum and Adult Education 203-630-4206

March 21, 2013

Ms. Kimberly Tisa **PCB** Coordinator U.S. Environmental Protection Agency Region 1 5 Post Office Square, Suite 100 Mail Code: OSRR07-2 Boston, Massachusetts 02109-3912

RE: Orville H. Platt High School, Meriden, Connecticut PCB Cleanup and Disposal Approval

Dear Ms. Tisa:

We have received and reviewed the PCB Cleanup and Disposal Approval letter dated March 18, 2013 for the PCB Self-Implementing On-Site Cleanup and Disposal Plan prepared by Fuss & O'Neill EnviroScience, LLC with regard to the removal of PCB contaminants for the school building.

We acknowledge and accept the conditions of the approval letter and hope to move forward with this project. Currently, all work is scheduled to begin while school is out on summer vacation in 2013, 2014, 2015, and 2016.

We have attached the required certification for the laboratories, Phoenix Environmental Laboratories, Inc. and Con-Test Analytical Laboratory. The abatement contractor will be determined once the project has gone out to bid and a contractor is chosen. The contractor who is awarded the project will sign off on the SIDP and submit the required contractor work plan.

We will forward the contractor work plan prepared for the work when the abatement contractor is chosen and provide the plan prior to June 2013.



Thank you for your attention to this matter. If you have any questions with regard to the plan, please contact Carlos Texidor (ctexidor@fando.com) or (860) 510-9365.

Sincerely,

Michael Grove

Assistant Superintendent for Finance and Administration

Phone: (203) 630-4173; email: michael.grove@meridenk12.org



Appendix C

2) Laboratory Notification Acceptance Letter

Acknowledgement of PCB Cleanup and Disposal Plan Approval

The undersigned has reviewed the Self-Implementing On-Site Cleanup and Disposal Plan dated March 18, 2013 as prepared by Fuss & O'Neill EnviroScience, LLC for the Platt High School located at 220Coe Avenue in Meriden, CT, and the U.S. Environmental Protection Agency (USEPA) letter dated March 18, 2013 approving the plans with conditions.

Phoenix Environmental Laboratories understands the requirements of the plan and the conditions and agrees to abide by the requirements of said document in the performance of the work for PCB cleanup at Platt High School High School in Newington, CT.

Laboratory Representative Signature

3/21/13

Laboratory Representative Printed Name

Laboratory Representative Printed Name

Laboratory Address

City, State and Zip



Appendix C

3) Contractor Acceptance Letter

Acknowledgement of PCB Cleanup and Disposal Plan Approval

The undersigned has reviewed the Self-Implementing On-Site Cleanup and Disposal Plan dated October 2, 2012 with a final revision on March 2013 as prepared by Fuss & O'Neill EnviroScience, LLC for the Orville H. Platt High School (the site) located at 220 Coe Avenue in Meriden, CT, and the U.S. Environmental Protection Agency (USEPA) letter dated March 18, 2013 approving the plans with conditions.

Yankee Environmental Services, LLC. (YES) understands the requirements of the plan and the conditions and agrees to abide by the requirements of said document in the performance of the work for PCB cleanup at Orville H. Platt High School in Meriden, CT.

Heven It Harri	
Contractor Signature	
6/3/2014	
Date	

Steven St. Hilaire
Contractor Printed Name

29 Esquire rd Contractor Address

Billerica, Ma. 01862 City, State and Zip



Appendix C

4) Contractor Work Plan

PCB CAULKING REMEDIATION PLAN

ORVILLE H. PLATT HIGH SCHOOL 220 COE STREET MERIDEN, CT

Prepared by

Joseph Mata Yankee Environmental Services, LLC Waltham, MA

October 9, 2013

Revised 10/23/13 by CT-F&O EnviroScience

TABLE OF CONTENTS

- 1.0 SUMMARY
- 2.0 REGULATIONS, PERMITS AND QUALIFICATIONS
 - 2.1 STANDARD OPERATING PROCEDURES
 - 2.2 TRAINING AND CERTIFICATION
- 3.0 SCOPE AND SCHEDULE
 - 3.1 SCOPE
 - 3.2 WORK SEQUENCE
 - 3.3 SPECIFIC WORK PROCEDURES
 - 3.4 SCHEDULE
- 4.0 UTILITIES
 - 4.1 WATER SYSTEMS
 - 4.2 ELECTRICAL SYSTEMS
- 5.0 SITE PREPARATIONS
 - 5.1 WASTE CONTAINERS
- 6.0 MATERIAL STORAGE AND HANDLING PROCEDURES
 - 6.1 PCB BULK PRODUCT WASTE MATERIALS
 - 6.2 CONCRETE, BRICK & METAL PCB REMEDIATION WASTE
- 7.0 DISPOSAL
- 8.0 DECONTAMINATION AND REMOVAL PROCEDURES
 - 8.1 DECONTAMINATION OF NON-POROUS SURFACES



- 9.0 HEALTH AND SAFETY
 - 9.1 NASDI HEALTH AND SAFETY PLAN
 - 9.2 OSHA REGULATIONS
 - 9.3 PUBLIC SAFETY
- 10.0 FINAL APPROVAL AND ACCEPTANCE

LIST OF APPENDICIES

APPENDIX A WORKER TRAINING DOCUMENTATION

APPENDIX B PCB LABELING REQUIREMENTS

APPENDIX C ORANGE OFF CLEANING PRODUCT

APPENDIX D CAPSUR CLEANER

1.0 SUMMARY

This work plan is submitted for the removal of PCB caulking on exterior and interior window caulk, associated with exterior windows, window sill caulking, expansion joint caulking and roof vent caulking at the Orville H Platt High School 1956 and 1968 Additions located at 220 Coe Street in Meriden, CT. Yankee Environmental Services, LLC (YANKEE) will do the hazardous materials abatement work on-site for PCB caulking and impacted porous materials.

2.0 REGULATIONS, PERMITS, AND QUALIFICATIONS

YANKEE shall obtain all permits necessary to execute work conducted at the Orville Platt High School 1956 and 1968 Additions. Yankee shall adhere to all applicable federal, state, and local rules and regulations including, but not limited to, those from the EPA, the Connecticut Department of Environmental Protection, the U.S. Occupational Safety and Health Administration (OSHA), and the Meriden Fire Department.

YANKEE shall conform to all stipulations and permits identified in the contract bid documents, including any conditions set forth in the EPA approval letter dated March 18, 2013. Where a conflict arises between regulations, YANKEE shall adhere to the most stringent regulation. YANKEE shall also confer with NASDI and Fuss & O'Neill EnviroScience to resolve any conflict between the project plans and the remediation procedures.

2.1 STANDARD OPERATING PROCEDURES

YANKEE has prepared a written work plan and health and safety plan for the work performed at the Orville Platt High School 1956 and 1968 Additions. The plan does ensure maximum protection of workers and visitors from exposure and prevents the release of PCBs or PCB-laden dust into the environment. A Health & Safety Plan was provided with our original submittal.



A Pre-Task Plan outlining work, hazards and controls will be issued for each task as they become available. The procedures include, but are not limited to the following:

- Engineering controls and work practices to minimize airborne contamination into the work area and to prevent the spread of such contamination outside the work area. These controls and practices instituted during abatement activities must keep workers' exposures to PCBs below the permissible exposure limit and ensure no release of PCBs from the work area.
- Specifications regarding containment processes to prevent the release of abatement debris from the work area.
- Specifications for sufficient and proper protective clothing and respiratory protection equipment for entrance into the exclusion zone, as may be required by OSHA regulations.
- Specifications for safe work practices in the workplace and exclusion of eating, drinking, smoking, or in any way breaking the respiratory protection, if respirators are required.
- Removal methods that minimize the amount of airborne dust generated from abatement activities.
- Specifications regarding end of work shift cleaning procedures.
- Specifications regarding the handling, storage, transport, and disposal of all appropriately classified PCB waste in a manner that minimizes exposure and that complies with federal, state, and local regulations regarding PCBs.
- Specifications identifying disposal sites for PCB waste.

- Specifications regarding possible contingency plans pertaining to accidental spills and/or contamination in the work area or outside the work area.
- Mandatory and proper use of decontamination facilities when exiting the work area.
- Directions regarding the cleaning of work areas following abatement procedures.
- Supervision of work by a competent person.

In addition, the specific procedures outlined in the Section 3.3 shall be followed.

2.2 TRAINING AND CERTIFICATION

All personnel working with the containment zone at the Orville Platt High School 1956 and 1968 Additions will have all the required training, medical examinations, and respirator fit testing as specified by OSHA. YANKEE will have a competent manager at the job site at all times overseeing the work. Site-specific hazards and hazards associated with the handling and disposal of PCB products will be effectively communicated to the staff to minimize potential exposures. In addition, YANKEE will provide proper training and equipment for all safety-related issues. Appendix A contains copies of certifications.

3.0 SCOPE AND SCHEDULE

3.1 SCOPE

The scope of work for the project addresses PCB-containing caulking and porous materials impacted by the various PCB-containing caulking. The caulking is located throughout the Orville H. Platt High School 1956 and 1968 Additions on the exterior windows, doors and expansion

joints as well as metal window frames, porous brick and concrete. Interior 1968 gym floor including shellac, mastic and vapor barrier

All caulking materials and gym flooring materials with concentrations greater than or equal to 50 ppm will be segregated for disposal at EQ Wayne, MI as PCB Bulk Product Waste. PCB caulking & glazing on window assembly with concentrations ≥50 ppm that also contain asbestos shall be removed as asbestos containing materials. This material will be profiled and sent to EQ in Michigan, which is licensed to accept these materials.

Building materials (brick, metal and concrete) impacted by PCBs with concentrations <50 ppm will be disposed at Turnkey, NH landfill as remediation waste. All precautions and controls will be in-place regardless of level of PCB's.

Table 1
Summary of Work

Material Description	Location(s)	Estimated Amounts	PCB levels	Disposal Facility
Exterior& Interior Window Caulking	Throughout 1956 & 1968 Addition	410 Each	≥50 ppm	EQ NE Wayne, MI (TSCA or RCRA Approved landfill)
Shellac Varnish Floor & associated black mastic and Black Vapor barrier	1968 Exercise Gymnasium	1000 Square feet	≥50 PPM	EQ NE Wayne, MI (TSCA or RCRA Approved landfill)
Interior Window Sill Caulking/Slate Sill	Throughout 1956 & 1968 Addition	410 Each	≥50 PPM	EQ NE Wayne, MI (TSCA or RCRA Approved landfill)
Interior Expansion Joint & CMU	Throughout 1956/1968 building	40 LF	<50 PPM	Turnkey

Non- Porous Window assemblies including PCB Containing Glazing.	Throughout 1956 & 1968 Addition	410 Each	≥50 PPM	EQ NE Wayne, MI (TSCA or RCRA Approved landfill)
Roof Vent Caulking	Throughout		<50 PPM	Turnkey

3.2 WORK SEQUENCE

The work sequence consists of the following general elements and will proceed phase by phase:

- Isolate all work areas with containments and proper engineering controls and protection.
- Remove all PCB containing materials,
- Package in bags to be disposed of with ACM/PCB Bulk Product Waste or Bulk PCB Remediation waste,
- Set-up dust control measures for hand scraping of residual caulking (i.e. HEPA vacuums)
- Waste Disposal
- Visual inspection of work

Yankee will supply all labor, materials, and equipment necessary to complete the scope of work detailed in this document in a professional manner.

3.3 SPECIFIC WORK PLAN PROCEDURES

Prior to beginning the task of caulking removal, YANKEE will create appropriate containments and decontamination zones in accordance with OSHA guidelines. The area will be contained utilizing 6-Mil polyethylene sheeting taped off and proper signage will be installed to keep other workers/visitors out of the work areas. HEPA air filtration device will be installed vented to the



outside of the building. A pop-up decontamination unit will be erected and maintained to perform the work.

All work will be completed by using power tools and hand tools. Flooring work will be removed using mechanical and manual methods. All material will be misted with a Hudson sprayer during the removal, HEPA vacuum during removal work. Prior to start of the removal of the Expansion Joint, pre-identified areas with adjacent surfaces contaminated will be marked out in accordance with the Self-Implementation Plan (SIP) 16 inches vertical.

This shall allow for workers to know where the demarcation of the waste stream exists. Qualified & trained workers shall remove the pre-identified areas of concrete masonry unit (CMU) with PCB concentrations inside the <50 ppm cut line in a manner to segregate the waste stream from clean material.

WINDOW & SILL CAULKING

A full containment will be erected outside the windows. A critical barrier will be placed inside the building at the window opening. Floor poly shall be laid under the windows to prevent contamination of the ground. At the ground level at containment entrance, Yankee will provide a two stage decontamination facility for the workers to remove protective clothing. All protective clothing will be disposed of as PCB remediation waste when workers leave the work area.

The caulking materials & adjacent surfaces will be sufficiently wetted (Hudson Sprayers) to minimize any release of material, but not excessively to cause a liquid waste stream; then the window will be pulled and caulking will be removed with caulking cutters. In the process of performing the removal with caulking cutters and scrapers, a HEPA vacuum with hose will be used for emissions control at the point of the work operation and all material shall be disposed of as Bulk Product Waste. Once the materials with concentrations of PCBs greater than or equal to



50 ppm PCB are removed and placed in dumpsters, we will request a visual inspection by Fuss & O'Neil. These materials shall be placed in bags (6-mil) and containerized, stored in designated waste disposal receptacle. Yankee will follow requirements outlined in the project specifications and EPA Approved PCB SIP.

All waste products including rags, poly sheeting, filter bags, decon debris and enclosures will handled as PCB-contaminated waste and disposed of at (Waste Management of NH – Turnkey). All equipment utilized throughout the duration of this project will be decontaminated in accordance with the project specification and application TSCA regulations.

SHELLAC/ MASTIC & VAPOR BARRIER

A full containment equipped with a HEPA air filtration device will be erected within the gymnasium. Yankee will provide a three stage decontamination facility for the workers to remove protective clothing. All protective clothing will be disposed of as PCB remediation waste when workers leave the work area.

The PCB containing materials (with exception of shellac) are also ACM. Yankee will first remove all the wood flooring that is PCB containing with a combination of manual and mechanical methods. Once all flooring has been removed, Yankee will employ shrouded equipment (scarifier/grinders) to remove associated ACM/PCB contaminated mastic and vapor barrier from the concrete substrate. Airless sprayer will be used to wet the material to minimize any release of material, but not excessively to cause a liquid waste stream. All materials will be packaged. Once the materials with concentrations of PCBs greater than or equal to 50 ppm PCB are removed and placed in dumpsters, we will request a visual inspection by Fuss & O'Neill EnviroScience Yankee will follow requirements outlined in the project specifications and EPA Approved PCB SIP Bated March 18, 2013.



All waste products including rags, poly sheeting, filter bags, decon debris and enclosures will handled as PCB-contaminated waste and disposed of at (Waste Management of NH – Turnkey). All equipment utilized throughout the duration of this project will be decontaminated in accordance with the project specification and application TSCA regulations.

EXPANSION JOINT

Prior to start of work, pre-identified areas with adjacent surfaces contaminated will be marked out in accordance with the Self-Implementation Plan (SIP) <u>16 inches</u> vertical on either side of the expansion Joint. A containment equipped with a HEPA air filtration device will be erected on the first floor where the expansion joint is located. Yankee will install a three stage decontamination facility for the workers to remove protective clothing. All protective clothing will be disposed of as PCB remediation waste when workers leave the work area.

The PCB containing expansion joint will be wetted and removed using manual and mechanical methods. Yankee will cut one course of CMU from either side of the expansion joint. The joint will be removed in conjunction with the CMU. All waste will be containerized and placed in a lined dumpster and disposed of as Bulk product Waste. Airless sprayer will be used to wet the material to minimize any release of material, but not excessively to cause a liquid waste stream. Yankee will request a visual inspection by Fuss & O'Neill EnviroScience All work will be completed in as per specifications and EPA Approved PCB SIP.

EXHAUST VENT CAULKING

A mini containment equipped with a HEPA air filtration device will be erected on the roof where the exhaust vents are located. Yankee will install a two stage decontamination facility for the workers to remove protective clothing. All protective clothing will be disposed of as PCB remediation waste when workers leave the work area.



The PCB containing vent caulk will be wetted using a Hudson sprayer and removed using manual and mechanical methods. All waste will be packaged and disposed of as PCB Remediation Waste. Yankee will request a visual inspection by Fuss & O'Neill EnviroScience All work will be completed in as per specifications and EPA Approved PCB SIP dated March 18, 2013

3.4 SCHEDULE

The PCB removal work is anticipated to take place during daytime hours beginning once the plan is approved. Project is phased and is anticipated that the work will take several years to complete.

4.0 UTILITIES

All utilities in the active work area will be verified as cut and capped before remediation starts.

4.1 WATER SYSTEMS

Yankee will use a standard water spigot fed from the building. In areas water is not proximal to the work areas, work shall be a Hudson Sprayer.

4.2 ELECTRICAL SYSTEMS

Yankee will provide a sub-panel that will be tied into the existing buildings main power supply.

5.0 SITE PREPARATIONS

5.1 WASTE CONTAINERS

YANKEE shall obtain and locate the approved PCB waste containers on-site. YANKEE will coordinate the location of the PCB waste containers with NASDI & O& G and the Construction Manager. The PCB waste containers shall be clearly marked as such to avoid confusion with ordinary waste containers. Please see marking requirements in Appendix B that outlines requirements.

6.0 MATERIAL STORAGE AND HANDLING PROCEDURES

6.1 PCB BULK PRODUCT WASTE MATERIAL – EQ NE Wayne, MI/ Minerva, OH

PCB bulk product waste shall be handled in a manner to avoid the breakdown of these materials into fine dust or powders. Caulking cutters will be removed material in a manner to reduce breaking down product.

Once removed; all PCB waste materials shall be containerized according to EPA regulations. Containers will then be placed in lined dumpsters for disposal. Any PCB waste and PCB-containing items shall be stored for disposal in accordance with 40 CFR 761.65. Containers shall be clearly marked as PCB-containing waste materials as required in 40 CFR 761.40 and 40 CFR 761.45 as shown in Appendix B.

Dumpsters containing PCB materials with concentrations greater than or equal to 50 ppm will be marked with designations indicating that the PCB materials are contained in the dumpsters, as stated in 40 CFR 761.65(c)(1). All dumpsters and drums of PCB waste will be non-liquid materials. The bags containing greater than or equal to 50 ppm PCB waste must be within the dumpsters and secured at the end of the day.



Any dried and brittle PCB bulk product wastes require additional care to prevent the inadvertent release of PCB dust or powder into the environment.

6.2 BULK PCB REMEDIATION WASTE- WASTE MANAGEMENT OF NH TURNKEY

PCB decontamination materials from the personnel protective equipment used by workers during decontamination and removal activities shall be disposed of as remediation waste material at a TSCA/RCRA Title C landfill (Waste Management of NH - Turnkey). These materials will be placed into bags then directly into lined containers for disposal.

7.0 DISPOSAL

7.1 DISPOSAL FACILITIES

PCB REMEDIATION WASTE

7.1.1 Waste Management of NH Turnkey Facility 97 Rochester Neck Road Rochester, NH 03063 (800) 963-4776

BULK PRODUCT WASTE

7.1.2 EQ Northeast Wayne Disposal Facility 49350 N. 1-94 Service Drive Belleville, MI 48111 EPA ID # MID 048 090 633 (800) 592-5489

PCB REMEDIATION WASTE >50ppm

7.1.3 EQ Northeast Wayne Disposal Facility 49350 N. 1-94 Service Drive Belleville, MI 48111 EPA ID # MID 048 090 633 (800) 592-5489



Disposal of all waste shall be in accordance with applicable state and federal regulations and sent to a licensed facility that will receive and retain PCB bulk product waste and PCB remediation waste, in accordance with EPA regulations under 40 CFR 761.61 and 40 CFR 761.62. All of the waste shall be treated as TSCA waste – bulk remediation waste shall be sent to (Waste Management of NH - Turnkey) and bulk product waste shall be sent to a TSCA/RCRA Title C landfill (EQ).

All PCB remediation waste removed from the site will be kept separate from other ordinary construction waste streams that the contractor may generate. Copies of all bills of lading, waste shipment records, certificates of disposal, and any other documentation will be provided to NASDI and O&G as proof of proper disposal of waste.

PCB remediation wastes will be stored according to applicable EPA TSCA regulations. YANKEE shall ensure compliance with storage and marking requirements described in 40 CFR 761.40, 40 CFR 761.45 and 40 CFR 761.65. The contractor shall also ensure that no visible emissions of dust will occur during the disposal of PCB bulk product and PCB remediation wastes into appropriate disposal containers.

The PCB remediation waste will be disposed of in accordance with 40 CFR 761.61 at the approved landfill for such disposal. YANKEE shall submit the appropriate landfill documentation to verify that it is capable of accepting PCB waste in accordance with these requirements, once a waste profile is generated by the landfill.

No TCLP analysis will be required prior to disposal for PCB Bulk Product Wastes at the proposed landfill. The landfill, EQ, MI does not require TCLP testing for PCB's in the waste profile.



Exterior caulk, Slate window sill caulk, gym mastics & vapor barrier that contains asbestos greater than 1% and also contains PCB's greater than 50 ppm as well as all Bulk Product waste also containing asbestos material found in the building. These materials will be profiled and sent to Minerva in Ohio.

8.0 DECONTAMINATION AND REMOVAL PROCEDURES

YANKEE will obtain proper permits and conduct work in compliance with all applicable regulations, including the TSCA, the RCRA, and any other applicable federal, state, and local laws.

Steel lintels and metal vents that will remain after the windows and caulking have been removed, YES will decontaminate the lintels and vents using a controlled double wash and rinse method using Capsur cleaning Solvent in such a manner as to ensure no liquid waste is generated (See Appendix D). All clearance wipe samples are by other under a separate contract. If additional recleaning is deemed necessary due to wipe sampling result above acceptable limits, Yankee will respectfully request additional compensation.

8.1 DECONTAMINATION OF NON-POROUS SURFACES & WORKERS

Yankee employees performing the removal of PCB containing expansion joint caulking and window caulking will use the two stage decontamination facility located at the entrance to the work area to remove contaminated PPE and to wash any exposed skin areas prior to leaving the regulated areas.



All packaged PCB waste and non-porous equipment in the work area will be decontaminated to the level of no visible dust or debris in the two stage waste load out facility prior to leaving the work area.

All tools and equipment that come into direct contact with PCB Bulk Product Waste and/or PCB Remediation Waste will be decontaminated in accordance with 40CFR761.79(c)(2) by swabbing the potentially contaminated surfaces with Orange Off, an effective cleaning product, and wipes prior to leaving the work area. Appendix C contains info on product. The wipes shall be disposed of PCB Remediation Waste.

All packaged PCB waste will be decontaminated to the level of no visible dust or debris prior to leaving the work area. In accordance with the project specifications, rags and a water/detergent mixture will be used to perform routine decontamination during work inside the regulated area.

9.0 HEALTH AND SAFETY

9.1 YANKEE HEALTH AND SAFETY PLAN

The written health and safety plan that details engineering controls, practices and procedures, protective equipment, and training that will be used to control and minimize exposures has been previously submitted. This plan outlines PPE protection requirements for dealing with hazardous materials.

9.2 OSHA REGULATIONS

All applicable federal and state OSHA standards and regulations to ensure worker safety will be in effect during the abatement process. The following programs must be addressed in the contractor's health and safety plan. This is not a comprehensive list of the required programs,

and the contractor is responsible for determining which programs apply and how best to implement the required programs.

- Fall Protection
- Personal Protective Equipment
- Lockout/Tagout
- Confined Spaces
- Machine Safety
- Ladder/Scaffolding Safety
- Electrical Safety
- Housekeeping (Slips, Trips, Falls)
- Injury Reporting
- First Aid
- HAZWOPER/HAZMAT
- Asbestos Abatement

9.3 PUBLIC SAFETY

YANKEE will ensure public safety during the abatement work as identified within this plan. YANKEE has implemented containment measures designed to protect workers, occupants, and the environment from the release of PCB-containing materials.

Access to work areas will need to be limited to ensure that only workers properly trained will be within the Site. Proper hygiene and decontamination procedures must be followed to limit the potential for transferring PCB remediation waste outside the work area.



YANKEE will conduct visual assessments to verify the effectiveness of the controls. If observations indicate that additional containment or engineering controls are required, YANKEE will be responsible for making the necessary adjustments to engineering controls and work practices to minimize fugitive emissions, as determined by O&G & Fuss & O'Neill. Additionally, the Owner's consultant will be performing perimeter air monitoring to document and determine the effectiveness of YANKEE controls. Specific detail for perimeter monitoring is outlined in the Owner's Site Implementation Plan (SIP). YANKEE will perform its own personal monitoring for its workforce in accordance with OSHA Regulations.

In addition, if there is evidence of PCB bulk product waste or remediation waste outside of the immediate work area (as determined by visual inspection), YANKEE will clean up the debris in accordance with the procedures and to the standards specified in specification and PCB SIP, and shall modify controls and procedures to prevent a reoccurrence, at no cost to Owner.

10.0 FINAL APPROVAL AND ACCEPTANCE

Final approval of the remedial work will be given when the following conditions are met:

- The work has been completed in a professionally competent manner, as demonstrated by successful visual inspections described in PCB SIP.
- The Site has been successfully closed out.
- The Owner will receive a completed and accurate waste manifest for every PCB waste container removed from the site's waste storage location.
- The work will not be considered complete until O&G provides final approval.



APPENDIX A

WORKER DOCUMENTATION



Yankee Environmental Services, LLC Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com



This is to certify that

Victor M Grande

37 A 160 A

is as astended the 8-hour course

Spanish Hazardous Waste Operations Refresher pursuant to OSIIA 29 CFR Part 1910.120

September 14, 2014 Examination Date September 14, 2013

Northern Essex Community College 45 Franklin Street Lawrence, MA 01841

Course Location

13-8625-982-253767

Certificate Number

September 14, 2013

Course Dates


Expiration Date

Training Director



Yankee Environmental Services, LLC Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com





Yankee Environmental Services, LLC

Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com

UNITED SAFETY NET Construction Safety Specialist www.unitedsafetynet.com


James Buzzell


Completed 40-Hour Hazardous Waste Cort.# 921316
Site Worker Health and Safety training

*Course per requirements of 29 CFR 1910.120

05/31/2013 35 11 2014 Issued Sypres Rony Jabour Authorized OSHA Trainer 978-767-0630










Yankee Environmental Services, LLC Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com



BERNARD F FLYNN Cortificate Number: 333241330213

S.S.#:

Completed Initial Course;

2/13/1998

Refresher Date: 2/19/2014

COMPLIES WITH OSHA 29 CFR 1910.120.



This is to certify that

Alcibiades Encarnacion

has attended the 8-hour course

Spanish Hazardous Waste Operations Refresher pursuant to OSHA 29 CFR Part 1910.120

Northern Essex Community College 45 Franklin Street Lawrence, MA 01841

August 17, 2013 Examination Date

August 17, 2014

13-8407-982-236065

Certificate Number

August 17, 2013

Expiration Date

Training Director

STANCE STA TROUBLY

APPENDIX B

PCB LABELING REQUIREMENTS





APPENDIX C

ORANGE OFF CLEANING PRODUCT



Yankee Environmental Services, LLC

Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeello.com

MATERIAL SAFETY DATA SHEET

COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

SECTION I PRODUCT IDENTIFICATION

Product Name: ORANGE OFF Natural Cleaner Degreaser & Deodorant
Product Number: 418
Product Type: AEROSOL
Supplier's Name: Southwest Specialty
Supplier's Name: Southwest Specialty
Do.T. Hazard Class: CONSUMER COMMODITY - ORMO

Formula: Proprietary
Date Prepared: 12/01/07
Emergency Phone: (800) 535-5053
Information Phone: (432) 363-3797

HMIS Retling (Based on Aerosol Conc.): 0-Minimal 1- Sight 2- Moderate 3- Serious 4- Extreme HEALTH-1: FIRE; 2-REACTIVITY, 0 Personal Protection: B

CHEMICAL NAME		S	ECTION II - I	NGRE	DIENTS		
	CAS#	%WT	313/Chem	Skin	Carcinogen	PEL.	TWA/TLV
Citrus Terpone	5989-27-5	80 - 90	NO.	NO	NO	N/E	N/E
Nonylphenol Ethoxylate	127087-87-0	10 - 20	NO	NO	NO	N/E	N/E
Carbon Dioxide Propellant	124-38-9	1 - 5	NO	NO	NO	5000 ppm	5000 ppm

SECTION III · PHYSICAL DATA

Data Bolow Based On Aerosol Concentrate Only:
Boiling Point: ~ 323* F
pH: N/A
Solubility in Water: Emulsifies
Appearance/Odoc: Clear Orange Liquid, Citrus Progrance
Data Below Based On Total Contents:
Vapor Pressure of can (pring @72*F): 78
Total VOC % 77.6%

Vapor Density(Air≠1)::>1 Specific Gravity (H;O>1)@75*F: 0.874

SECTION IV · FIRE AND EXPLOSION DATA Flammability (as per USA Flame Projection Test): Extremely Flammable Spray

Flash Point (of Concentrate Only): 122°F (T.O.C.)

Extinguishing Media: Foam, CO₂, Dry Media

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temperature above 120° F may cause bursting.

SECTION V · REACTIVITY DATA
Hazardous Polymerization: Will not Occur.

SECTION VI - STORAGE AND HANDLING

Stability: Maierial Stable, Incompatibility: Avoid contact with strong oxidizing agents, Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxide

KEEP OUT OF REACH OF CHILDREN.
For Industrial and Institutional use only.

For Industrial and Institutional use only. Store in a cool, dry area away from heat or open flame, Do not store at temperatures above 120° F.

NFPA Code 30B Rating: Level 3 Aerosol.

SECTION VII · HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:

Expert May cause moderate to severe irritation.

Skin: Frequent or prolonged contact may cause irritation, drying and defatting of skin, and dermaitis. May aggravate existing skin conditions.

Inhalation: Inhalation of mist can cause irritation of hosal and respiratory passages. Frequent or prolonged exposure may cause irritation to the upper respiratory tract, Ingestion: Harmful if swallowed. Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause tung injury

FIRST AID PROCEDURES:
Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation porsists get medical attention immediately.
Skin: Wash with soup and water. If irritation persists seek medical attention.
Inhalation: Ranowa to fresh air. Seek medical attention immediately. If breathing stops give entiticial respiration.
Ingestion: Do not induce veniting. Seek medical attention immediately.

SECTION VIII · SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Vantilation: Provide local exhaust to keep air concentration of ingredients listed in Section II below acceptable limits.

Protective Gloves: Use chemical resistant gloves if hand contact with be made.

Eye Protective Gloves: Use chemical post and contact with be made.

Eye Protective Gloves: Use chemical post provided in the proof goggles when working with chemicals.


SECTION IX · SPILL OR LEAK PROTECTION

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: Allow propellard for evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, host sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

N/A= NOT APPLICABLE . N/E=NOT ESTABLISHED . N/D=NOT DETERMINED . <=LESS THAN . >=MORE THAN

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate us of this date of publication it is not recessarily all inclusive non-fully adequate in every croumstance. The suggestions should not be continued with not followed in violation of applicate laws (requisitors, news or insurance requirements. No warranty, express or mitted, of merchantablely, filmss, accuracy of data or the results to be obtained from the use therefore its middle. The violation accuracy is contained from the underpropriate and of this product.



APPENDIX D

CAPSUR CLEANER PRODUCT



Yankee Environmental Services, LLC

Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com

INTEGRATED CHEMISTRIES INC -- CAPSUR -- 6850-00F014959

Product ID: CAPSUR MSDS Date: 10/23/1990

FSC: 6850

NIIN: 00F014959 MSDS Number: BJVVN

=== Responsible Party ===

Company Name: INTEGRATED CHEMISTRIES INC

Address:1970 OAKCREST AVE SUITE 215

City: ST PAUL State: MN ZIP: 55113 Country: US

Info Phone Num: 612-636-2380 Emergency Phone Num: 800-228-5635

CAGE: ONFA2

=== Contractor Identification ===

Company Name: INTEGRATED CHEMISTRIES INC

Address:1970 OAKCREST AVE SUITE 215

Box:City: ST PAUL

State: MN ZIP: 55113 Country: US

Phone: 612-636-2380

CAGE: ONFA2

====== Composition/Information on Ingredients =======

Ingred Name: HEAVY AROMATIC SOLVENT NAPHTHA PETROLEUM

CAS:64742-94-5
RTECS #:WF3100000
Fraction by Wt: >25%

Ingred Name: NAPTHALENE; MOTH FLAKES; MOTH BALLS; NAPHTHALIN; CAMPHOR

TAR; WHITE TAR

CAS:91-20-3

RTECS #:QJ0525000 Fraction by Wt: <10% Other REC Limits:10 PPM OSHA PEL:50 MG/CUM ACGIH TLV:52 MG/CUM

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Page 32 of 35



Yankee Environmental Services, LLC

Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com

Ingred Name: TRIMETHYL BENZENE

CAS:25551-13-7 RTECS #:DC3220000

Other REC Limits:25 PPM

OSHA PEL:25 PPM

ACGIH TLV:123 MG/CUM

Ingred Name: 1, 2, 4-TRIMETHYLBENZENE

CAS:95-63-6

RTECS #:DC3325000 Fraction by Wt: <10% ACGIH TLV:25 PPM

Ingred Name: 2-BUTOXYETHANOL (ETHYLENEGLYCOL MONOBUTYL ETHER), BUTYL

CELLOSOLVE, BUTYL GLYCOL, GLYCOL ETHER EB

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: <10%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:50 PPM (SKIN) ACGIH TLV:25 PPM (SKIN)

Ingred Name: CYCLOHEXANOL

CAS:108-93-0

RTECS #:GV7875000

Fraction by Wt: <10%

Other REC Limits:50 PPM

OSHA PEL:200 MG/CUM

ACGIH TLV:206 MG/CUM

Ingred Name: 2-AMINOETHANOL, ETHANOLAMINE, MONOETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: <10%

Other REC Limits: 3 PPM

OSHA PEL:3 PPM

ACGIH TLV: 7.5 MG/CUM

========== Hazards Identification ===========================

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION/INGESTION: LOW TOXICITY,

IRRITATION OF DIGESTIVE TRACT, NERVOUS SYSTEM DEPRESSION.

ASPIRATION HAZARD. EYES/SKIN: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: INHALATION/INGESTION: DROWSINESS, DIZZINESS, LOSS OF COORDINATION & FATIGUE. EYES: IRRITATION, STINGING, TEARING

Page 33 of 35



Yankee Environmental Services, LLC Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com

& REDNESS. SKIN: IRRITATION, REDNESS, BURNING, DRYING & CRACKING. Medical Cond Aggravated by Exposure:LUNG DISORDERS (ASTHMA-LIKE CONDITIONS)
======================================
First Aid:SKIN: WASH W/MILD SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. EYES: FLUSH W/PLENTY OF WATER. REMOVE CONTACT LENSES. INGESTION: IF DROWSY OR UNCONSCIOU S, PLACE ON THE LEFT SIDE W/THE HEAD DOWN. DON'T GIVE ANYTHING BY MOUTH. IF CONSCIOUS & ALERT, INDUCE VOMITING BY GIVING SYRUP OF IPECAC UNDER PHYSICIAIN CARE. DON'T LEAVE UNATTENDED. OBTAIN MED ATTN.
======================================
Flash Point Method: COC Flash Point: 145F Lower Limits: 0.5% Upper Limits:6% Extinguishing Media:CO2, FOAM, DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
========= Accidental Release Measures ==========
Spill Release Procedures: CONTAIN SPILL. SOAK UP W/INERT ABSORBENT. PLACE IN SUITABLE CONTAINERS FOR DISPOSAL. SPILL/LEAK PROCEDURES APPLY TO CAPSUR, NOT OPERATING CONDITIONS IN WHICH IT IS USED, WHICH WILL CONTAIN PCB'S. IN C ASE OF SPILL DURING CLEANUP, FOLLOW PCBCLEANUP.
======================================
Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DON'T STORE IN CONTACT W/RUBBER OR PLASTIC. STORE AWAY FROM HEAT, SPARKS, & OPEN FLAME. Other Precautions: DON'T STORE OR MIX NEAR STRONG OXIDANTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE A RESPIRATOR W/OV CARTRIDGES. A HEPA FILTER MAY ALSO BE REQUIRED UNDER CERTAIN ENCLOSED APPLICATION CONDITIONS. Ventilation: IF CURRENT VENTILATION IS NOT ADEQUATE, USE ADDITIONAL VENTILATION OR EXHAUST SYSTEMS. Protective Gloves: SUITABLE FOR HYDROCARBON USE.

Page 34 of 35

Other Protective Equipment: COVERALLS (SARANEX-COATED TYVEK IS

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

RECOMMENDED), NEOPRENE BOOTS & BOOT COVERS

Eye Protection: RECOMMENDED



Yankee Environmental Services, LLC Asbestos Removal, Lead Paint, Mold, Demolition, PCBs

29 Esquire Road • Billerica, MA 01862 • (978) 663-6506 • Fax (978) 663-6493 • www.yankeellc.com

REUSE.

Supplemental Safety and Health

NOTE: HEALTH HAZARD DATA APPLIES TO CONTACT W/CAPSUR ITSELF, NOT THE OPERATING SOLUTIONS IN WHICH IT IS USED, WHICH TYPICALLY CONTAIN CONCENTRATED PCB'S. IN CASE OF CONTACT W/OPERATING SOLUTION, FOLLO W TREATMENT METHODS APPLICABLE FOR EXPOSURE TO SOLUTIONS OF THIS TYPE. U.S. PATENT NO. 4,792,413 & 4,844,745.

Boiling Pt:B.P. Text:>212F
Melt/Freeze Pt:M.P/F.P Text:<0C
Vapor Pres:NEGLIGIBLE
Vapor Density:4.8
Spec Gravity:0.965-0.985

pH:11

Evaporation Rate & Reference: (BU AC = 1): <1

Solubility in Water: MODERATE

Appearance and Odor: CLEAR AMBER LIQUID W/CHARACTERISTIC NAPTHA ODOR

Percent Volatiles by Volume:60

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
RUBBER, PLASTIC, STRONG ACIDS, & STRONG OXIDIZING AGENTS
Stability Condition to Avoid:TEMPERATURES APPROACHING 145F, HEAT,
SPARKS, & OPEN FLAME

Hazardous Decomposition Products: CO, CO2, NITROGEN & SULFUR

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.



Appendix D

Analytical Reports: Bulk Verification Sampling Results and Locations



Friday, November 15, 2013

Attn: Ms Karron Redfield Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Sample ID#s: BF75334 - BF75345

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phvllis Shiller

Laboratory Director

NELAC - #NY11301

CT Lab Registration #PH-0618

MA Lab Registration #MA-CT-007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003 NY Lab Registration #11301

PA Lab Registration #68-03530

RI Lab Registration #63

VT Lab Registration #VT11301



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

\sim			
Samn	ا ما	Intor	mation
Callio		וטווו	เมเลเมษา

Matrix:

SOLID

Location Code: F&O-PCB

24 Hour

20111127A1E

Rush Request: P.O.#:

Custody Information

Collected by:

Received by:

Analyzed by:

JR

SW

11/12/13 11/12/13

<u>Date</u>

<u>Time</u> 0:00

15:02

see "By" below

_aboratory Data

SDG ID: GBF75334

Phoenix ID: BF75334

Project ID:

PLATT HIGH SCHOOL-MERIDEN

1112UA-01A-WINDOW 1-RIGHT SIDE Client ID:

RL/

Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	ı	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	114		%	11/13/13	AW	30 - 150 %
% TCMX	101		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-01A-WINDOW 1-RIGHT SIDE

RL

Parameter Result PQL Units Date/Time By Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013

Reviewed and Released by: Ethan Lee, Project Manager

Page 2 of 24

Ver 1

Phoenix I.D.: BF75334



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Sample Information

COLID

<u>Date</u> <u>Time</u>

Matrix:

SOLID

Collected by:

Custody Information

JR SW 11/12/13 11/12/13 0:00

Location Code: Rush Request: F&O-PCB 24 Hour Received by: Analyzed by:

see "By" below

15:02

P.O.#:

20111127A1E

Laboratory Data

SDG ID: GBF75334

Phoenix ID: BF75335

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-01B-WINDOW 1-RIGHT SILL

RL/

		RL/				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	99		%	11/12/13	1	E160.3
Extraction for PCB	Completed		•	11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	96		%	11/13/13	AW	30 - 150 %
% TCMX	100		%	11/13/13	AW	30 - 150 %

Project ID: PLATT HIGH SCHOOL-MERIDEN
Client ID: 1112UA-01B-WINDOW 1-RIGHT SILL

Phoenix I.D.: BF75335

RL/

Parameter

Result

PQL

Units

Date/Time

y Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Samp	le	Info	rma	tion

Matrix:

SOLID

Location Code: F&O-PCB

Rush Request:

Custody Information

Laboratory Data

Collected by: Received by:

JR SW 11/12/13

Date

<u>Time</u> 0:00

11/12/13

15:02

P.O.#:

24 Hour

20111127A1E

Analyzed by:

see "By" below

SDG ID: GBF75334

Phoenix ID: BF75336

Project ID:

Client ID:

PLATT HIGH SCHOOL-MERIDEN

1112UA-01C-WINDOW 1-SILL

D1 /

		RL/				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	99		%	11/12/13	1	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	94		%	11/13/13	AW	30 - 150 %
% TCMX	99		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-01C-WINDOW 1-SILL

RL

Parameter

Result

PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75336

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Fax (860) 645-0823 Tel. (860) 645-1102

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

_		
Samo	Int∩rm	ation

Matrix:

SOLID

F&O-PCB Location Code:

Rush Request: P.O.#:

24 Hour

20111127A1E

Custody Information

Collected by: Received by:

JR

SW

11/12/13 11/12/13

Date

0:00

<u>Time</u>

15:02

Analyzed by: see "By" below

aboratory Data

SDG ID: GBF75334

Phoenix ID: BF75337

Project ID: Client ID:

PLATT HIGH SCHOOL-MERIDEN

1112UA-01D-WINDOW 1-SILL

RI/

Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	ı	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND ·	0.32	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates				•		
% DCBP	89		%	11/13/13	AW	30 - 150 %
% TCMX	98		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-01D-WINDOW 1-SILL

RL/

Parameter

Result

PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75337

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield Fuss & O'Neill, Inc.

146 Hartford Road Manchester, CT 06040

Sample Information

Matrix:

SOLID

Location Code:

F&O-PCB

Rush Request:

24 Hour

P.O.#:

20111127A1E

Custody Information

aboratory Data

Collected by: Received by:

JR

SW

11/12/13

<u>Time</u> 0:00

11/12/13

<u>Date</u>

15:02

Analyzed by:

see "By" below

SDG ID: GBF75334

Phoenix ID: BF75338

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-01E-WINDOW 1-LEFT SILL

		RL/				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	1	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	102		%	11/13/13	AW	30 - 150 %
% TCMX	110		%	11/13/13	AW	30 - 150 %

Project ID: PLATT HIGH SCHOOL-MERIDEN
Client ID: 1112UA-01E-WINDOW 1-LEFT SILL

Phoenix I.D.: BF75338

RL/

Parameter

Result

PQL

Units

Date/Time

By Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Custody Information

Laboratory Data

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Sample	Inform	nation
Sallible		nauvn

Matrix:

SOLID

Location Code:

F&O-PCB

Rush Request:

Collected by: Received by:

JR

SW

Date 11/12/13 Time 0:00

11/12/13

15:02

20111127A1E

24 Hour

Analyzed by:

see "By" below

SDG ID: GBF75334

Phoenix ID: BF75339

P.O.#:

Project ID: Client ID:

PLATT HIGH SCHOOL-MERIDEN 1112UA-01F-WINDOW 1-LEFT SIDE

		R <i>U</i>					
Parameter	Result	PQL	Units	Date/Time	Ву	Reference	
Percent Solid	100		%	11/12/13	I	E160.3	
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C	
PCB (Soxhlet)							
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082	
QA/QC Surrogates							
% DCBP	101		%	11/13/13	AW	30 - 150 %	
% TCMX	110		%	11/13/13	AW	30 - 150 %	

Project ID: PLATT HIGH SCHOOL-MERIDEN Client ID: 1112UA-01F-WINDOW 1-LEFT SIDE

Phoenix I.D.: BF75339

RL/

Parameter

Result

PQL

Units

Date/Time

Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

\sim			
Samn	Δ	Into	rmation
valliv	15	ยเบ	ппаноп

Custody Information

Date

<u>Time</u>

Matrix:

SOLID

Collected by: JR 11/12/13

0:00

Location Code:

F&O-PCB

Received by:

SW

11/12/13

15:02

Rush Request:

24 Hour

Analyzed by:

see "By" below

SDG ID: GBF75334

P.O.#:

20111127A1E

.aboratory Data

Phoenix ID: BF75340

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-02A-WINDOW 2-RIGHT SIDE

RIJ

Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	l	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	105		%	11/13/13	AW	30 - 150 %
% TCMX	96		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-02A-WINDOW 2-RIGHT SIDE

RL

Parameter

Result

PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75340

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Samp	ا ما	Info	rma	ation
Sallio		HIIO	HILLO	111011

Matrix:

SOLID

F&O-PCB

Location Code: Rush Request:

24 Hour

20111127A1E

Custody Information

Collected by: Received by:

Analyzed by:

JR SW

<u>Date</u> 11/12/13 <u>Time</u>

11/12/13

0:00 15:02

see "By" below

Laboratory Data

SDG ID: GBF75334

Phoenix ID: BF75341

Project ID:

P.O.#:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-02B-WINDOW 2-RIGHT SILL

RI/

		KL/				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	1	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	96		%	11/13/13	AW	30 - 150 %
% TCMX	95		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-02B-WINDOW 2-RIGHT SILL

Phoenix I.D.: BF75341

RL/

Parameter

Result

PQL

Units

Date/Time

y Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Sample Information

Custody Information

Date

<u>Time</u>

Matrix:

SOLID

Collected by:

JR

11/12/13

0:00

Location Code:

F&O-PCB

Received by:

SW

11/12/13

15:02

Rush Request:

24 Hour

20111127A1E

Analyzed by:

see "By" below

SDG ID: GBF75334

P.O.#:

Laboratory Data

Phoenix ID: BF75342

Project ID: Client ID:

PLATT HIGH SCHOOL-MERIDEN

1112UA-02C-WINDOW 2-SILL

RI/

		KL				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	99		%	11/12/13	l	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	99		%	11/13/13	AW	30 - 150 %
% TCMX	98		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-02C-WINDOW 2-SILL

RL

Parameter

Result

PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75342

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield

Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Sample Information

Custody Information

Date

<u>Time</u>

Matrix:

SOLID

Collected by:

JR

11/12/13

0:00

Location Code:

F&O-PCB 24 Hour

Received by:

SW

11/12/13

15:02

Rush Request: P.O.#:

20111127A1E

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBF75334

Phoenix ID: BF75343

Project ID: Client ID:

PLATT HIGH SCHOOL-MERIDEN

1112UA-02D-WINDOW 2-SILL

		RL∕				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	99		%	11/12/13	ŀ	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	89		%	11/13/13	AW	30 - 150 %
% TCMX	. 85		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-02D-WINDOW 2-SILL

R∐.

Parameter

Result

PQL

Units

Date/Time

Phoenix I.D.: BF75343

Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR:

Attn: Ms Karron Redfield Fuss & O'Neill, Inc.

146 Hartford Road Manchester, CT 06040

Sample Information

Matrix:

SOLID

Location Code:

F&O-PCB

Rush Request:

24 Hour

24 1 1001

<u>Custody Information</u>

Collected by: Received by: JR SW <u>Date</u> 11/12/13 <u>Time</u> 0:00

11/12/13

15:02

see "By" below

P.O.#:

20111127A1E

Laboratory Data

Analyzed by:

SDG ID: GBF75334

Phoenix ID: BF75344

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-02E

RL/

Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	1	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.32	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	94		%	11/13/13	AW	30 - 150 %
% TCMX	89		%	11/13/13	AW	30 - 150 %

Client ID: 1112UA-02E

RL

Parameter Result PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75344

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR: Attn: Ms Karron Redfield

> Fuss & O'Neill, Inc. 146 Hartford Road Manchester, CT 06040

Sample Information

Custody Information

Date

11/12/13

<u>Time</u>

Matrix:

SOLID

Collected by:

JR SW 11/12/13

0:00

Location Code: Rush Request:

F&O-PCB 24 Hour

Received by: Analyzed by:

see "By" below

15:02

P.O.#:

20111127A1E

Laboratory Data

SDG ID: GBF75334

Phoenix ID: BF75345

Project ID:

PLATT HIGH SCHOOL-MERIDEN

Client ID:

1112UA-02F

DI /

		RL/				
Parameter	Result	PQL	Units	Date/Time	Ву	Reference
Percent Solid	100		%	11/12/13	1	E160.3
Extraction for PCB	Completed			11/12/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1221	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1232	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1242	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1248	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1254	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1260	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1262	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
PCB-1268	ND	0.33	mg/kg	11/13/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	90		%	11/13/13	AW	30 - 150 %
% TCMX	90		%	11/13/13	AW	30 - 150 %

Project ID: PLATT HIGH SCHOOL-MERIDEN

Client ID: 1112UA-02F

RL/

Result PQL

Units

Date/Time

By Reference

Phoenix I.D.: BF75345

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

Parameter

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

November 15, 2013

Reviewed and Released by: Ethan Lee, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 15, 2013

QA/QC Data

SDG I.D.: GBF75334

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	Rec Limits	RPD Limits
QA/QC Batch 259606, QC St BF75342, BF75343, BF7534	•	75334, BF75335, BF75	5336, BI	F75337	, BF75:	338, BF	75339,	BF75340	, BF75341,
Polychlorinated Biphen	yls - Solid								
PCB-1016	ND	99	101	2.0	102	102	0.0	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	95	94	1.1	93	96	3.2	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	91	102	97	5.0	100	103	3.0	30 - 150	30
% TCMX (Surrogate Rec)	102	110	111	0.9	110	116	5.3	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis Shiller, Laboratory Director

November 15, 2013

Analysis Units

RL Criteria

凡

Result

Sample Criteria Exceedences Report

GBF75334 - FO-PCB

Criteria Phoenix Analyte

Requested Criteria: None Friday, November 15, 2013

State: CT

Acode

SampNo

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Labo	Laboratory Name: Phoenix Environmental Labs, Inc. Client: F&O-PCB							
Proje	ect Location: PLATT HIGH SCHOOL-MERIDE Project Number:							
Labo	Dratory Sample ID(s): BF75334, BF75335, BF75336, BF75337, BF75338, BF75342, BF75343, BF75344, BF75345	F75339, BF75340, BF75341,						
Sam	pling Date(s): 11/12/2013							
RCP	Methods Used:							
<u> </u>	311/1312	☐ EPH ☐ TO15						
✓ 80	082	☐ VPH						
	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents?	✓ Yes □ No						
1a.	Were the method specified preservation and holding time requirements met?	✓ Yes □ No						
	significant modifications (see section 11.3 of respective RCP methods)							
	described on the associated Chain-of-Custody document(s)?							
3.	Were samples received at an appropriate temperature (< 6 Degrees C)? ✓ Yes □ No □ NA							
	Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?	✓ Yes □ No						
5a.	Were reporting limits specified or referenced on the chain-of-custody?	☐ Yes ☑ No						
5b.	Were these reporting limits met?	☐ Yes ☐ No ☑ NA						
l l	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	✓ Yes □ No □ NA						
7.	Are project-specific matrix spikes and laboratory duplicates included in the data set?	✓ Yes □ No □ NA						
	For all questions to which the response was "No" (with the exception of question #5a, #7) be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the the requirements for "Reasonable Confidence".), additional information must data package does not meet						
and b	e undersigned, attest under the pains and penalties of perjury that, to the belief and based upon my personal inquiry of those responsible for provained in this analytical report, such information is accurate and complete	iding the information						
A4h	Date: Friday,	November 15, 2013						
	orized ature: Printed Name: Ethan	Lee						
	Position: Project	Manager						



Environmental Laboratories, Inc.



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

RCP Certification Report

November 15, 2013

SDG I.D.: GBF75334

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument:

Au-ecd3 11/13/13-1 (BF75343, BF75344, BF75345)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name

Adam Werner

Position:

Chemist

Date:

11/13/2013

Instrument:

Au-ecd6 11/13/13-1 (BF75334, BF75335, BF75336)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name

Adam Werner

Position: Date:

Chemist 11/13/2013

Instrument:

Au-ecd7 11/13/13-1 (BF75340, BF75341, BF75342)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name

Adam Werner

Position:

Chemist

Date:

11/13/2013

Instrument:

Au-ecd8 11/13/13-1 (BF75337, BF75338, BF75339)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none







RCP Certification Report

November 15, 2013

SDG I.D.: GBF75334

Printed Name

Adam Werner

Position:

Chemist

Date:

11/13/2013

QC (Site Specific)

----- Sample No: BF75334, QA/QC Batch: 259606 -----

All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

All MS recoveries were within 40 - 140 with the following exceptions: None.

All MSD recoveries were within 40 - 140 with the following exceptions: None.

All MS/MSD RPDs were less than 30% with the following exceptions: None.

A matrix effect is suspected when a MS/MSD recovery is outside of criteria. No further action is required if LCS/LCSD compounds are within criteria.

Temperature Narration

The samples in this delivery group were received at 3°C. (Note acceptance criteria is above freezing up to 6°C)



FUSS & O'NEILL ENVIROSCIENCE, LLC

CHAIN-OF-CUSTODY RECORD 1119

LF 146 Hartford Road, Manchester, CT 06040

56 Quarry Road, Trumbull, CT 06611

1419 Richland Street, Columbia, SC 29201

78 Interstate Drive, West Springfield, MA 01089

SU Redfield Street, Suite 100, Boston, MA 02122

275 Promenade Street, Suite 350, Providence, RI 02908

80 Washington Street, Suite 301, Poughkeepsie, NY 12601

th Day* U 3 Days* U Other (days)	بہا	2011 1127 ALE	Containers				10 10	Town Source	10 10 10 10 10 10 10 10 10 10 10 10 10 1	7 7 0 1 0 0 0 0		95536	75337	75338	75339	01256	175341	C/53/3	75343	Reporting and Detection Limit Requirements:	28
II19			Analysis	Request				Dig	Time Sampled	×									-1	Date Time Reporting and Detec	11/12/13 1002 Additional Comments:
CUSTODY RECORD	PRC	de May I - Windwy	TANCO COM			Date:	<u> </u>		Source Date Code Sampled	- Right Sole 1X		×	- \$:11 ×	- 10 Sill X	P. S.W. J.	- Rate Sic X	- R. 24 5.11 K	<u> </u>	* * * * * * * * * * * * * * * * * * * *	Accepted By	Charact Fe
CHAIN-OF-CUSION	₩ `	3	KEPORT TO: KHEN KELD (") +7	INVOICE TO:	P.O. No.: Zuillizg. Ale	Sampler's Signature	Source Codes: MW=Monitoring Well PW=Potable Water SW=Surface Water T=Treatment Facility 1	Bulk	Item Transfer Check Sample Number No. 1 2 3 4 it. 21.0	Oik-Wiley 1-Right Sol	A- 810	010	§ - Q10	01 5	01F - kg-5.30	02 A Windows	J- 8 20	15- 720	020 5.	Transfer Relinquished By	1 Saves Kallin

Section of the sectio

3



FUSS & O'NEILL ENVIROSCIENCE, LLC

1120

CHAIN-OF-CUSTODY RECORD

146 Hartford Road, Manchester, CT 06040
56 Quarry Road, Trumbull, CT 06611
1419 Richland Street, Columbia, SC 29201
78 Interstate Drive, West Springfield, MA 01089

□ 50 Redfield Street, Suite 100, Boston, MA 02122
□ 275 Promenade Street, Suite 350, Providence, RI 02908
□ 80 Washington Street, Suite 301, Poughkeepsie, NY 12601

Other _

7534V 75345 no agriffication of the state o ABORATORY THOSE SONIT TUSING Containers Progra days) ☐ 3 Days* ☐ Standard (__ u√ Day* □ 2 Days* L Y 2011129.AIE PROJECT NUMBER Analysis Request PROJECT LOCATION

PROJECT LOCATION

PROJECT LOCATION スス Time Sampled Date Sampled Date: W=Waste Source A=Air X S=Soil B=Sediment Sred Reld @ Jards. Ca Sample Number PW=Potable Water T=Treatment Facility 2011129.AR 1112UA-02E 970 Bulk PROJECT NAME 4 Sampler's Signature: Transfer Check MW=Monitoring Well 3 SW=Surface Water 8 9 7 REPORT TO: INVOICE TO: Source Codes: P.O. No.: X=Other Irem No.

Transfer					, or one	0.7	T. T. S.	, n					
Number	Relinquished By	Accepted By	Date	Time reporting and Detection Linut requirements:	Reporting	and Deta	ction Lit.	ambay an	menus:				
ا 1	James Latha	garactic	11/2/13 163 Additional Comments:	40	Additional	Commen	its:						
2)		}										
3													
4													



Appendix E

Uniform Hazardous Waste Manifest

Invoice: 69027

010233800JJK

. j	North	orint or type. (Form desig	ned for use on a	rite (12-pitch) type	wrHar.)		<u> </u>			Fo	m Approved.	OMB No. 2	050-003
	11 1	iiform Hazardous Haste Kahpest	4 0 C	FR761		1 1	Emergency Respons 190-257-6300	0	0.1	17recking	3800		
	Qu.	City of Meriden City of Meriden Cityle Plat High Meriden CT 084 Meriden CT 084 Meriden 2 0	Bohool, 22 51 3 8 8	0 Cos Avenu 5 2 - 7 9 6		nia grovica Al	ersier's the Address	s (if different)	frøn melling addr	Acts)			
	E	reneporter i Company Herni RED Technolog	1					· · · · · · · · · · · · · · · · · · ·	USEDAD	Number .	050	= ^ 4	
-	7.1	meparter Z Company Name			·····		***************************************		U.S.EMID		uau	0 8 0	-
ı	1		165 MS	7					MAI		17/4	Ž/	
	a.b	Vayra Bacan	no. one 21	andrii					U.S. EPA ID			حم	
	Faci	bys Phone: 800 5							MI	D 0 4	809	063	3
	3a. 461	St. U.S. DOT Descriptor and Packing Group (E an	vi)				10, Combsi No.	Type	15. Total Quantity	12. Unit WR.ANL	17.M	exte Codes	
OCT CONTROL	,	9, PGM	Polyohilorina	ted biphenyle	, 908d		007	DM	478	K	CR01 Pagi		
		2					407		770		7451	- -	
		•											
Ш	-	1,.											
П	(3 6:	ecial Kanding Instructions	or a processor green		(8) Approvable			1	78 7			and the same of th	
	E	MEMERIATURE BLOWF BROWN served and Busined/Secures. Sporter, I carefly that the continued sarily that the weeter markets sors/Otheron's Protein/Typed	, ting are in sil ree arie of this consig ation statement is	nament conform to be	ition for immeportacco storms of the attached	xding is applicable in I EPA Azknowiedome	femational and natio ni of Consent.	uel Bowere	ental regulations.	pping nome Vexport sh	icarieril erijî am	the Primary	
1	7	and the second second	V65 AV	07H		C.Z	5	<u> </u>			honk h 9	1/2 21	74
Ė	18. I-4	metional Shipments	Import to U	- 		Export from U.S.	Part of entr	via de			<u> </u>	182 L	-
ě		oriar algoratura (for exports o	nty):				Deta haaving						
Œ	17. The	reporter Acknowledgment of I	leceips of Metantal			Signature		-		_	Line in	- Kas	V
8	ç	Hear	573.bb	n		المستحرا			COLON	V	Je U	107	14
TRANS	Z	JON AT	M	ワ	1300		ndl	L	101		Work 104	1221	14
1		reparicy conggrey Indication Space	F 7 .										
	ine em		L Guerdy	•	Туре				Partial Reju	cion	لــا	Full Rejectio	4
Ē	166.AV	rnale Facility (or Generalor)					(applicat Rategration N	kinter:	U.S. EPA IO N	arber			-
2	E jerjish A	Phone:							1				1
		natury of Allemante Facility (o	(Generator)		to conference of				<u> </u>	·········	North	Day	Year
踞	14 Hezz	rrices Wests Report Manage	ensent Method Coo	ies (i.e., codes for he	IZEKÓDUE WARAN ÉTARTIN	eral, disposal, and re	ycáng systems)					11	
8	1.	2ch	3.			3.	· · · · · · · · · · · · · · · · · · ·		14			***************************************	\neg
		precisel Fecility Owner or Ope	rator, Certification	of receipt of hexard	ous materials covered		pt are motered in Marris 1	li .					
11		ypul Have		nu	Waly	Signature	me	wh			I Horth	的	14
PAI	OFFI &	100-22 (Rev. 3-05) Previo	ous scrittons and	obsolets.		DESIG	NATED FAC	ILITY TO	DESTINA	ATION S	TATE (IF	REQUIP	(ED)

Invoice:	69027
III 4 CIOC.	

Workorder 15-00 5471500

Receipt 010233800JJK

2.45 PM Page 1 of 1

Receipt List

0 Wayne Disposal, Inc.

Wayne Disposal, Inc.

Manifest, 010233900JJK Receigf Status; All Trans Mode (Inbound/Outbound): Both Burk Mode (BulkoNon-Bufk); Both

institutionistinamistaliinistinamistilinamistysinistytynessä pintykissinten tisika siiskaaliinista.

Generator

Customer

Manifest/BOL / Receipt ID Commingled

Approval / Product Waste TSDF Approval Code 40CFR76161AB CITY OF MERIDEN CT ORVB149111WDI Westo Stream

Rec. Date 4723/2014

Fpr. Status 1 Oth Roc. Status Outbound 7.00 Accepted Accepted

> DMSS

> > CRO

7,88

EQ NORTHEAST

1125

1238058-1 010233800JJK

Total quantity for bill unit DMS5:

Page 2 of 4

6996908

04/24/2014

Wayne Disposal, Inc. 49350 North I-94 Service Drive, Belleville, Michigan 48111

Receipt

EQ NORTHEAST 185 INDUSTRIAL ROAD PO BOX 617 WRENTHAM, MA 02083

40CFR76161AB CITY OF MERIDEN CT ORVILLE PLATT HS

Receipt ID: 1238058 EQ Account #: 1125

Manifest / BOL: 010233800JJK

Transporter: EQNE

Date: 04/23/2014 Time in: 12:19 PM Time Out: 2:00 PM

Line Description Cty. Unit

Cenerator

1-1 B149111WDI - PCB DEBRIS - CAULKING PPE & POLY SHEETING 7.000 DM55
Hazardous Surcharge 55 Gallon Drum 7.000 DM55
40CFR78161AB CITY OF MERIDEN CT ORVILLE PLATT HS

2 Wayne Disposal Host Community Agreement Royalty Fee 7.000 DM65

NO SALVAGING ON PREMISES
Page 1 of 1



Appendix F

Remediation Contractor's Paperwork

HAZARD WASTE WORKER REFRESHER TRAINING COURSE



ROBERT D TALBOT

Certificate Number: 334382341331112

S.S.#;

Completed Initial Course: 5/27/2005

Refresher Completed:

11/6/2012

Refresher Date: 11/6/2013

COMPLIES WITH OSHA 29 CFR 1910.120.

Concentra Medical Centers (CT)

370 James St Suite 304 NEW HAVEN, CT 06513 Phone: (203) 503-0482 Fax: (203) 503-0492

EMPLOYER AUTHORIZATION AND INFORMATION FOR RESPIRATORY EVALUATION

	Address:
IPLOYER TO COMPLETE THE FOLLOWING:	24 Wallace St
ployee Name: Talbot, Robert D.	WEST HAVEN CT 06516
	WEST HAVEN
Directo Day Daya Test	Employee SSN: XXX-XX 4383
ployer: Private Pay Drug Test Private Pay Drug Test	Extent of Useage (Check ALL that apply)
eck Type of Respirator(s) is 25	Consider the state of the state
Air-purifying (non-powered)	Occasionally - but not impre than twice a week lotal Hours
Atmosphere supplying Respirator	Description or for Emergerical situations only lotal nouls
Combination air-line and SCBA	Expected Physical Effort Required (Check VALL that apply)
Continous-Flow Respirator	
Supplied-Air Respirator	
Open Circuit SCBA Closed Circuit SCBA	Exposure to mazarada [1]
J Dust Mask L1/2 Face with Camsters =	☐ Arsenic ☐ Benzene
lake: Model: Cartridge:	Coke Oven Cotton Seed / Dust
LUM-de Conditions	☐ Cadmium ☐ Formaldehyde
heck ALL That Apply When Wearing Respirator)	☐ Methylene Chloride ☐ Lead
- I Drotective Cioning	☐ Textiles ☐ Chromium
I light laces	Other(s):
1 Temperature Extremes Liviosay 3015	
Other: OTHER	EVALUATION AUTHOR A ION BY:
uestionare will be: LI HAND CARNED - W "	
O NOT WRITE BELOW THIS LINE DO NOT WRITE I	BELOW THIS LINE BO NOT WALL 2
O NOT WRITE BELOW THIS LINE	NATORS (EMPLOYER)
PLHCP ¹ WRITTEN STATEMENT for RESPI	RATURS (EMIFLOTE LA)
	er contact only. The Afficians with disabilities, All information
A DAY STANDAY CHICK LIMITATIONS ON THE USE OF INTOTITIONS OF	E I I odieni monthi with the initiality of conclusion.
ADA) imposes very strict immediately and maintained on seperate forms, in seperate files, and must be treated as a co	of an employee and necessary accommodations.
nust be collected and maintained on seperate forms, in seperate files, and must be treated as a const be collected and maintained on seperate forms, in seperate files, and must be treated as a const be collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms, in seperate files, and must be treated as a const because of the collected and maintained on seperate forms.	emergency treatment.
Intermined that this individual (Cited V 1 122 - 1	
Based upon my findings, I have determined distribution with Concentra Medical Centers Employee must schedule a medical examination with Concentra Medical Centers	i (L1)
Class I - No Restrictions on Respirator Use To be used for Emergency Response To be used for Emergency Response	or Escape Only
Class III - Respirator Use is NOT PERMITTED	Onestador de la compansión de la compans
The universal Employeen is Required. 2	Section 2
Fit Test Required Fit Test Required Fit Test Performed Satisfactorily	Madical Contars (CT)
Fit Test Rorformed Unsatisfactorily	escription eyewear needed to accommodate respirator
Special pr	escription eyewear record to account
To said heir needs to be shaved to assure tight seal on certain face master.	
Physician or other Licensed Healthcare Professional Physician or other Licensed Healthcare Professional Employee must seek further medical evaluation by a private physician who must submit a repo	tts Concentra Medical Centers (CT)
2 Employee must seek further medical evaluation by a private physician who must submit a repo	CONTRACTOR OF THE PROPERTY OF
of his/her findings to	Selection of the select
	The second secon
[Check ✓ ALL that apply] The above individual HAS been examined for respirator fitness in accordance with 29 CFR 19. The above individual HAS been examined for respirator fitness in using respirators or change in the contract of the individual to report any difficulties in using respirators or change in the contract of the contrac	910.134. This limited evaluation is specific to respirator
The above individual <u>HAS</u> been examined for respirator fitness in accordance with 29 CFR 19 use only. Employees should be instructed to report any difficulties in using respirators or changes only. Employees should be instructed to report any difficulties in using respirators or changes only. Employees should be instructed to report any difficulties in using respirators or changes only.	ge of any physical status to their supervisor of physicals.
E-1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	medical evaluation consisted in a specific to respirator use only. Employees would be instructed
Questionnaire in Appendix C Part A Section 2. In accordance with 29 CFR 1910.134, this limit to report any difficulties in using respirators or change of any physical status to their supervisors.	reg evaluation is specific to the Respiratory Questionnaire
In accordance with specific OSHA requirements, I have informed the above named individual exposures that may require further explanation or treatment. Where applicable, the above na exposures that may require further explanation or treatment. Where applicable, the above named individual exposures that may require further explanation or treatment.	med individual has been informed of the increased nsk of lung cancel
exposures that may require further explanation of treatment. What appropriate exposures that may require further explanation of treatment. What appropriate exposures that may require further explanation of treatment. What appropriate exposures that may require further explanation of treatment. What appropriate explanation of treatment. What appropriate explanation of treatment.	med individual has been information the indicate Gold, MD psure(s).
attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping and additional attributable to the combined effect of shipping attributable attributable to the combined effect of shipping attributable attributable to the combined effect of shipping attributable attri	
- /Thank	Physician's Name (Printed)
Physician's Signature (12294)	16/10/13
0.3011200	Date of Exam Expires On
Physician's License Number (Optional in Most States)	
	Print Date: 10/11/2013
Page 1 of 1	Revision Date: 06/29/1999

Concentra Medical Centers (CT) 370 James St Suite 304 NEW HAVEN, CT 06513 Phone: (203) 503-0482 Fax: (203) 503-0492

Service Date: 10/11/2013

Medical Surveillance - Asbestos

Patient: Talbot, Robert D. Job Title: SSN: XXX-XX-4383 Employer: CON/New Haven **DOB:** 06/07/1961 Address: 370 James St Ste 30 Gender: M New Haven, CT 065 33091 Marital Status: M Job Contact: Sasha Sundhar Address: 24 Wallace St Role: D/S Contact/COD Phone: (203) 503-0482 WEST HAVEN, CT 06516 Fax: (203) 503-0492 Home Phone: (203) 721-1105 Work Phone: Ext.: Race: ASIAN BLACK HISPANIC INDIAN WHITE OTHER The above individual was seen on 10/11/2013 in accordance with: ____29 CFR 1926.1101. ____40 CFR 763121. The following was performed: -Completion and review of the standardized medical questionnaire and work history with special emphasis directed to the pulmonary, cardiovascular, and gastrointestinal systems per Appendix D in 1926.1101. Review of the employer's description of: this employee's duties as they relate to the employee's exposure, the employee's representative or anticipated exposure level, and personal protection equipment to be utilized by the employee. Review of information from previous medical examinations if available. A physical examination with emphasis upon the pulmonary, cardiovascular, and gastroiﷺ distribution with emphasis upon the pulmonary, cardiovascular, and gastroi A pulmonary function test of forced vital capacity (FVC) and forced expiratory volume attorie second (FEV 1) in accordance with NIOSH and ATS standards. A chest roentgenogram, posterior-anterior, 14x17 inches (or current film on file) with interpretation in accordance with 29 CFR 1926.1101. (M)(2)(ii)(C).] NOTE: According to 29 CFR 1926.1101 (M)(2)(ii)(C), it is up to the discretion of the physical whether or not a chest X-ray is required. he employee was informed by the physician of the results of the exam and of any medالله conditions that may result from asbestos exposure including the increased risk of lung cancer attributable to the comparison of smoking and asbestos exposure. Unless otherwise noted below, this evaluation indicates that there are no detected medical conditions that would place the employee at an increased risk of material health impairment from exposure to asbestos, and the elare no recommended limitations on the employee concerning the use of personal protective equipment or respirator. Comments or limitations (if any):

luation - Asbestos Medical Surveillance

Page 1 of 1

Provider Signature

Advanced Toxicology Network 3560 Air Center Cove, Suite 101

Memphis, TN 38118 Ph: (888)290-1150 Fx: (901)794-6460 Medical Director: Pamela T. Osborne, MD

Patient Name: Patient Id:

Alternate Id: DOB - Sex:

TALBOT, ROBERT D. 069624383

6/7/1961 - M 203-656-5020

401240265

Requisition: Collected: Received:

Phone:

09/22/2011 11:59 09/24/2011 06:02 09/26/2011 13:22

Reported: Fasting:

110924KEM002 401240265

Account: Address:

Phone: Location:

*00729 *00729 CMC/CT-New 370 James Street Suite 30 New Haven, CT 06513 (203)503-0482

806477

Physician: Report To: Address:

DR. CORRIGAN 806477 *00729 CMC/CT-New 370 James Street Suite 30 New Haven, CT 06513

Phone: Fax:

(203) 503-0482

0 - 10

12035030492

Collect Site: 806477 *00729 CMC/CT-New

(203) 503-0482 Phone:

Post-Prandial:N/A

_________________ ________________________ TEST RESULT **FLAGS** NORMALS UNITS _____

83655B Lead, blood Lead, blood

0.7 Reference Ranges:

Adult: < 10 ug/dl Industrial: < 40 ug/dl

Blood Lead in Adults, Occupationally Exposed: OSHA and/or Industrial Standards are < 40ug/dl.
Blood lead levels of 5-9 ug/dl have been associated with

adverse health effects in children aged 6 years and younger.

Results > or = 40 ug/dl are verified by repeat analysis.

84202Z Zinc Protoporphyrin

Zinc Protoporphyrin

OSHA Industrial Standard < 100 ug/dl

.0 - 100

ug/d7

ug/dl

--- End Of Report 401240265 ---



Administrator:_





Employee Name: (KODIN), Callo
Social Security #:4383
Location: 802 Boston Post Road, West Haven, CT 06516
Location if different from above: 23 Freshmenton Road W.H.
Date Tested: 6/20/13
Type of Test: Irritant Smoke Qualitative Testing
Type of Respiratory; North ½ Face (7700-30)
Small / Pass Medium / Pass Large / Pass
Type of Respirator: Racal PAPR / Pass
Type of Respirator: 3M Full Face / Pass
Type of Respirator: 3M.P.A.P.R. / Pass
Employee Signature: Date: 6/20/2013

ASBESTOS ABATEMENT WORKER REFRESHER



KURT W DOMINGUE

Certificate Number 3728404ASBR0213

Exam Date Course Date 2/6/2013 2/6/2013

Expires: 2/6/2014

Lead Abatement Worker Refresher - English



KURT W DOMINGUE 36 WÖODLAND DR WALLINGFORD, CT 06492

Certificate Number: 3728404leadr0213

Date Started:

2/7/2013

Date Completed:

2/7/2013

Refresher Date: 2/7/2014

ASBESTOS ABATEMENT WORKER REFRESHER



KURT W DOMINGUE

Certificate Number 3728404ASBR0312

Course Date 3/28/2012

Exam Date 3/28/2012 ~

Expires: 3/28/2013

Lead Abatement Worker Refresher - English



KURT W DOMINGUE 22 SUNNY COURT WALLINGFORD, CT 06492

Certificate Number: 3728404LEADR0311


Date Started:


3/31/2011

Date Completed:

3/31/2011

Refresher Date: 3/31/2012





000091268 OSHA ss Departmentol Labous explosional Salaty and Health Admi Kuzz Domingues occessively completed a 10-hour Occupational Safety and Flee Construction Safety & Health

HAZARD WASTE WORKER REFRESHER TRAINING COURSE



KURT W DOMINGUE

Certificate Number: 372840441510113

S.S.#: : -

Completed Initial Course:

XXX-XX-7969

Refresher Completed:

5/2/2003 1/30/2013

11/2/2007

Refresher Date: 1/30/2014 COMPLIES WITH OSHA 29 CFR 1910,120.

600084711 OSHA

partment of Labor : *** ***
tional Safety and Health Administration : *** Kurt Domingue

stully completed a 30-hour Occupational Salety and Health

John DeCecco

tion Date. Bold Date Value = Renewal Date

Date Value Traffic Control Asbestos Worker 2/11/2012 Asbestos Worker Refresher 28572014 10/26/2007 Construction Math 2/25/2005 Construction Plan Reading 12/9/2005 2/4/2005 2/29/2015 4/8/2012 Forkill (Rough Terrain) Forklift (Rough Terrain) Rei Hazardous Wasta Worker 5/2/2004 Hazardous Waste Worker Refreshe 1/30/2014 Holsting & Riggina 1/31/2004 2/7/2014 2/11/2005 Line and Grade - Highway OSHA - 30-hour 11/10/2010 OSHA, 18-hour 11/19/2015 Pipe Fusion 9/13/2013 3/4/2005 Scaffold Builder 1/7/2003



STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

This is a photo identification card. The bearer shall also provide a copy of their lead license.



Name: Kurt W Domingue

License: Lead Abatement Worker

License #: 65-3533

WOF	RKER TRAINING COURSE
	NAME:
PHOTO	s.s.r. = 041–80–7969
HERE	CERTIFICATION 6: 04180796951510503
**************************************	DATE COMPLETED: TRAINER INITIALS:

Asbestos Worker :	· 2/11/2012
Asbestos Worker Refresher	3/28/2013
Concrete Worker - Practices and Procedures	10/26/2007
Construction Math	. 2/25/2005 -
Construction Plan Reading	12/9/2005
Demolition/Deconstruction Worker	2/4/2005
Forklift (Rough Térrain)	12/12/2009
Forklift (Rough Terrain) Refresher	4/2/2012
Hazardous Waste Worker	5/2/2004
Hazardous Waste Worker Refresher	3/27/2013
Hoisting & Rigging	10/19/2007
Lead Abatement Worker - English	1/31/2004
Lazd Abatament Worker Rafrasher - English	3/29/2013
Line and Grade - Highway	2/11/2005
OSHA - 30-hour	11/10/2010
OSHA, 10-hour	11/19/2015
Pipelaying, Principles and Trench Protection	3/4/2005
Scaffold Builder	1/7/2003
Traffle Control	11/2/2007

*Date Value = Completion Date. Bold Date Value = Renewal Date

centra Medical Centers (CT)

900 Northrup Road WALLINGFORD, CT 06492 Phone: (203) 949-1534 Fax: (203) 949-9036

EMPLOYER AUTHORIZATION AND INFORMATION FOR RESPIRATORY EVALUATION

EMPLOYER TO COMPLETE THE FOLLOWING:	Address:
Employee Name: Domingue, Kurt W.	36 Woodland Dr.
	WALLINGFORD CT 06492
Employer: Private Pay Drug Test	Employee SSN: XXX-XX-7969
Check Type of Respirator(s) To Be Used	Extent of Useage (Check ✓ ALL that apply) On a daily basis Total Hours Occasionally - but not more than twice a week Total Ho Rarely - or for Emergency situations only Total Hours Expected Physical Effort Required (Check ✓ ALL that apply) Light Moderate Heavy
Open Circuit SCBA Closed Circuit SCBA	
☐ Dust Mask ☐ 1/2 Face with Canisters ☐ Full Face with Canisters	Exposure to Hazardous Materials (Check ✓ALL that apply) Arsenic Benzene
Make: Model: Cartridge: Special Work Conditions (Check YALL That Apply When Wearing Respirator) High Places	☐ Coke Oven ☐ Cotton Seed / Dust ☐ Cadmium ☐ Formaldehyde ☐ Methylene Chloride ☐ Lead ☐ Textiles ☐ Chromium
Other:	Other(s):
Questionare will be: HAND CARRIED MAILED OTHER	EVALUATION AUTHORIZATION BY:
DO NOT WRITE BELOW THIS LINE DO NOT WRIT	Signature of Employer Representative TE BELOW THIS LINE DO NOT WRITE BELOW THIS LIN
PLHCP 1 WRITTEN STATEMENT for RESI	
must be collected and maintained on seperate forms, in seperate files, and must be treated as a Supervisors and managers may be informed about necessary restrictions on the work or dutive. First aid and safety personnel may be informed, when appropriate, if the disability might requive the disability mi	es of an employee and necessary accommodations. ire emergency treatment. y) rs (CT)
of his/her findings to	
The above individual HAS been examined for respirator fitness in accordance with 29 CFR 18 use only. Employees should be instructed to report any difficulties in using respirators or chan This evaluation included the Respiratory Questionnaire outlined in 29 CFR 1910.134. The above individual HAS NOT been examined by me for respirator fitness. The employee's Questionnaire in Appendix C Part A Section 2. In accordance with 29 CFR 1910.134, this limit to report any difficulties in using respirators or change of any physical status to their superviso outlined in 29 CFR 1910.134. In accordance with specific OSHA requirements, I have informed the above named individual exposures that hay require further explanation or treatment. Where applicable, the above named attributable to the combined effect of smoking and asbestos, lead and/or other chemical exposures in the combined effect of smoking and asbestos, lead and/or other chemical exposures in the combined effect of smoking and asbestos.	medical evaluation consisted of a review of OSHA's Medical Evaluation ted evaluation is specific to respirator use only. Employees would be instructed or or physician. This evaluation included the Respiratory Questionnaire of the results of this evaluation and of any medical conditions resulting from med individual has been informed of the increased fisk of lung cancer sure(s). Physician's Name (Printed)
Physician's License Number (Optional in Most States)	Date of Exàm Expires On
lhcp_stmt_resp_employer Page 1 of 1	Print Date: 06/20/2013
To be maintained in the employee's file v	with a copy to the employee Revision Date: 06/29/1999

To be maintained in the employee's file with a copy to the employee

ncentra Medical Centers (CT)

900 Northrup Road WALLINGFORD, CT 06492 Phone: (203) 949-1534 Fax: (203) 949-9036

PLHCP1 WRITTEN STATEMENT for RESPIRATORS (EMPLOYEE)

Employee Name: Domingue, Kurt W. Address: 36 Woodland Dr. WALLINGFORD CT 06492 Employer: Private Pay Drug Test You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	XXX-XX-7969
Domingue, Kurt W. Address: 36 Woodland Dr. WALLINGFORD CT 06492 Employer: Private Pay Drug Test You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check ✓ one that applies) There were no abnormal findings that would hamper your ability to perform your Draw abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ✓ ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: □ ARE NOT qualified to wear a respirator. □ Require further testing by your private physician who must submit a written report	XXX-XX-7969
Address: 36 Woodland Dr. WALLINGFORD CT 06492 Employer: Private Pay Drug Test You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	•
WALLINGFORD CT 06492 Employer: Private Pay Drug Test You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check ✓ one that applies) There were no abnormal findings that would hamper your ability to perform your Drug The abnormal findings listed below were not related to wearing a respirator but spersonal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ✓ ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: □ ARE NOT qualified to wear a respirator. □ Require further testing by your private physician who must submit a written report	
WALLINGFORD CT 06492 Employer: Private Pay Drug Test You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check ✓ one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but spersonal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ✓ ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: □ ARE NOT qualified to wear a respirator. □ Require further testing by your private physician who must submit a written report	
You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	
You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	
You were evaluated in this office of your medical status related to your physic to wear a respirator. (Check one that applies) There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	
There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	
There were no abnormal findings that would hamper your ability to perform your The abnormal findings listed below were not related to wearing a respirator but a personal physician for further evaluation. Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	cal capability
Based upon the results of this evaluation it is my opinion that you: (Check ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written report	
ARE qualified to wear a respirator. Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written repo	r job duties while wearing a respirator. should be reported to your
Have the following restrictions concerning respirator usage: ARE NOT qualified to wear a respirator. Require further testing by your private physician who must submit a written repo	<u>ALL</u> that apply)
☐ ARE NOT qualified to wear a respirator. ☐ Require further testing by your private physician who must submit a written repo	
Require further testing by your private physician who must submit a written repo	
Concentra Medical Centers (CT) so that a final decision on v	
Must wear Special prescription eye-wear needed to accommodate respirator.	your ability to wear a respirator can be mad
☐ Must use an Eye glass conversion kit.	
May need to shave Facial hair to assure tight seal on certain face masks.	
Need to stop smoking.	
(Check VALL that apply)	
The above individual HAS been examined for respirator fitness in accordance with 29 CFR 1910.134. This limited e use only. Employees should be instructed to report any difficulties in using respirators or change of any physical states a This evaluation included the Respiratory Questionnaire outlined in 29 CFR 1910.134. The above individual HAS NOT been examined by me for respirator fitness. The employee's medical evaluation con Questionnaire in Appendix C Part A Section 2. In accordance with 29 CFR 1910.134, this limited evaluation is specific or report any difficulties in using respirators or change of any physical status to their supervisor or physician. This evaluation in 29 CFR 1910.134. In accordance with specific OSHA requirements, I have informed the above named individual of the results of this evaluation in 20 CFR 1910.134.	etus to their supervisor or physician. Onsisted of a review of OSHA's Medical Evaluation ific to respirator use only. Employees should be instructed valuation included the Respiratory Questionnaire
exposures that may require further explanation or treatment. Where applicable, the above named individual has bee attributable to the combined effect of smoking and asbestos, lead and/or other chemical exposure(s).	en informed of the increased risk of lung cancer
Respirators must be properly selected based on the containment and concentration levels to which the worker will be expo and warnings for proper use contained on the respirator packaging and/or failure to wear the respirator during all times of a and result in sickness or death. Wearer must be trained in the proper care of any respirator. Refer to product literature and p use and/or limits ions.	exposure can reduce the respirator's effectiveness
	2
PI HCP Signature	Jan
PLHCP Signature	Employee's Signature
PHOPH AND PA	~ (<
PLHCP Name (printed)	06/25/2014
Physician or other Licensed Healthcare Professional	Expiration Date

r_plhcp_stmt_resp_employee

Page 1 of 1

Print Date:

06/20/2013

Revision Date: 04/06/2000

LAWRENCE TRAINING SCHOOL, INC.

THE PARTY OF THE PROPERTY OF THE PARTY OF TH

88 Franklin Street, Lawrence, MA 01840 Telephone: (978) 689-7370

This is to certify that

Juan Mieses

has successfully completed the 10-hour comes Standards for the Construction Industry Occepalinist Supers used excusin

OSHA-1M7.452

Chilicale Musher

JAN 08 & JAN 10, 2011

Difes of Trannig

JAN 10, 2011

Date of Examination

Hara Alcantara

THE STATE OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY




This card acknowledges that the recipient has successfully completed a 10-hour Occupational Safety and Health Training Ccurse in Construction Safety and Health

Juan Mieses

Maria Alcantara

01/10/11

(Trainer name - print or type)

(Course end date)



Commonwealth of Massachusetts Department of Labor Standards

Heather E. Rowe, Director


Asbestos Worker

JUAN MIESES

Eff. Date 01/30/13 Exp. Date 01/29/14 AW007255 Member of C.O.N.E.S.








A SETTONIA COM



This is to certify that

Juan Mieses



has attended the 8-hour course

Spanish Hazardous Waste Operations Refresher pursuant to OSHA 29 CFR Part 1910,120

Northern Essex Community College 45 Franklin Street Lawrence, MA 01841 Course Location

March 09./2013

Examination pale

1-7897-982-257774 Certificate Number

March 9, 2013 Course Dates March 09, 2014 Expiration thate

Training Director

16 Upton Drive, Wilmington, MA 01887

				Man water			· ·	
Spirdmetry Ro Puritan-Benn S/N: 604 Version: 1.2	ett Renaissanc 10702007	e II	BEST	FVC/FVL :	REPURT	Se	ession Date: ession Time: ast Cal Check	11 · 44 AM
ID: Name: Gender: Medication Dosage:	XXXXX7452 MIESES JUAN MALE		Height: Age: Weight: Smoker: Ethnicity	66* 42YRS 185LB NO //Correct		n:	Sensor Code: Temperature: Barometric Pr BTPS Correcti Hormals:	843701 59F ess: 523mmfg on: 1.165 KNUDSON 83
Clinical Format:	PREMED - 11:d Best Criteria	4 AH :	VAL				< Ind	icates Below ∐N
HEASUREMENT FVC (L) FEV1 (L) FEV13 FEF25-75 (L/S) PEF(L/S) FET (S)	BEST Irial 3.94 1 3.61 1 92 5.32 1 5.87 1 4.91 1	*Pred 558 618 105 850 414	Pred 0.70 0.58 88 0.63 1.42	0.52 0.45 0.77				
ATS Interpretation:	l Acceptable O Re	producible 0 MED – Hormal :		!	FEV1 VAR:	PEF VAR:		·
Comment:	FASE	TIED - NOTING!	on rometry					
N.	5 6 7 8 9 1	R. 22	ĭ					
.5 CM=1L _PREMED	AOTAME (T)					•	•	
8 7 7 4 6 5 5 5			<u> </u>				: Pred	L

8

18

11

12

13

14

TIME (S)

15

R.L.N. Navaratnam, M.D. Lawrence Walk-In Medical Center 100 Franklin Street Lawrence, MA 01840 978-682-8343

3.

8

1 CM=1S

2

5

LAWRENCE TRAINING SCHOOL, INC.

Alternative Education & Career Path for Adults

SDO (MBE/WBE &DBE) CERTIFIED

FIT TEST AND RESPIRATOR TRAINING CHECK LIST


PRUEBA DE AJUSTE DEL RESPIRADOR

The following is a checklist that must be completed for each employee to wear a negative pressure respirator. This form is required every year on all Asbestos or Lead job sites.

I CERTIFY THAT ON THE DATE STATED BELOW I WAS TESTED FOR THE RESPIRATOR TYPE AND MODEL LISTED BELOW. I WAS ALSO GIVEN TRAINING REGARDING THE PROPER USE OF THE RESPIRATOR AND THE MAINTENANCE PROCEDURES REQUIERED.

I FURTHER CERTIFY THAT I UNDERSTAND THE TRAINING PROVIDED TO ME AND KNOW THAT THE USE OF A RESPIRATOR UNDER CONDITIONS CONTRARY TO THOSE OUTLINED AS APPROPRIATE IN THE TRAINING AND TEST SESSION MAY NOT PROVIDE ADEQUATE PROTECTION

The Later of the L	
Qualified Instructor Signature: My www April 1980	
Employee/Subcontractor Signature: Juan Mieses 010513	
Date: January 05, 2013	
Challenge substance: (Circle One)	
2. Fit Check Procedures:	
A. Negative Pressure Check PASS FAIL B. Positive Pressure Check PASS	FAIL
3. Testing Procedure : Reaction	
a. Normal breathing	
b. Deep breathing	
c. Turn head from side to side	_
d. Nod head up and down	······································
e. Talking and/or counting backwards from 100	_
f. Jogging in place	***
g. Bend over and touch toes	
h. Grimace and frown	<u>-</u>
i. Repeat rainbow passage	_
j. Breathe normally	
A. Overall Evaluation: PASS / AIL	
i. Respirator Approvals: LTS0113-05-JM7452	
ype HALF-FACE Size L	



Commonwealth of Massachusetts Department of Labor Standards

Heather E. Rowe, Director

Asbestos Supervisor

RIYETH SAY

Eff. Date 06/24/13 Exp. Date 06/24/14

AS061766

Member of C.O.N.E.S.

BOSR







OSHA

000914456



U.S. Department of Labor

Occupational Safety and Health Administration

Riveth Say

has successfully completed a 10-hour Cocupational Gallery and Henti-

Construction Safety & Fealth

Noell C. Woolley

01/28/06

Trainer

PERMIT-REQUIRED CONFINED SPACE WORKER TRAINING COURSE

PLACE РНОТО HERE

Riveth Say 552-71-1191

CERTIFICATION #:

55271119151510201

DATE COMPLETED: TRAINER INITIALS:

THIS CERTIFICATE INDICATES SUCCESSFUL COSPILETION OF TRAYATING AS REQUIRED BY COMA 29CFB 19 (0.946)

MAZARD WASTE WORKER REFRESHER TRAINING COURSE



RIYETH SAY

Certificate Númber. 1191413310,2

S.S.#.

Compléted Initial Course: -1 18 204

Refresher Completed:

19 20 29 11

COMPLIES WITH OSHA 29 CFR 1910.120.

PHYSICIAN 'S WRITTEN OPINION

TO Riyeth Say
FROM: HUNG TRONG DO,MD, 16 BRANCH ST,LOWELL, MA 01851
DATE: <u>08/24/2013</u>
SUBJECT: PHYSICIAN'S WRITTEN OPINION
n accordance with the requirements of section (m)(4) (1) of the OSHA Asbestos Standard,29 CFR 1926.110 the examining physician will provide the employer with a written opinion which shall contain the following
This is to certify ,that on this date <u>08/24/13</u> and in accordance with the OSHA Asbestos Standard,29 CFR 1926.1101.(m)(1),(2),(30 and (4),I have examined this individual <u>Riyeth Say</u> with Social Security Number <u>552711191</u>
Based on my finding, I have determined this individual may (v) may not () use a respiratory device while performing his/her required employment services
The results of my examination have not(y), have(') detected a medical condition which would place this individual at an increased risk of material health impairment from exposure to asbestos
4 In accordance with OSHA requirements, I have informed the above named individual of the results of his/her medical examination and of any medical condition that may result from his/her exposure to asbestos; and
I have informed the above named individual of the health risks involved in smoking of the synergistic relationship between cigarette smoking and asbestos exposure in producing lung cancer
COMMENTS: FEV, 600 FVC 3.90 litres
Chen Yray ordered
The complete medical examination report on the above named individual will be forwarded to the employer pending final conclusion and interpretation of any additional medical data collected during the examination SIGNED: 1 08/24/13

Hung Trong Do, M.D. P.C. 16 Branch Street Lowell, MA 01851-1803 Phone 978-458-6611

Asbestos Removal, Lead Paint, Demolition. Etc.



RESPIRATOR FIT-TEST AND TRAINING RECORD

P.O. Box 6058: Newburyport, MA 01950: (800) 846-6254 Fax (978) 463-2864

Employee's Name: Distall	
Project Name: Project Name: Project Name: Project Name: Project Name:	Social Security No.: 552-71-1191
Project Name: Phency High Sc	hool Job Number:
RESPIRATOR FIT-TEST SUMMARY (Must be conducted)	
Fit-Test Date: \$ 18-13 Bornes Co.	or each negative pressure respirator used)
Fit-Test Date: 4-18-13 Person Cond Respirator Selected:	ucting Fit-Test: JOLV Chhamp
Manufacturer: NORTH	Model 7766
Aug.	A4 + A
Type of Fit-Test Conducted: Qualitative Was Rainbow Passage Used: Diver Dive	14500101
Was Rainbow Passage Used: ☐ Yes ☐ No Was	Type of Agent Used: Irritant Smoke
Signature of Person Conducting Fit-Test:	Facepiece to Face Seal Obtained: Yes No
and the last of the last	
Your signature on this Respirator Training Record will a following respirator training information which both OSI Protection Standard. The required respirator training consists of the following:	Amo as a ban or men Hesbustory
An explanation of the problems involved in misus A discussion of why engineering controls could in How and why this make and model respirator was The limitations of this make and model respirator in How to put on this respirator and properly adjust How to wear this respirator properly. What the essential points of the care and mainten How to recognize and franctic emergencies which How to properly inspect, clean and disinfect this in How to properly use an Air Purifying Respirator. When a Type-C supplied-air respirator is required. The purpose of the medical evaluation. How FEC conducts a proper respirator fit-test. That a Powered Air Purifying respirator (PAPR) is averaged the protection factor for the hazard involved.	sing or inter-changing parts of the respirator. NOT prevent the use of respiratory protection. Is chosen for this specific project. Ithe facepiece and tension straps. RINCE of this respirator are. May occur while using this respirator. REPLACED INTERPLACED INTERPL
Employee's signature:	Date: 7-18-12



ASBESTOS ABATEMENT SUPERVISOR REFRESHER

SEAN L SENIOR

Certificate Number 4143892asbsr0813

Exam Date Course Date 8/29/2013 8/29/2013

Expires: 8/29/2014

Course Confined Space Awareness OSHA, 18-hour

Date Value 82392814 9/10/2013 9/13/2014

Confined Space Awareness



SEAN L SENIOR

Certificate Number: 4143892conspc0913

Date Completed:

S.S.#:

XXX-XX-0424

9/10/2013

Director:

JOSEPH M. SABITONI

Instructor:

MICHAEL LEPORE

40 HOUR HAZARDOUS WASTE WORKER



SEAN L SENIOR

Certificate Number: 414389241510913

S.S.#:

XXX-XX-0424

Date Completed:

9/13/2013

Refresher Date: 9/13/2014

Instructor. MICHAEL LEPORE

THIS CERTIFICATE INDICATES SUCCESSFUL COMPLETION OF TRAINING AS REQUIRED BY OSHA 29 CFR 1910.120.

Concentra Medical Centers (CT)

370 James St Suite 304 NEW HAVEN, CT 08513 Phone: (203) 603-0482 | Fax: (203) 503-0492

PLHCP WRITTEN STATEMENT for RESPIRATORS (EMPLOYEE)

ervice Date: 10/11/2013	Employee SSN: XXX-XX-0424
mployee Name:	Employee SSN: XXX-XX-0424
ienior, Sean	
ıddress:	
61 Lamberton St	
VEW HAVEN CT 06519	
Employer: Private Pay Drug Test	
You were evaluated in this office of your m	edical status related to your physical capability
:o wear a respirator. (Check ✓ one that ap	olies)
Fadings that wou	ld hamper your ability to perform your job duties while wearing a respirator. ot related to wearing a respirator but should be reported to your
Based upon the results of this evaluation	it is my oplnion that you: (Check ✓ ALL that apply)
NAME qualified to wear a respirator.	
Have the following restrictions concerning	respirator usage:
The second secon	
Dequire further testing by your private phy	sician who must submit a written report of his/her findings to
a standing Contors (CT)	SO that a linar decision on your own,
Must wear Special prescription eye-wear	needed to accommodate respirator.
The state of the glock conversion kill.	
May need to shave Facial hair to assure t	ght seal on certain face masks.
☐ Need to stop smoking.	
(Check V ALL that apply)	ess in accordance with 29 CFR 1910.134. This limited evaluation is specific to respirator culties in using respirators or change of any physical status to their supervisor or physician.
This evolution included the Respiratory Questionnaire out	micum 20 of the region of the region of OSHA's Medical Evaluation
The shows individual HAS NOT been examined by the lor	leaphilater markets from the second of the s
Questionnaire in Appendix C Part A Section 2. In accordant	to with 29 CFR 1910,134, this limited evaluation is specific to respirator use only. Employed Questionnaire by physical status to their supervisor or physician. This evaluation included the Respiratory Questionnaire
outlined in 29 CFR 1910.134.	of this evaluation and of any medical conditions resulting from
In accordance with specific OSHA requirements, I have int	ormed the above named individual of the results of this evaluation and of any medical conditions resulting from t. Where applicable, the above named individual has been informed of the increased risk of lung cancer
/	S. Iddu dilator anto arrettives and
and be properly rejected based on the containing	ent and concentration levols to which the worker will be exposed. Failure to follow the use and fitting instruction Lying and/or failure to wear the respirator during all times of exposure can reduce the respirator's effectiveness proper eare of any respirator.Refer to product literature and packaging for apacific information regarding lit,
and result in alckness or death. Wester must be trained in the use and/or limitations.	7000 VII VII VII VII VII VII VII VII VII
\mathcal{M}	2
A-DENNI	Employee's Signature
PLHCP Signature	/ / / / / / /
•	Expiration Date
PLHCP Name (printed)	/ Expiration Date
1pt states of other Ucansed Healthcare Professional	and the sample of the sample o
To be main	stained in the employee's file with a copy to the employee
2002	Page 1 of 1 Print Date: 10/11/2013 Revision Date: 04/06/2000
r_plhcp_stmt_resp_employee	Revision Date: 04/06/2000

PAGE 83/84

コーカイトドリー ロスもろらた

HOCTTCOCAZ

Spirometry Report Puritan-Bennett Renaissance II

S/N:

lender:

)osage:

Medication:

G050700102

BEST 3 FVC/FVL REPORT

110CT2013 02:46PM Last Cal Check:

110CT2013

1.2.0 /ersion: 049640424 Height: 67" Physician: D: lame:

MALE

39YRS Technician: Age: 205LBS Weight: Smoker: NO

Sensor Code: l'emperature; Barometric Press: BTPS Correction:

851414 72F 760mHg 1.104

Clinical Format:

PREMED - 02:48PM Best Criteria:

Ethnicity/Correction: AFRICAN AMERICAN 88.0%

Normals:

Session Date:

Session Time:

KNUDSON 83

* Indicates Best Value VAL

< Indicates Below LLN

1EASUREMENT FVC (L)	1rial 2 2.93* <	<u>\$Pred</u> 75	<u>irial 1</u> 2.79 <	<u>Trial 3</u> 2.70 <	<u>Pred</u> 3.88	11 N 3.14
FEV1 (L.)	2.58*	80	2.41 <	2.28 <	3.21	2.54
FEV1¥	88	105	86	84	84	73
FEF25-75 (L/S)	3.96*	115	3.67	3.37	3.44	
PEF(L/S)	6.96*	91	ნ. 55	6.32	7.59	
FET (S)	7.75*		8.03	7.81		

BEST FEVIX

888

Report Summary:

Tests 3 Acceptable 3 Reproducible 1 FVC VAR: 140ML FEV1 VAR: Pre Med:


165ML PEF VAR:

414ML/\$

ATS Interpretation:

PREMED - Mild Restriction

Comment:



Page 1 of 2

Concentra Medical Centers (CT)

370 James St Suite 304 NEW HAVEN, CT 08513 Phone: (203) 503-0482 Fáx: (203) 503-0492

EMPLOYER AUTHORIZATION AND INFORMATION FOR RESPIRATORY EVALUATION

EMPLOYER TO COMPLETE THE FOLLOWING:	Address:	
Employee Name: Senior, Sean	161 Lamberton St	
	NEW HAVEN	CT 06519
Employer: Private Pay Drug Test	Employee SSN: XXX-XX-0	
Check Type of Respirator(s) To Be Used (Check VALL that apply)	Extent of Useage (Check	
☐ Air-purifying (non-powered) ☐ Air-purifying (powered)	On a daily basis	
Atmosphere supplying Respirator		more than twice a week Total Hour
Combination air-line and SCBA		ncy situations only Total Hours
Continous-Flow Respirator		Required (Check VALL that apply)
Supplied-Air Respirator	☐ Light ☐ Mode	rate Heavy
Open Circuit SCBA	Exposure to Hazardous M	aterials (Check VALL that apply)
Dust Mask 1/2 Face with Canisters Full Face with Canisters	Arsenic	☐ Benzene
Make: Model: Cartridge:	Coke Oven	Cotton Seed / Dust
Special Work Conditions	Cadmium	Formaldehyde
(Check * ALL That Apply When Wearing Respirator)	Methylene Chloride	Lead
High Places	☐ Textiles	Chromium
Temperature Extremes	Other(s):	
☐ Other:	EVALUATION AUTHORIZAT	TION BY:
		Signature of Employer Representative
DO NOT WRITE BELOW THIS LINE DO NOT WRITE	BELOW THIS LINE	DO NOT WRITE BELOW THIS LINI
PLHCP ¹ WRITTEN STATEMENT for RESPI	RATORS (EMPLOYER)	
PHYSICIAN WILL COMPLETE THE FOLLOWING	MICKS (LIMI COT LIK)	
This report may contain confidential medical information and is intended for the designated employed	er contact only. The Americans with [Dieabilities Act
(ADA) imposes very strict limitations on the use of information obtained during physical examination	of qualified individuals with disabiliti	lee. All information
must be collected and maintained on seperate forms, in seperate files, and must be treated as a co	nfidential medical record, with the fol	llowing exceptions:
Supervisors and managers may be informed about necessary restrictions on the work or duties	of an employee and necessary accor	mmodations.
First ald and safety personnel may be informed, when appropriate, if the disability might require		
Based upon my findings, I have determined that this individual (Check ALL that apply)		
Employee must schedule a medical examination with Concentra Medical Centers	prior to respirator	approval and usage.
Class II - No Restrictions on Respirator Use	or Escape Only	har
Class II - Some Specific Use Restrictions	of Escape Only	
Further Testing / Evaluation is Required. 2		
Fit Test Required Fit Test Performed Satisfactority		
Fit Test NOT Performed Unsatisfactorily Fit Test NOT Performed at: Concentr.	a Medical Centers (CT	
	scription byewear needed to accomin	nodate respirator
Facial heir needs to be shaved to assure tight seal on certain face masks.	•	
Physician or other Licensed Healthcare Professional		1 () () () () ()
Employee must seek further medical evaluation by a private physician who must submit a report	to Concentra Medical C	enters (C.L)
of his/her findings to		
(Check V ALL that apply)		
The above individual HAS been examined for respirator fitness in accordance with 29 CFR 191	0.134. This limited evaluation is spec	citic to respirator
use only. Employees should be instructed to report any difficulties in using respirators or change	a of any buyelosi eratus to tuen enber	rvisor or physician.
This evaluation included the Respiratory Questionnaire outlined in 29 CFR 1910.134. The above individual <u>HAS NOT</u> been examined by me for respirator fitness. The employee's me	nedical evaluation consisted of a revi-	ew of OSHA's Medical Evaluation
Questionnaire in Appendix C. Part A. Section 2. In accordance with 29 CFR 1910.134, this limite	d evaluation is specific to respirator t	usa only. Employees would be instructed
to report any difficulties in using respirators or change of any physical status to their supervisor	or physician. This evaluation include	d the Respiratory Questionnaire
multipod in 20 CEP 1010 134		
In accordance with specific OSHA requirements, I have informed the above named individuel or exposures that may require further explanation or treatment. Where applicable, the above name	t the results of this evaluation and of the	any medical conditions resulting from
exposures that may require further explanation of resument. Where applicable, the short eather attributable to the combined energy of another papers of attributable to the combined energy of another papers.		
attributable to find commonled energy of the common and the common	Finonc	da Gold, MD
Physician's Signature	Physician's, Nam	ie (Printed)
AZ3972/OT		3 (0/11/14
Physician's License Number (Optional in Most States)	Date of Exam	Expires On
The state of the s		0.110
r_plhcp_stmt_resp_employer Page 1 of 1		Print Date: 10/11/2013 Revision Date: 06/29/1999
To be maintained in the employee's file v	vith a copy to the employee	Revision Date: 06/29/1999

PAGE 01/04

STAPLES_URANGE

yeo

Concentra Medical Centers (CT) 370 James St Suilo 304 NEW HAVEN, CY 06613 Phone: (203) 503-0482 Fax: (203) 503-0492

Medical Surveillance - Asbestos

Patient:	Senior, Sean	Job Title:		•		
SSN:	XXX-XX-0424	Employer:	CON/New Haven			
DOB:	08/23/1974	Address:	370 James St Ste 304			
Gender:	M					
Marital Status:	\$		New Haven, CT 065133091			
Address'	161 Lamberton St		Sasha Sundhar			
, (44, 000)			D/S Contact/COD			
	NEW HAVEN, CT 06519	Phone:	(203) 503-0482 Ext.:			
Home Phone:	(203) 444-9037	Fax:	(203) 503-0492			
Work Phone:	Ext.:	Race:	ASIAN BLACK HISPANIC INDI	AN WHITE OTHER		
The above individ	ual was seen on 10/11/2013 in acc	cordance with:	29 CFR 1926.1101. 40 CFR 763.121.			
	n and review of the standardized medic	cal questionnaire a	and work history with special emphasi	s directed to the		
· ·	, cardiovascular, and gastrointestinal s	•	•			
	the emptoyer's description of: this em tive or anticipated exposure level, and					
Review of	information from previous medical exa	minations if availa	ble.			
A physical examination with emphasis upon the pulmonary, cardiovascular, and gastrointestinal systems.						
•	ry function test of forced vital capacity	(FVC) and forced	expiratory volume at one second (FE	V 1) in accordance		
	entgenogram, posterior-anterior, 14x17 1101. (M)(2)(ii)(C).	inches (or curren	t film on file) with interpretation in acco	ordance with 29		
NOTE: Acc	cording to 29 CFR 1926.1101 (M)(2)(ii))(C), it is up to the	discretion of the physician whether or	not a chest X-ray		
The employ	yee was informed by the physician of to tos exposure including the increased of					
employee at an incr	oted below, this evaluation indicates the eased risk of material health impairme nployee concerning the use of persona	ent from exposure	to asbestos, and there are no recomm			
Comments or limitat	ions (if any):					
- All All All All All All All All All Al	- Ax	ef d	0010	11/12		
	Provider Sig	gnature	ZY(V) CO/C	<u>· / / / ≤</u> ate		

PAGE 02/04

Service Date: 10/11/2013

Fraining Certificate Milton Lemus

Has successfully completed 8 hour refresher training for Hazardous Waste Operations & Emergency Response in accordance with 29 CFR 1910.120

Course Completion Date: 02/07/2013

Trainer: Cunduso

Expiration Date: 02/07/2014

Certificate # AIS020713-15



11-002626588

This card acknowledges that the recipient has successfully completed a 10-hour Occupational Safety and Health Training Course in Construction Safety and Health

Milton D Lemus

R.Meier #63456

6/24/10

(Trainer name - print or type)

(Course end date)

WALLET CARD

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

NAME

MILTON D. LEMUS ESCOBAR

VALUATION NO. CURRENT THROUGH

O3-595902 009588 03/31/14

PROFESSION

ASBESTOS ABATEMENT WORKER

SIGNATURE

COMMERCE CONDESSION

	Lorrido, ivintori	oon muc.		e.
ssn:	XXX-XX-0573	Employer:	AAIS	
DOB:	03/26/1984	Address:	PO Box 26066	
Gender:	M	•		•
Marital Status:	M .	•	West Haven, CT 065168066	
Addrose:	436 Hillside Ave	Job Contact:	Tammy Hubbard	
Audiess.	3 floor	Role:	Primary Contact	
	HARTFORD, CT 06106	Phone:	(203) 932-2992 Ext.: 230	
Home Phone:	(860) 890-7279	Fax:	(203) 932-9892	
Work Phone:	Ext.:	_	10111 B. 1011 W.D. 1110 B. 1110	
		Race:	ASIAN BLACK HISPANIC IND	IAN WHITE OTHER
The above individ	ual was seen on 06/21/2013 in a	ccordance with:	29 CFR 1926.1101. 40 CFR 763.121.	
	n and review of the standardized me , cardiovascular, and gastrointestina		and work history with special emphas ndix D in 1926.1101.	sis directed to the
			they relate to the employee's exposuon equipment to be utilized by the em	
Review of	information from previous medical ex	kaminations if availa	ble.	
A physical	examination with emphasis upon the	e pulmonary cardio	vascular, and gastrointestinal system	9
		•	expiratory volume at one second (FE	
	Hand ATS standards.	ty (FVC) and forced	expiratory volume at one second (Fi	ev i) in accordance
A chest roe CFR 1926.	entgenogram, posterior-anterior, 14x 1101. (M)(2)(ii)(C). Per Pah avalable	17 inches (or curren	nt film on file) with interpretation in acc	cordance with 29
NOTE: Ac is required.	cording to 29 CFR 1926.1101 (M)(2)	(ii)(C), it is up to the	discretion of the physician whether o	or not a chest X-ray
	tos exposure including the increase		exam and of any medical conditions the attributable to the combined effect o	
employee at an incr		nent from exposure	tected medical conditions that would to asbestos, and there are no recomment or respirator.	
Comments or limitat	ions (if an y):			
		•		
	(Pap	arabus	m 6/2	113

Evaluation - Asbestos Medical Surveillance

Page 1 of 1

Provider Signature

Revision Date: 07/21/1999

Date

972A W Main St. New Britain, CT 06053 Phone: (860) 827-0745 Fax: (860) 827-0824 Physical Exam

Name: Lemus, Milton

SSN: XXX-XX-0573

Date: 06/21/2013

Able to perform essential functions as listed. Unable to perform all essential functions as listed. Please list failed essential function(s): No medical restrictions are indicated. The following medical restrictions are indicated: Recommend further evaluation. Remarks:	
Unable to perform all essential functions as listed. Please list failed essential function(s): No medical restrictions are indicated. The following medical restrictions are indicated: Recommend further evaluation. Remarks:	
No medical restrictions are indicated. The following medical restrictions are indicated: Recommend further evaluation. Remarks:	
No medical restrictions are indicated. The following medical restrictions are indicated: Recommend further evaluation. Remarks:	
No medical restrictions are indicated. The following medical restrictions are indicated: Recommend further evaluation. Remarks:	
✓ No medical restrictions are indicated The following medical restrictions are indicated: Recommend further evaluation Remarks:	
Recommend further evaluation. Remarks:	
Remarks:	
Remarks:	
Remarks:	

·	· · · · · · · · · · · · · · · · · · ·
lon	
$\mathcal{A}(\mathcal{D})$	10101
Lap 2	ypism
Provide	r Print Name Here
Prov	





Type of Respirator: 3M P.A.P.R./ Pass

Employee Signature:

Administrator:






Employee Name:	MILTON LEMUS			
Social Security #:	0573			
Location:	802 Boston Post Road, West Haven, CT 06516			
Location if differen	nt from above:			
Date Tested: 06	120/13			
Type of Test: Irritant Smoke Qualitative Testing				
Type of Respiratory: North ½ Face (7700-30)				
Small / Pass Medium / Pass Large / Pass				
Type of Respirator	: Racal PAPR / Pass			
Type of Respirator	r: 3M Full Face / Pass			





German Rivas-Reyes Sr



has attended the 8-hour course

Spanish Hazardous Waste Operations Refresher pursuant to OSHA 29 CFR Part 1910.120

Northern Essex Community College 45 Franklin Street Lawrence, MA 01841 Course Location

Course Dates

August 17, 2013

13-8407-982-256401

Certificate Number

August 17, 2013

August 17, 2014 Examination Date

Training Director

Expiration Date

LAWRENCE WALK-IN MEDICAL CENTER NEVILLE NAVARATNAM, M.D 100 Franklin Street Lawrence, MA 01840 (978)682-8343

EMPLOYERS ASBESTOS CLEARANCE LETTER

NAME: RIVAI R German	ss# \1 \ XXX7683 .003
NAME:	0/3 EXP. DATE: Ang. 26 th 2014
DATE OF EXAM: Avg. 2707 2	OTS EXP. DATE: 1/19 20 1
This letter confirms that the above named individual was exam (29 CFR 1926 - 1101). The required asbestos questionnaire, were performed. Pulmonary function tests (PFT) were administ	a medical and work mistory, and a complete project
CHEST X-RAYS:	RESULTS: Normal:Abnormal:
Next indicated in 20 PULMONARY FUNCTION TEST RESULTS:	Normal:Abnormal:
COMMENTS:	
The following conditions were identified which may place this er exposure:	mployee at increased risk of health impairment from asbesto
The following limitations on personal protective equipment, inclu () None: The patient is medically qualified to wear all persona () Patient Limitations:	uding respirators are indicated: al protection equipment.
conditions. The employee has been educated about increased.	examination, both with regard to occupation and general medical risk of lung cancer. Smokers are advised regarding smoking and diagnosis unrelated to asbestos exposure may not be undard, a copy of this opinion is being forwarded to the employee.
Thank you for the opportunity to examine this individual.	Ru. norte
Physician	
100 Franklin Street 1 awrence, MA 01840	Phone#
Address 978-082-034-3	• •

Lawrence Walk-In Medical Center

Neville Navaratnam, M.D. 100 Franklin Street Lawrence, MA 01840 (978) 682-8343

Hazwoper Clearance Letter This letter confirms that the above named individual was examined in compliance with the OSHA, Hazwoper standard (CFR 1910.120 and 1910.134). The required questionnaire, a medical and work history, and a complete physical examination were performed. Pulmonary function tests (PFT) were administered. PULMONARY FUNCTION TEST RESULTS: Normal: Abnormal: COMMENTS: The following conditions were identified which may place this employee at increased risk of health impairment: The following limitations on personal protective equipment, including respirators are () None: The patient is medically qualified to wear all personal protection equipment. () Patient Limitations The employee has been informed of the results of the medical examination, both with regard to occupation and general medical conditions. The employee has been educated about increased risk of lung cancer. Smokers are advised regarding smoking cessation if indicated in accordance with the standard finding and diagnosis unrelated to chemical exposures may not be communicated to the employer. Also in accordance with the Standard, a copy of this opinion is being forwarded to the employee. Thank you for the opportunity to examine this individual. Physician R.L.N. Navaratnam, M.D. Wrence Walk-In Medical Center 100 Franklin Street 1 ivrence, MA 01840 978-682-8343

Address

Spirometry Report Puritan-Bennett Renaissance II G040702007 Version: 1.2.0 ID: XXXXX7683 RIVAS GERMAN Name: Gender: MALE Medication: Dosage: PREMED - 05:26PM Clinical Format:

BEST FVC/FVL REPORT 64"

48YRS

135LBS

Height:

Weight:

Age:

VAL

Last Cal Check: Physician:

Sensor Code: 051605 Temperature: 59F 523mmHg Barometric Press:

1

BTPS Correction: 1.166 KNUDSON 83 Normals:

Smoker: NO Ethnicity/Correction: HISPANIC 16.0%

Technician:

Session Date:

Session Time:

< Indicates Below LLN

27AUG2013

01JAN2000

05:25PM

Best Criteria:

MEASUREMENT FVC (L) FEV1 (L)	BEST Trial 3.14 1 2.79 1	<u>%Pred</u> 553 596	<u>Pred</u> 0.57 0.47	<u>LLN</u> 0.42 0.36
FEV1%	89	102	87	76
FFF25-75 (L/S)	4.13 1	812	0.51	
PEF(L/S)	7.38 1	603	1.22	
FET (S)	3.96 1			

Report Summary:

Tests 1 Acceptable 0 Reproducible 0 FVC VAR: Pre Med:

FEV1 VAR:

PEF VAR:


ATS Interpretation:


PREMED - Normal Spirometry

Comment:

VOL UME

CM=1L





RLN. Navaramani, MD Swrence Walk-In Medical Center 100 Franklin Street Lawrence, MA 01840 978-682-8343

LAWRENCE TRAINING SCHOOL, INC.

An Occupational Training Center

Type HALF-FACE

SDO (MBE/WBE &DBE) CERTIFIED

FIT TEST AND RESPIRATOR TRAINING CHECK LIST

PRUEBA DE AJUSTE DEL RESPIRADOR

The following is a checklist that must be completed for each employee to wear a negative pressure respirator. This form is required every year on all Asbestos or Lead job sites.

I CERTIFY THAT ON THE DATE STATED BELOW I WAS TESTED FOR THE RESPIRATOR TYPE AND MODEL LISTED BELOW. I WAS ALSO GIVEN TRAINING REGARDING THE PROPER USE OF THE RESPIRATOR AND THE MAINTENANCE PROCEDURES REQUIERED.

I FURTHER CERTIFY THAT I UNDERSTAND THE TRAINING PROVIDED TO ME AND KNOW THAT THE USE OF A RESPIRATOR UNDER CONDITIONS CONTRARY TO THOSE OUTLINED AS APPROPRIATE IN THE TRAINING AND TEST SESSION MAY NOT PROVIDE ADEQUATE PROTECTION. Qualified Instructor Signature: Employee/Subcontractor Signature: German Rivas083113 Date: August 31, 2013 1. Challenge substance: (Circle One) (Irritant Smoke Oil Saccharin Fit Check Procedures: A. Negative Pressure Check PASS) FAIL Positive Pressure Check Reaction Testing Procedure: NONE a. Normal breathing b. Deep breathing c. Turn head from side to side d. Nod head up and down e. Talking and/or counting backwards from 100 f. Jogging in place g. Bend over and touch toes h. Grimace and frown i. Repeat rainbow passage j. Breathe normally 4. Overall Evaluation: Approval LTS0813-31-GR7683 5. Respirator Approvals:



EMT/ENVIRONMENTAL MANAGEMENT TRAINING, CORPORATION

JOSE D. MATEO

has attended and satisfactorily passed the course:

OSHA HAZWOPER REFRESHER (8 HRS)

Certificate Number: OHRS1310241

Date of Course: 10/05/2013

Exam Date: 10/05/2013

Expiration Date: 10/05/2014

"We certify that the above training is in accordance with OSHA Regulation 29 CFR 1910.120."

Director of Training

65 MERRIMACK STREET, SUITE #12, LAWRENCE, MA 01843 TEL# 978-828-5328 / EMTCORP2004@AOL.COM



LAWRENCE WALK-IN MEDICAL CENTER NEVILLE NAVARATNAM, M.D 100 Franklin Street Lawrence, MA 01840 (978)682-8343

EMPLOYERS ASBESTOS CLEARANCE LETTER

NAME:	Mateo	Jose	S.S#:S.S#:	xxxx 5	163
DATE OF	EXAM: April	30th 201	3 EXP. DATE	: April	29th 2014
This lette	r confirms that the above o	amed individual was e	xamined in compliance with	n the OSHA asbe	stos standard
CHEST X			RESULTS: Normal:	Ab	normal:
	lext indicated in 20 IARY FUNCTION TEST R	ESULTS:	Normal:_	Abno	ormal:
COMMEN	NTS:				
The follow exposure:		ied which may place th	nis employee at increased r	isk of health impa	airment from asbesto
(/) None	ring limitations on personal : The patient is medically on the contractions:	ualified to wear all per	including respirators are in sonal protection equipment	dicated: i.	
() raic	THE ENTITION OF THE PARTY OF TH				
conditions	. The employee has been o	educated about increase	ical examination, both with sed risk of lung cancer. Sm ng and diagnosis unrelated e Standard, a copy of this o	to asbestos expo	sure may not be
Thank you	for the opportunity to exar		R.L.N. No.	wh	
Physician	Ñ. Nevereinem, M.D. Le Walk-In Medicel Center		ngnata o		
200	190 Tranidia Street Lawrence, MA 01840		_center 978-682	-8343	•
Address	n=2 687.834A	_	Phone#		



Appendix G

Fuss & O'Neill EnviroScience Paperwork

www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

PCB's /Acm

Project Number:	70111177. AZE	Date: 1	0/17	13
Project Name:	Platt 1Lich School	Page Numb	er: <u></u> [<u></u>
Work Area:	Mechanical Norm / Et. bock Side	(Phase	I)	
Consultant/Techi	nician: UKeus Angust			
(on site)				

Time	Comments	Initials
1400	7 womens Tran New England Tomker are	(/V)
1.700	on C.E.	
0715	Consainned prepis Continues in the me Chan'	col
	Novem- money one also Seffing up EH.	
	Sco Jacolina of book Side of fue building	
0800	Borrgrond Only Souples one being	
	Set up in wixinity of the work area	
0900	Two pipe elpour have been repair tempra	sly
	repowed on he first flow hall blog by	1/W/
	The noigh exit devele doors in Side or the	
	hand haviers, lesing glove bag and	1
	drop closus.	
	anothe Continues In both tocation	
	Bosevert mechanical room of Eff.	7
	borne side of the building.	
1/20 0	he work aleas are being wonited	
	all horn ground So ples our letter	
	Uma 'm c.	
	works are taking handy hear.	,
	Interior prep, Et prep and hordbarnies	
	Construction continues.	W V
	1426 hork ground Somply home been	MA
	demoned to be nowlegged.	
	J. J	



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Project Number: 2011 1127. A 3 &	Date: 10/17/13	Ges's /ACa
Project Name: Platt Hich School	Page Number: 2 -)	
Work Area: Michanical som & Ext. bork	(Phaze I)	
Consultant/Technician: 1) ICon Angust		
(on site)		

Time	Comments	Initials
1530	DII bougond Somples have been analo and Subswitted to et DPH.	(As)

(860) 646-2469 Fax (860) 649-6883

Project Number: 20((1/27), A/E Project Name: Photh Hish Jehnol Work Area: Est hour Side / Prol mea	Date: 10/18/13 Page Number: 1-2	PCB/Acm
	(Puse I)	
Consultant/Technician: U/Kem Augusti		
(on site)		

Time	Comments	Initials
0700	Floorer Lignin- Footsonsite.	(1A)
0715	, , , , , , , , , , , , , , , , , , , ,	
•	Contained on Sock field of the building	
,	Who T.	
6830-096	Born sond Sompley are being Set	
	Borngrond So-pley are being Set	
	Mars bound and	
1000	the auore onea of being checked. Illothery	
	Confirme packing the Esterior Comos	inne 1
1100	he Elevier Conforme + how been	7 .
	build Working our hocking Time	2 (M)
	preparation to it	
1130	prepare to consite (Mr. Bill Stapleton). Mr. Bill	
	Checked 10000 hier ones and make Sugartion	
	of Change Chart needed to be make In the	
	Container to be Jose Wark com proceed.	
	The Constainments Were not ready 701	
	pre-obstant Mismal When Mr. Bill Insiles	/
	he with site. Mr. Bill checked both hourd	
	barriers ion (hu Frist Floor and and	
	Made Made Surestion 1- Gog add Alona	8
	Money he were needed to be done in both	
	hand horriss. Mr. Ball also Clecked oil	(VK)

(860) 646-2469 Fax (860) 649-6883

Project Number: 701/11 27, A/E Project Name: Plat Lich School	Date: 10/18/13 Page Number: 2 -2	AcB's/Acm
Work Area: mechanicoce worm / Ext. Dock		
Consultant/Technician: // Klus Augusti		
(on site)		

Time	Comments	Initials
	Morney Cent. Gilliens. Eplay one paper	
1230	Mr. Will Continue do Cheeked he work site.	
	the Checked my here lacitions I had I had	
	pool.	110
1300	Mr. Bill last lest the arm site 11101les	
	Continued to haild the Esteries Conform	1
1450-	1509 All Garageond Soughle homobien	1
	removed, to be analyted.	
1530	All back ground Somples hausken anolyte	37 -
1537	of Site.	ON
		·
	·	

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011 11 29. AIE	Date: <u>/ 0/21//3</u>	0
Project Name: Platt Ligh School / Boner of & CH	Page Number:	PCB'S/Acm
Work Area: Bessevent's mechanicae rom & EH.	sour side / Puol area	
Consultant/Technician: Ultur August	/	
(on site)		

Time	Comments	Initials
15700	Fulorier Sign in. 5 per in praying final	i/A
	prepartion on the eff- and int A and 2	
	oher morns continue & non puilding he	
	Conformet in the medowical room.	
0730	All thank proceeding one being cliscuscod lelity	
	it site Super Mise.	
0800-110	Dockground Sample, have been Set up. The	
	Continue to more find paparion in the	
	Costinue to none final papionation in fre	
	Ett. confaire 1.	(VA)
1/15	All horagioned Son ples hadie peen almore	e.d
	Card replaced.	
1530-12a	Linal Wisude in Stackion has been fighting	
	Enside of the Containingent. All Signs! I negre	har
	ai monthines was Installed loved on	
	Colcelation of Slowing so, in good waine	
	Condition Ulila half heater, and cild he	***************************************
	Confairent (no properly hundt haves	
	01 S/ac	
1215	buch heat.	
1245	Morens have returned from huch be	cal .
	Suited cy (Persegulation / per on Vien front	
	PPE's a his class the Ethan's a balened	VIY

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011129 · A 1E	Date: $(0/21/13)$
Project Name: Plout High School - Phose I	Page Number:
Work Area: Merhanical form/ Boseney.	\$ EH-BOCK STOCE
Consultant/Technician: Wikens Augusta	
(on site)	

Time	Comments	Initials
	2 Ashostor & Thoining	
	only Morker My 44/ Hay mappen Mer allow	(VN)
	to her hornes asherton & Icosis apaline	
	its ble of the portaine it.	
1345	nemore tis being monitored O'baterent	
	Continued on the Ell. Confaince 1. 3 augus	(M)
	Continue to build Consoniment on the	
	The Chamital boom.	
1445-	Bourgoond Somples one being amonly for	<i>i.</i>
1575	Elleyone Shown out of the Containing.	
1530	Erson work slight offite	VR.
	\mathcal{O}	
	·	

Project Number: 2011 29. AIE	Date: 10/22/13
Project Name: Phalt High shoot	Page Number: 1
Work Area: Mechanical purm/ massened & 41.	antainent bornera,
Consultant/Technician: //KM Angust	
(on site)	

Time	Comments	Initials
	a P	1 A
1400	Aldoners Cign in Ashestos/Pebis chate of	
	Constinues. The Constained was Checkers	
<u>.</u>	for hosible breaks begone mongon	
0001 0	820 hour grand Somple house keen Set cip	
0000 - 0	520 Mon your Dung hours when set of	
	Dyn wom area. June Continue lo	120
	nep lemainet In the pre Chamicon	
	Jonn- All assestin / P. B'S renoval house he	
	done in side of the It Consainset	
	Final Cleaning house started.	·W)
0900	final Clowing Continues inside of	1/4
	The Eff. Confainment.	
1000-	1085 Final Would profection however	
·	Condattate the Confainment Carlos	
	Final Wisnal Enspection, Niole Cleaning	
	is required	
1040-1	54 thist Set of bourground Samples	
	home hely Unioned and replaced.	
1100	Re. Cleaning - continued ensear of the	
	Eth. (DAIDIN 12 7:	
1200	Money 3/oney out for linch break.	(*
1245	Masses se formed from huch preak.	

(860) 646-2469 Fax (860) 649-6883

Project Number: <u>701111 29 · 1</u> 4 1E	Date: 10/2~/13
Project Name: Ploat 14:11 Selver	Page Number:
Work Area: Mchom'cal san / pasened	\$ Stl. imporiment - Book (Siste
Consultant/Technician: [11km Augusti	
(on site)	

Time	Comments	Initials
1340	final Mined Inspection in the Ext.	(On)
·	Containment 1400 per formed for a	1
	Grad line the Contoine it porses Bir al lice al Dryke Chien persol being	
	Final listed Impethon on of being	
1400		hing
	preping the constituted on to	4
1(-20)	mechanical room.	
19 30	End of Cupa shift.	
(
	·	
	·	



www.fando.com

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011127. A1E	Date: 10/23/13
Project Name: flat 14 de School 1	Phone I Page Number: 1-2
Work Area: Ph. amore Side Con	Journant & borner of / Mechanica room
Consultant/Technician: Willen Muches	
(on site)	-

Time	Comments	Initials
	C 3 3 0	\
1700	It proves Sign In. Con Lovinent pref	M
	Homes Lyn In. Conforment prop Home Started In the bosse next with	
	the me Chamican lester.	
0800-	0908 Doru Stand and FA Sompley	
	Cho heiring Set Up.	
1000	The Work area es heing monitored.	
	Conformet In the mechanical	
	wom is Still being prep.	
400	THE Soples Trong removed.	
	Post How rates home been chick	
	PAR Somples and pering prop to be	(A)
	(1) 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 / 14/
1200	Hunder are touting but h break.	
1243	Hyphen are boxen your link break	\mathcal{L}
	the Efferige Corrocialment home	
	been Cleaned trong PCM.	
1300	been cleaned trong Pcm. Workers Over tearing form The	
	Efterior Consovinent: 3 mores	
	Comon ed The prechow coul com,	
	Morting mad preparation forms	
	Confaired.	
	Grand preparation is heing Monde for	d



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

	; /	
Project N Work Are		- - -
Time	Comments	Initials
1500	The Efterior Con fair of hole been to made in Spection Moder been ple formed. In one of I	
150	Cheoned. All bringsome Souples have been outfolyged. Etho of Inort Shift	
		Λ.

Site Log

Project Number:	2011 1127. AIE	Date: 10/26/17
Project Name:	Phatt High School - Plose I	Page Number: 1-1
Work Area:	Room 54 4 Wood Shop	0

Consultant/Technician: 1/184 Auguste

(on site)

Time	Comments	Initials
1500	7 movey amined on sides to stout puilding	M
	Containment in norm SY & mord stop.	
1530	Masy Mes onsite to per Jones Concrete / mall	
	authing In now sit on the legy Side, and	
	noticed that the word talk bound had give	
	behind It yource Entirolane Abel buil	2/
	a Small contained on norm st Just	
	to removed about 8 St of words broad.	
1600	Contourne I in now 54 and wood Ships	
	our being build.	$ (\Lambda \Lambda) $
1700	Sweet Confairment On in Room SV, lest	(VV
	Side of the own have been build hide	oco.
	inspected, my the negotite our unit	
	and Shower and Signs.	
17/2	made hand removes have started.	
	Movers Continue to kuild Contournes	
	in both locations, poor 54 & horsed shift	
1800	The normal of 8st of more Borned in	
	soon 54 house bee conflicted, Wishooley	
	Egshedis, and opposed Table taxido	In ()
1837	for have Starled in Small Containent	
	in sorrule sy have storter.	M
2015	All The lamper have been unour tobe	

(860) 646-2469 Fax (860) 649-6883


Project Number	: 20111127.AIE	Date: <u>10/26/13</u>
	Phaett High School	Page Number: 2-1
Work Area:	Roomsy & hwood Shop.	0
Consultant/Tecl	hnician: VIcens August	
(on site)	3	

Time	Comments	Initials
	analyzed Morres Continue to be 'les	W)
	Contourne lot u kota lication.	
2037		19
	Coundown.	
2050	Post and Fre Chion house been	
	done flene to small containent thos.	
2100	Consorine to pref Continues.	
2230	Saw Cutting all own dos opening In room	
	54 have been completed all construction	
	Albris heil be prick in the next day.	
	Eleyon 55 offete.	<u>U</u>
	·	
·		

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011 11 27. A1E	Date: 10/27/13
Project Name: Platt Hish Selico	Page Number: 1-3
Work Area: Room SY & Room Wood SUSP	
Consultant/Technician: UKen Auguste	
(on site)	

Time	Comments	Initials
0400	17 womens are one the te prinish prepring fue	
	1 (23) 13 14 14 14 14 14	
0800	Both Containments have been prof. Wilman superled, all Signs Makere posted, The	a,
	Enspected all Signs Makers posted the	
	Shortes a le Mishing.	
0820	Abore want have Storles in both Costa	2 - Sc.
0830	bock ground la ples Morre been Starles	5
	outside of a "Li col barriers in St	
	west him how sy & koordship.	
0930	Abate and Continues in both area	2 3.
	Final Cleaning home Started in both	
	Confournet.	
1051	Rinal Cleaning house been conflicted	
	Final Wiseral Tispections.	
	Zinal Wigner Tispections.	
	Both Consained are being lockson	•
	pumps anchering Let Cep sinside of he	
<u> </u>	Contained while Qua't's For Ge	
	OCus.	
1134	OCry. IAC Soples in Contained ones. Unity Window ponels in som St have NICO to S	
,	the fy thindon ponds in som Sy have	e
		Ì
1150	FAC So ply In Confournet assoc.	





(860) 646-2469 Fax (860) 649-6883

Project Number: 20111177. AIE	Date: 10/27/13
Project Name: Platt High School	Page Number: 3-2
Work Area: 12000 54 & Wood Shop	
Consultant/Technician: Ultury August	
(on site)	

Time	Comments	Initials
	White Conformation Window panel	(UR)
	of he word Shops have Ston tod.	
1200-	1305 Bock gen of Jones on being our	7, 5.
1309-	1337 fre Sample, house being removed	8.
	from both Consocianists.	
1348_	Jun both Consournes have personned	25
	Bergh Cembainne to possed FAR.	
1452	Bolly Confainments one being toundowing	(j/A)
1 .	Post- W'Sund Sneshe Chin home keen	
	per formed in both Conformants.	
	All Mosles generaled Junou both	
	Contournets Will be disposed on	
	PCBIS greats from 50 PPm. The schools	~~A
	Conhorter was Rold Deporte not	
	to mit regular Acon moste with	
1600	Everyone is of Si'l, Efcel for the	
	Everyone is SASi'L, Except Jos for Oline Contractors.	(VA
		•

Project Number: <u>2011 1127. H1E</u>	Date: 11/04/13
Project Name: Platt Hill Scherce	Page Number: 1-
Work Area: Bob ement- Chem rown, ware room C town board)	First food House
Consultant/Technician: [///long Angust.	
(on site)	

Time	Comments	Initials
0700	12 nomes have aniled orsile. The Super Mison	(1/N)
	Split The gloup into 3 Seperate Sweps. I group	b 4
	The to gimiling up Mith peponation in	
	Confainher of me promicoco serve,	
	I stond Containing Settling up in contain	4
	on the pinst open Holl shother story IS	
	Setting up scofolding on the Efferies	
	of the bound rown.	,
0802	Brucernd for new Louishon Set in	
	outside of the work quea, on first for	
	the horselend grea.	M/H
0900	More Continue Mita Set up on he	
	Efteria ASide / bound rown anew. and	
	on he first floor hould orwell.	
093	pre- Witwood remotival home been perform	1
	in Contained at the Chemicon rown	
	ne area passed pase- Misrael.	
1000	aboutenest have started in consorium	ch
	outhe Chemical room.	
1/00-12	hinst Set of homegoned our somples har	0
	been revored, and seploned.	
12-1230	Luch hear,	
1245	Money have returned from bush her	scall
1643	My new nouse actured I from men mes	2614

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011/127.A/E	Date: _/1/04//3_
Project Name: flatt High School - Phone I	_ Page Number:
Work Area: Basenert - Chemical room, withen from	- hist from Bace - A-side bound now Et.
Consultant/Technician: [[] Wy August	
(on site)	

Time	Comments	Initials
	to Continue Much pep work on he	O
	The board com. and continue	
	Much apaten I an limberime	
	Of the me Chamical room	\mathcal{A}^{\vee}
1200	Consained of the wechouniced read	m
	house been cleared, all the somple	
	Were none detected the consoring	
	55 keing tomosonin.	
	Aboute nut in Gondon will get the Chem	60
	non Continue mours continue building	
	Contournet on the pist food had he,	
	pool and with gold of he bond ion.	
1400	bruggered our souples but being and	561
1377	las were storm out of the Contournet	7
	in the chemical your.	
15%	End of more shift.	
	0	
	·	

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011/127-AIE	Date: <u>///3//3</u>	
Project Name: Most High School - Phose I	Page Number: /- 2	
Work Area: Basenet - Pool Chemical ream, Lotter now,	Tirstfuror Had pod ones	Ett- Asid
Consultant/Technician: 11/10 us Augusta	•	Bond non
(on site)		

Time	Comments	Initials
0700	to aconers Sign son. Consormed in the Pool changes a	(M)
	form Is being Check of for breaking. Illitell Continue	
	To let up in the following overs: jinst for pace	
	by pool, 4- side Ext. of In board room, homenest	
	water noon (toukound).	
0710	Buengon and friend Wearing home Starled	
	in Containent in fool them col non. Batgan	
	Souper are buing sel sup orterale of the	
***************************************	Illor preson	_
08 20	Some wor Continues, sil lugar areas pre	1 /
		V IA
2730	inores continue this final Clowing	İ
	in bontoling ent in pool Chamileas reson area	
1030	final Cleaning Continues in containent	
	in to pass deson clemical worm, o'hers contin	<
· · · · · · · ·	the Set cep.	
1100	the conformed in pool (here act som 3	
	ready for final lutual Frak Chion	
	Ju- abate and In worker rom pulars (for hands on	
1700	Health have her formend hold one as one hair allated	(al
1210	1601 (hemited form si hering tourdones.	T) T
1243	Lustus are touting with break.	V r
107) /	Willes have returned from h-Ch break.	

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011 11 27. AIE	Date: 1//2//3	
Project Name: flast High school - Phase I	Page Number: 2-2	
Work Area: Bosement - Pool Chemical room, Laker non	, First floor Hace Pod ones.	Eff Wind now
Consultant/Technician: 1910 Sugar	-	oreo.
(on site)		

Time	Comments	Initials
	to Continue with outstand on he burenet	(M)
	wither reon performing frinal cleaning.	
1300	final Cleaning on som Small Conson ment	
	house heen completed. fina Mesmal inspetion	-
	have been done. Soh Goodown unt holle been	
	approved for la kedernen-	
1343	Thinol and Cleanence In both Confainnels	
	pare starter.	
1445	the mon arias continued to be monitored.	
1	bocksond Sorples one being molegyd	
1530	yource Environes (Mosters are off site	
1578	IAC Jouples from some Consoniments	
	In the passe not (livel opsocial built touchon	(5)
	The is offsite.	Pr.



Project Number: 20111127.AIE	Date: 11/6/13
Project Name: Phatt Hilp Schwel- Phase -I	Page Number: 1
Work Area: First facor - Hell may by pool oneo.	Bono (nom paso.
Consultant/Technician: M/Kly August.	
(on site)	

Time	Comments	Initials
N 5 33		(M)
8730	is mores horsone puniced on Site 7Em	(I)
	Samples in Sinde of Confournment in Side of	
	were led it is not to	3
07.2	Mere Set up on 11/5-	,
	house Stor De of months are buil Colore Contonin) 1 1
	on first flores have more behind hand	
	homes by he pool owe.	
0830	Prep work Continues inhoth preces Ail	
	Etherica works out the bound was men had	. (
	Toped Que to Softy Concern.	1
0950	puep works continues in both wester	, WIP
1050	DI File so ples have been removed onein	
	a Containent In Pool Chemical rem. PII	
	post from nater have been thedeal.	
1200	wown are laking in Chance.	
1242	Mores have solved from with know to	
	Continue mito people hearte in love	
	lo cartions. Trust fun Horse by pool ones on show	<u> </u>
4: .2	ver.	
1400	The obate and miscal hauchen performe	
	in contained on the pist her have by	1/10/
	pool area. Thouse & signs have been ported,	linslage



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Site Log	
Project Number: 2011127-AIE	Date: ///6//5
Project Name: Platt Hish strawer Phose I	Page Number: 2-)
Work Area: First Pour Boice by Pool & Bound Res	un oneno
Consultant/Technician: Wess Engresc	
(on site)	

Time	Comments	Initials
1500	in Consainent & ready for about of involvers constinue to work is believed Consainent on the board som area. Ehry one & off Site	
	·	

(860) 646-2469 Fax (860) 649-6883

Project Number: 2011 112 7-AIE	Date: <u>///7//3</u>
Project Name: Natt / Will school - Phose I	Page Number:
Work Area: In stron your by June over & Consultant/Technician: [[]Kom Angust.	Bandreson
Consultant/Technician: ///Koun Angust.	
(on site)	

Time	Comments	Initials
1700	Former Signon. Contourneton to The	1 M
	Her House have been the Ched are	
	more Line, for Ineourhos. Pul My Gine.	
	or box towers In londow met on firt fles	2
	hould have started inoners continue to	
	perild Containent inte board non area	
0815	All horic sound to pees house keen sex	
	profesto of the unomanea.	
0915	the word grea & Bleing monitored. The	
	Conforment continued to be the	1 1 / 2
1015	Jon tile renoval on the Displan Enterine	* Y
	In conference on the first feet for	
	by pool area (Momes Continue	
	to set up in areas of the bound now.	
	Couldo Tixido mos on lite for more	
	meeting and to mon toped week	-
1 1	migress.	
1115	week continue, in both anes.	$\Box A \Box$
	holy Hill Places, and being know torang	
1200	mothers Showe out for such break.	
1230	Elligore although bork to luck.	(AA
1237	Confidence In pool Chemical	UN



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Project Number: 2011/127, AIE	Date: 11/7/13
Project Name: Dlait Hich Schene - Whose	
	Bound son.
Consultant/Technician: 1/100 August	
(on site)	

Time	Comments	Initials
	room have been cleaned trough	(Vr
. 1 . 10	IEm.	
1340	Booksond and So pee, our kein	
1436	Hand bouniers in the West Hope	
1,36	by the house and the last of the	
1577	Ellry one Stones out no The	
	and Quion Sw Of.	00
139	Elilly one is of Site	VA
	0 00	
		-

(860) 646-2469 Fax (860) 649-6883

Project Number: 201/1/27.A1E	Date: 11/8/13
Project Name: Watt Sidschool - Phose T	Page Number: 1-1
	· Bond Per one
Consultant/Technician: [//Kling Ariguse.	
(on site)	

Comments	Initials
Humans have comiced only to. To	(M)
Continue fluir osles to orbesterent in the	
ball way by the pool area. ourd pepulping	
on Ell- At Girle kyte bond Paris.	
The Contournet by the post proces	
home been the chief the proofing.	
	1
	1
the Containent is keine, hech	
recoin an presching	UN
Dep Work Continues In Contaction	22
outside of the bound norm & ound	
mostic elonoly continue In	
My horal.	
	, A
to prake sure that mos fine.	UP
	Continue luck poste construction to the Continue luck poste area out prefrequence on Est. At Care buyte bound propries on Est. At Care buyte bound propries on Est. At Care buyte bound propries for the continuent by the post on the continuent on first years by Pax. All boalegand surper poure been continuent on first years by Pax. All boalegand surper poure been continuent on presching of the continuent on the continuent on presching of the point of and propries of the board comment of and propries all some from propries of the board continue to the propries of the board continuent on prest from propries of the board continuent on prest from propries of the board continuent, and the propries of the containent of the superior continuents, and the propries of the superior continuents, and the propries of the superior continuents, and the superior of the superior the superior whom the propries of the superior continuents, and the superior of the superior the superior that the superior was the superior that the superior the superior that the superior the superior the superior that the superior the superior that the superior the superior the superior that the superior the superior the superior that the superior the superior that the superior that the superior the superior that the superior the superior that the



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Project Number: 20/1/127, AIE	Date: 11/8/13
Project Name: Phatt Hich School	Page Number: 3">
Work Area: Fist for hall by hod once	& Ett. Bound Ren
Consultant/Technician: ///king Phicus &	
(on site)	

Time	Comments	Initials
1700	Ellerine Stones out In lench he	200 PM
17.40	Ellegione Stones out Jon buch he Europe refund from buch	
100	pood to contained with some	
10	Cype of push Jakoqu location	
1000	With Konfine on both one	
	Consoiners.	
145	Efforior Consorinant orthick is	
	the bound of som home seen wished to	
		BIS
	amount the Viver Willes read	
15712)	on monday.	1 Ng.
1900	first set of bonground Soupher and	f lar
-0.	bling and lased.	
1536	Fillippine J. ANASIE	<u> </u>
· .		

Project Number: 1011 1127. A15	Date: 11/11/13
Project Name: Pail High Cherry - Phone I	Page Number: 1-2
Work Area: M's Than - Hall by pool & A-Side	Ett. Band Row
Consultant/Technician: [11kens Angust	•
(on site)	

Time	Comments	Initials
2703	14 workers how animed on site landowinent	M
	on first glow pool by pool ones, is heir	4
	Checked for purches the Confirment	
	audined in forostope by 07 w,	
	mostic summer have started.	
0730	final pepalation in Conforment on the	
	Exterior bound (A-side) have been monday, tre	
	Carlos I For and a Complete a	
U88U	About in Contained in Ext. A Side 27	
	Rond Rom have Started.	7
0800-0	700 Born grand So ples have been Installer	
	outhole of the iiisk owa.	UN
1000	Askester hermand Continues in bouter	
	Containent.	
1100	Born work areas are being monitored . oslosto	
	unolar Continues in both dentainet	
1200	Ellyons shower out for buch keeck	
1230	Wierus have a sured from hace, and	
	continue with askester renounal	
	Man hope boloch'ors.	
1240 b	Beh with treas on being beckend.	
	final 14 Succe Duste chian house pear	EO (M)
1430	final Usual inspection have bea	

www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Site	Log
------	-----

Project Number: 20111127.1711E	Date: 11/11/1 3
Project Name: Platt MGH School Work Area: My From House by Por Care &	Page Number: 2 -)
Work Area: What Poor Boul by Pool aren of	EH. A. Siole Bend Ree.
Consultant/Technician: UIRLY Auguste	
(on site)	

Time	Comments	Initials
		(A)
	Inside loylownet Dan the first	
	Floor yace by Pool area. Wising pone	ſ
1500		<u> </u>
1516	Ellipme has shorter air of the	<u> </u>
	Gorferine 1.	
15\$1	Pard of Mish Shi It.	M
7-7-1		
	· · · · · · · · · · · · · · · · · · ·	
	·	
		·
	·	

(860) 646-2469 Fax (860) 649-6883

Project Number: 20111127. AIE	Date: ///12/13
Project Name: Plata Hisu School	Page Number:
Work Area: L'stfwor-Hall /pool quea & Ext. A	- Side Bandher
Consultant/Technician: Ulkers Auguste	
(on site)	

Time	Comments	Initials
0700	12 mories Sign for to continue Mign proping	No
	and Asketto revared in confained	
	on the EH. A. Side bond noon. THE for play	
	In Contain set of first A con Hair be	
	proce and have Startes	
0800	Mollers are poor in not bricks and or to	
	Contained, and Conforming 3	
	being Prince Cleaned (Bond Room Elt	Ahilel
10930	Final Justice proportion in Conton	
	butside of the bound rom have the four	
	The Contournet is heing windows!	
1000	the larples from Gordonnet by	<u> </u>
	the port busic home been renously	
	all post gen rates have been che	
1030	for Souply intorium touter of	1 1
	D I we premot have storted workers	
	Confirme to prop surice of the ho-	5
	Justin .	
11300		29-57
1200	gliengen from full for luch beson	R.
	The samples from Costowne to ordered	
	of the hound brown her her revoued, and	to d
	Host Glow rates have checked. So-ples	

(860) 646-2469 Fax (860) 649-6883

Project Number: 20111127. Ale	Date: 11/13/13	
Project Name: Platt Hill Streve	Page Number:	
Work Area: Fryt food Houl / Pooleneon & EH A-Si'de	Bo-d Perm	
Consultant/Technician: U/Kes Buguge		
(on site)		

Time	Comments	Initials
,	ne per're kook to ha puala and.	no
1300		
	FAR. and weif cation Sompling and	
	her my performed.	
1300	All Whiffication Sopling parelies	
	done	
1400	Borly land Jamples one being analogget.	
1500	EH. A-Side Containent by the bond non them	L
	been tondow and usually implected.	(12)
1530	Endog yourshi Ji4	(VIII)
	0 1	,
	٠	



www.fando.com

(860) 646-2469 Fax (860) 649-6883

146 Hartford Road, Manchester, CT 06040

Consultant/Technician: 41km Anges (
Project Name: Matt High School - Phase I	
	3
(on site)	

Time	C	1
Time	Comments	Initials
		(101)
0700	110This pour mined arined mait As	1 VOV
	Start PCB. S remodification on Exterior A-Riole	
	of milding fondation.	
0500	issomers have set up a rangle stories	
	Set up 6 mil poly drup Cloth out perinter	
	or he work area.	
0900	Probanquae havestantes. all pen's	
	Moste are being Gooded into a suppliete,	
	lined muty of layer of 6 mill poly.	
10-1200	Pefes semonal continues.	
1240	<u> </u>	
	Completed galloued by in post the This	
	hisnoch imprection.	
1300	Ehlinger & Of Sil.	YAI
	era jo	1000

L		